

thm_2Ereal__topology_2ELINEAR__COMPOSE__SUM (TMY3rhTfJTgj5yZTvzYSoUQx98J4NY2NzK7)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota.$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota.$

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A_27a \ P))$

Definition 4 We define `c_2Ebool_2E_T` to be $(\text{ap } (\text{ap (c_2Emin_2E_3D } (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Definition 5 We define `c_2Ecombin_2E_C` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 6 We define `c_2Ecombin_2E_K` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Definition 7 We define `c_2Ecombin_2E_S` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 8 We define `c_2Ecombin_2E_I` to be $\lambda A_27a : \iota. (\text{ap } (\text{ap (c_2Ecombin_2E_S } A_27a \ (A_27a^{A_27a}) \ A_27a))$

Definition 9 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap (c_2Emin_2E_3D } (2^{A_27a}) \ P))$

Definition 10 We define `c_2Ecombin_2E_o` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g \in (A_27c^{A_27a}).$

Definition 11 We define `c_2Ebool_2E_F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) \ (\lambda V0t \in 2.V0t)).$

Definition 12 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type $\iota.$

Definition 13 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) \ (\lambda V2t \in 2. V2t))$

Definition 14 We define `c_2Ebool_2E_COND` to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (3)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (4)$$

Definition 15 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E.40\ t))$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (5)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 16 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 17 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 18 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap\ (c_2Emin_2E.40\ t))$

Definition 19 We define $c_2Ebool_2E.7E$ to be $(\lambda V0t \in 2).(ap\ (ap\ c_2Emin_2E.3D_3D_3E\ V0t)\ c_2Ebool_2E.7E)$

Definition 20 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 21 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}})$$

(9)

Definition 22 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27a})^{A_27b}).\lambda V1$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 24 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2)$

Definition 25 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 26 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2)$

Definition 27 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V1$

Definition 28 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27b}).\lambda V1$

Definition 29 We define $c_2Eiterate_2ESum$ to be $\lambda A_27a : \iota.(ap (c_2Eiterate_2Eiterate A_27a ty_2Erealax$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega$$

(10)

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum$$

(11)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega})$$

(12)

Definition 30 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})$$

(13)

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal \\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal))$$

(14)

Definition 31 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 32 We define $c_2Ereal_topology_2Elinear$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF) \\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ (p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C))))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (28)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow \\ (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ (\forall V5y_27 \in A_27a. (((((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\ V5y_27)))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI \\ A_27a)\ V0x) = V0x)) \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in (A_27b^{A_27a}). (((ap\ (ap\ (c_2Ecombin_2Eo\ A_27a\ A_27b \\ A_27b)\ (c_2Ecombin_2EI\ A_27b))\ V0f) = V0f) \wedge ((ap\ (ap\ (c_2Ecombin_2Eo \\ A_27a\ A_27b\ A_27a)\ V0f)\ (c_2Ecombin_2EI\ A_27a)) = V0f))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0f \in (ty_2Erealax_2Ereal^{A_27a}).((ap\ (ap\ (c_2Eiterate_2ESum \\
A_27a)\ (c_2Epred_set_2EEMPTY\ A_27a))\ V0f) = (ap\ c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0))) \wedge (\forall V1x \in A_27b.(\forall V2f \in (ty_2Erealax_2Ereal^{A_27b}). \\
(\forall V3s \in (2^{A_27b}).((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b) \\
V3s)) \Rightarrow ((ap\ (ap\ (c_2Eiterate_2ESum\ A_27b)\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\
A_27b)\ V1x)\ V3s))\ V2f) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Erealax_2Ereal) \\
(ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V1x)\ V3s))\ (ap\ (ap\ (c_2Eiterate_2ESum \\
A_27b)\ V3s)\ V2f))\ (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ V2f\ V1x))\ (\\
ap\ (ap\ (c_2Eiterate_2ESum\ A_27b)\ V3s)\ V2f))))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
A_27a.(\forall V2s \in (2^{A_27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(2^{A_27a})}).((\\
(p\ (ap\ V0P\ (c_2Epred_set_2EEMPTY\ A_27a))) \wedge (\forall V1s \in (2^{A_27a}). \\
(((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s))) \Rightarrow \\
(\forall V2e \in A_27a.((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2e)\ V1s))) \Rightarrow \\
(p\ (ap\ V0P\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V2e)\ V1s)))))) \Rightarrow \\
(\forall V3s \in (2^{A_27a}).((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a) \\
V3s)) \Rightarrow (p\ (ap\ V0P\ V3s))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1g \in \\
(ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(((p\ (ap\ c_2Ereal_topology_2Elinear \\
V0f)) \wedge (p\ (ap\ c_2Ereal_topology_2Elinear\ V1g))) \Rightarrow (p\ (ap\ c_2Ereal_topology_2Elinear \\
(\lambda V2x \in ty_2Erealax_2Ereal.(ap\ (ap\ c_2Erealax_2Ereal_add \\
(ap\ V0f\ V2x))\ (ap\ V1g\ V2x))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (p\ (ap\ c_2Ereal_topology_2Elinear\ (\lambda V0x \in ty_2Erealax_2Ereal. \\
(ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))))
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{38}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{39}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (49)$$

Theorem 1

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0f \in ((ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})^{A_{27a}}). \\ (\forall V1s \in (2^{A_{27a}}). (((p (ap (c_2Epred_set_2EFINITE A_{27a}) \\ V1s)) \wedge (\forall V2a \in A_{27a}. ((p (ap (ap (c_2Ebool_2EIN A_{27a}) V2a) \\ V1s)) \Rightarrow (p (ap c_2Ereal_topology_2Elinear (ap V0f V2a)))))) \Rightarrow (\\ p (ap c_2Ereal_topology_2Elinear (\lambda V3x \in ty_2Erealax_2Ereal. \\ (ap (ap (c_2Eiterate_2ESum A_{27a}) V1s) (\lambda V4a \in A_{27a}. (ap (ap \\ V0f V4a) V3x)))))))))) \end{aligned}$$