

thm_2Ereal__topology_2ELINEAR__INVERTIBLE__BOUNDED__B (TMYF6yUdiog7F79E2yHdXDFpSwDAL5AKXBY)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \tag{5}$$

Definition 16 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealx_2Ereal.(ap (ap (ap (c_2Ebool_2ECONJ$
Let $c_2Erealx_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreal_mul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)}} \quad (13)$$

Definition 17 We define $c_2Erealx_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_4O$

Definition 19 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x$

Definition 20 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}$

Definition 21 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A$

Definition 22 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Let $c_2Erealx_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreal_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)}} \quad (14)$$

Definition 23 We define $c_2Erealx_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal$

Definition 24 We define $c_2Ereal_topology_2Elinear$ to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal})$

Definition 25 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg (p V0t)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.((\neg (p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p(ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p(ap V0P V2x)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p(ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p(ap V0P V2x)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).(((p V0P) \wedge (\forall V2x \in A.27a.(p(ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p(ap V1Q V3x)))))) \quad (27)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).(((p V0P) \vee (\exists V2x \in A.27a.(p(ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A.27a.((p V0P) \vee (p(ap V1Q V3x)))))) \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\exists V2x \in A.27a.((p V0P) \wedge (p(ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A.27a.(p(ap V1Q V3x)))))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}. ((\forall V2x \in A_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A_27a. (p\ (ap\ V1Q\ V3x)))))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B)))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0P \in ((2^{A_27b})^{A_27a}). ((\forall V1x \in A_27a. (\exists V2y \in A_27b. (p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A_27b^{A_27a}). (\forall V4x \in A_27a. (p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x))))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (35)$$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1g \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (((p\ (ap\ c_2Ereal_topology_2Elinear\ V0f)) \wedge ((p\ (ap\ c_2Ereal_topology_2Elinear\ V1g)) \wedge ((ap\ (ap\ (c_2Ecombin_2EI\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal\ V1g)\ V0f) = (c_2Ecombin_2EI\ ty_2Erealax_2Ereal)))) \Rightarrow (\exists V2B \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V2B)) \wedge (\forall V3x \in ty_2Erealax_2Ereal. (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V2B)\ (ap\ c_2Ereal_2Eabs\ V3x)))\ (ap\ c_2Ereal_2Eabs\ (ap\ V0f\ V3x)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow False))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow False) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \ V0A)) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \ V0A)) \Rightarrow False) \Rightarrow (((p \ V0A) \Rightarrow False) \Rightarrow False))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \Leftrightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \wedge (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \vee (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \Rightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))) \quad (46)$$

Theorem 1

$$\begin{aligned} & (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1g \in \\ & (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(((p (ap c_2Ereal_topology_2Elinear \\ & V0f)) \wedge ((p (ap c_2Ereal_topology_2Elinear V1g)) \wedge ((ap (ap (c_2Ecombin_2Eo \\ & ty_2Erealax_2Ereal ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & V1g) V0f) = (c_2Ecombin_2Ei ty_2Erealax_2Ereal)))))) \Rightarrow (\exists V2B \in \\ & ty_2Erealax_2Ereal.(\forall V3x \in ty_2Erealax_2Ereal.(p (ap \\ & (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_mul V2B) \\ & (ap c_2Ereal_2Eabs V3x))) (ap c_2Ereal_2Eabs (ap V0f V3x)))))))))) \end{aligned}$$