

# thm\_2Ereal\_\_topology\_2ELOCALLY\_\_COMPACT\_\_TRANSLATIO (TMWSLrK4Qv2SjvrfuQEW6hu2NQiYZNxVg4y)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 14** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $ty\_2Ereal\_topology\_2Enet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Ereal\_topology\_2Enet A0) \quad (5)$$

Let  $c\_2Ereal\_topology\_2Emk\_net : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ereal\_topology\_2Emk\_net \\ A\_27a \in ((ty\_2Ereal\_topology\_2Enet A\_27a)^{(2^{A\_27a})^{A\_27a}}) \end{aligned} \quad (6)$$

**Definition 15** We define  $c\_2Ereal\_topology\_2Esequentially$  to be  $(ap (c\_2Ereal\_topology\_2Emk\_net ty\_2Ereal\_topology\_2Esequentially$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty ty\_2Erealax\_2Ereal \quad (7)$$

**Definition 16** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in (A\_27b^{A\_27c}). \lambda V1g \in (A\_27c^{A\_27a})$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (8)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (9)$$

**Definition 17** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Epair\_2E\_2C$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal)}) \quad (10)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty ty\_2Ehreal\_2Ehreal \quad (11)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) ty\_2Erealax\_2Ereal) \quad (12)$$

**Definition 18** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E40 (t$   
Let  $c\_2Erealax\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)) \quad (13)$$

**Definition 19** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$   
Let  $c\_2Ereal\_topology\_2Enetord : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ereal\_topology\_2Enetord A\_27a \in ((2^{A\_27a})^{A\_27a})(ty\_2Ereal\_topology\_2Enet A\_27a) \quad (14)$$

**Definition 20** We define  $c\_2Ereal\_topology\_2Etrivial\_limit$  to be  $\lambda A\_27a : \iota.\lambda V0net \in (ty\_2Ereal\_topology\_2Etrivial\_limit$

**Definition 21** We define  $c\_2Ereal\_topology\_2Eeventually$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1net \in (ty\_2Ereal\_topology\_2Eeventually$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (15)$$

**Definition 22** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (16)$$

**Definition 23** We define  $c\_2Ereal\_topology\_2E2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal^{A\_27a})$

**Definition 24** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 25** We define  $c\_2Ereal\_topology\_2Ecompact$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap (c\_2Ebool\_2EIN$

**Definition 26** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap ($

**Definition 27** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap (c\_2Ebool\_2EIN$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Etopology\_2Etopology A0) \quad (17)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Etopology\_2Etopology A\_27a \in ((ty\_2Etopology\_2Etopology A\_27a)^{(2^{(2^{A\_27a})})}) \quad (18)$$

**Definition 28** We define  $c\_2Ereal\_topology\_2Eeuclidean$  to be  $(ap (c\_2Etopology\_2Etopology ty\_2Erealax\_2Ereal$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in\ A\_27a \in ((2^{(2^{A\_27a})})^{(ty\_2Etopology\_2Etopology\ A\_27a)}) \quad (19)$$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (20)$$

**Definition 29** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 30** We define  $c\_2Ereal\_topology\_2Esubtopology$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 31** We define  $c\_2Ereal\_topology\_2Ellocally$  to be  $\lambda V0P \in (2^{(2^{ty\_2Erealax\_2Ereal})}).\lambda V1s \in (2^{ty\_2Erealax\_2Ereal})$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (21)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (22)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (23)$$

**Definition 32** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 33** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 34** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (A\_27b^{A\_27a})$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Erealax\_2Ereal. (\forall V1s \in (2^{ty\_2Erealax\_2Ereal}). \\
& ((p (ap c\_2Ereal\_topology\_2Ecompact (ap (ap (c\_2Epred\_set\_2EIMAGE \\
& ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) (\lambda V2x \in ty\_2Erealax\_2Ereal. \\
& (ap (ap c\_2Erealax\_2Ereal\_add V0a) V2x))) V1s))) \Leftrightarrow (p (ap c\_2Ereal\_topology\_2Ecompact \\
& V1s))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{(2^{ty\_2Erealax\_2Ereal})}). ((\forall V1a \in ty\_2Erealax\_2Ereal. \\
& (\forall V2s \in (2^{ty\_2Erealax\_2Ereal}). ((p (ap V0P (ap (ap (c\_2Epred\_set\_2EIMAGE \\
& ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) (\lambda V3x \in ty\_2Erealax\_2Ereal. \\
& (ap (ap c\_2Erealax\_2Ereal\_add V1a) V3x))) V2s))) \Leftrightarrow (p (ap V0P V2s)))))) \Rightarrow \\
& (\forall V4a \in ty\_2Erealax\_2Ereal. (\forall V5s \in (2^{ty\_2Erealax\_2Ereal}). \\
& ((p (ap (ap c\_2Ereal\_topology\_2Elocally V0P) (ap (ap (c\_2Epred\_set\_2EIMAGE \\
& ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) (\lambda V6x \in ty\_2Erealax\_2Ereal. \\
& (ap (ap c\_2Erealax\_2Ereal\_add V4a) V6x))) V5s))) \Leftrightarrow (p (ap (ap c\_2Ereal\_topology\_2Elocally \\
& V0P) V5s))))))
\end{aligned} \tag{28}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0a \in ty\_2Erealax\_2Ereal. (\forall V1s \in (2^{ty\_2Erealax\_2Ereal}). \\
& ((p (ap (ap c\_2Ereal\_topology\_2Elocally c\_2Ereal\_topology\_2Ecompact) \\
& (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& (\lambda V2x \in ty\_2Erealax\_2Ereal. (ap (ap c\_2Erealax\_2Ereal\_add \\
& V0a) V2x))) V1s))) \Leftrightarrow (p (ap (ap c\_2Ereal\_topology\_2Elocally c\_2Ereal\_topology\_2Ecompact) \\
& V1s))))))
\end{aligned}$$