

thm\_2Ereal\_\_topology\_2EOPEN\_\_IN\_\_REFL  
(TMNyxTJEcSUQqrgpm4d6eVh4Yb5fn7HQHzf)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t$

**Definition 8** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 9** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Etopology\_2Etopology A0) \quad (1)$$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in A\_27a \in ((2^{(2^{A\_27a})})^{(ty\_2Etopology\_2Etopology A\_27a)}) \quad (2)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (3)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (4)$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A.27a\ A.27b \in ((2^{A.27a})^{(ty\_2Epair\_2Eprod\ A.27a\ 2)^{A.27b}})$$
 (5)

**Definition 11** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1t \in (2^{A.27a}).(ap (c\_2Etopology\_2Etopology : \iota \Rightarrow \iota)$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Etopology\_2Etopology\ A.27a \in ((ty\_2Etopology\_2Etopology\ A.27a)^{(2^{A.27a}}))$$
 (6)

**Definition 12** We define  $c\_2Ereal\_topology\_2Esubtopology$  to be  $\lambda A.27a : \iota.\lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 13** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c\_2Ebool\_2ET)$ .

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal$$
 (7)

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealx\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealx\_2Ereal\ ty\_2Erealx\_2Ereal)})$$
 (8)

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal$$
 (9)

Let  $c\_2Erealx\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealx\_2Ereal})$$
 (10)

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge p (ap\ P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_2Erealx\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealx\_2Ereal.(ap (c\_2Emin\_2E\_40 (the (\lambda x.x \in A \wedge p (ap\ P\ x))$

Let  $c\_2Erealx\_2Etrealt\_lt : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etrealt\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})$$
 (11)

**Definition 16** We define  $c\_2Erealx\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.\lambda V1T2 \in ty\_2Erealx\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{12}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{13}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{14}$$

**Definition 17** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \tag{15}$$

**Definition 18** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A.27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E40$

**Definition 19** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}). (ap\ (c\_2Ebool\_2E2$

**Definition 20** We define  $c\_2Ereal\_topology\_2Eeuclidean$  to be  $(ap\ (c\_2Etopology\_2Etopology\ ty\_2Erealax$

**Definition 21** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A.27a : \iota. \lambda V0P \in (2^{(2^{A-27a})}). (ap\ (c\_2Epred\_s$

**Definition 22** We define  $c\_2Etopology\_2Etopspace$  to be  $\lambda A.27a : \iota. \lambda V0top \in (ty\_2Etopology\_2Etopology$

Assume the following.

$$True \tag{16}$$

Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A.27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{17}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \tag{18}$$

Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A-27a}). (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A.27a)\ V0s)\ (c\_2Epred\_set\_2EUNIV\ A.27a)))) \tag{19}$$

Assume the following.

$$\begin{aligned} & \forall A.27a. nonempty\ A.27a \Rightarrow (\forall V0top \in (ty\_2Etopology\_2Etopology \\ & A.27a). (\forall V1u \in (2^{A-27a}). ((p\ (ap\ (ap\ (c\_2Etopology\_2Eopen\_in \\ & A.27a)\ (ap\ (ap\ (c\_2Ereal\_topology\_2Esubtopology\ A.27a)\ V0top) \\ & V1u))\ V1u) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A.27a)\ V1u)\ (ap \\ & (c\_2Etopology\_2Etopspace\ A.27a)\ V0top)))))) \end{aligned} \tag{20}$$

Assume the following.

$$((ap (c\_2Etopology\_2Etopspace \ ty\_2Erealax\_2Ereal) \ c\_2Ereal\_topology\_2Euclidean) = (c\_2Epred\_set\_2EUNIV \ ty\_2Erealax\_2Ereal)) \quad (21)$$

**Theorem 1**

$$(\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (p (ap (ap (c\_2Etopology\_2Eopen\_in \ ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \ ty\_2Erealax\_2Ereal) \ c\_2Ereal\_topology\_2Euclidean) \ V0s)) \ V0s)))$$