

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{4}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 10 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 11 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{7}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{8}$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{9}$$

Definition 13 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))\ V0n)$

Definition 14 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{10}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{11}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{12}$$

Definition 15 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A)\ P)$ of type $\iota \Rightarrow \iota$.

Definition 16 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ a))\ V0a)$

Let $c_2Erealax_2Etreal_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
(13)

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})$$
(14)

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})}$$
(15)

Definition 17 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 18 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS$

Definition 19 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
(16)

Definition 20 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 21 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
(17)

Definition 22 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
(18)

Definition 23 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 24 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}) \quad (19)$$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (20)$$

Definition 25 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 26 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 27 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 28 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (21)$$

Definition 29 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 30 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebool_2E_40$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0y \in A_27b.(\forall V1s \in (2^{A_27a}).(\forall V2f \in (A_27b^{A_27a}).((p (ap (ap (c_2Ebool_2EIN A_27b) V0y) (ap (ap (c_2Epred_set_2EIMAGE A_27a A_27b) V2f) V1s))) \Leftrightarrow (\exists V3x \in A_27a.((V0y = (ap V2f V3x)) \wedge (p (ap (ap (c_2Ebool_2EIN A_27a) V3x) V1s)))))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1f \in (A_27a^{A_27b}).(\forall V2s \in (2^{A_27b}).(\forall V3y \in A_27a.((p (ap (ap (c_2Ebool_2EIN A_27a) V3y) (ap (ap (c_2Epred_set_2EIMAGE A_27b A_27a) V1f) V2s))) \Rightarrow (p (ap V0P V3y)))) \Leftrightarrow (\forall V4x \in A_27b.((p (ap (ap (c_2Ebool_2EIN A_27b) V4x) V2s)) \Rightarrow (p (ap V0P (ap V1f V4x)))))))))) \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Erealax_2Ereal_mul V0x) V1y) = (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V0x))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& V0x) (ap (ap c_2Erealax_2Ereal_mul V1y) V2z)) = (ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) V2z))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (\\
& ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V0x) = V0x))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((\neg(V0x = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Rightarrow ((ap (ap c_2Erealax_2Ereal_mul (ap c_2Erealax_2Einv \\
& V0x)) V0x) = (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V0x)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V1y))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Erealax_2Ereal_mul V0x) V1y))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((\neg(V0x = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Rightarrow ((ap (ap c_2Erealax_2Ereal_mul V0x) (ap c_2Erealax_2Einv \\
& V0x)) = (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& V0x) (ap (ap c_2Ereal_2Ereal_sub V1y) V2z)) = (ap (ap c_2Ereal_2Ereal_sub \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) (ap (ap c_2Erealax_2Ereal_mul \\
& V0x) V2z))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ V1y)) = \\
& (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Eabs\ V0x))\ (ap\ c_2Ereal_2Eabs \\
& \quad V1y))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((\neg(V0x = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Leftrightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))\ (ap\ c_2Ereal_2Eabs\ V0x))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((\neg(V0x = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Rightarrow ((ap\ c_2Ereal_2Eabs\ (ap\ c_2Erealax_2Einv\ V0x)) = \\
& \quad (ap\ c_2Erealax_2Einv\ (ap\ c_2Ereal_2Eabs\ V0x))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V2z)) \Rightarrow ((p\ (ap\ (ap \\
& \quad c_2Erealax_2Ereal_lt\ (ap\ (ap\ c_2Ereal_2E_2F\ V0x)\ V2z))\ V1y)) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ V0x)\ (ap\ (ap\ c_2Erealax_2Ereal_mul \\
& \quad V1y)\ V2z))))))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap\ c_2Ereal_topology_2EDist\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)\ V0x)\ V1y)) = (ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Ereal_sub \\
& \quad V0x)\ V1y))))))
\end{aligned} \tag{46}$$

Theorem 1

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1c \in ty_2Erealax_2Ereal. \\
& (((\neg(V1c = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \wedge (p\ (ap \\
& \quad c_2Ereal_topology_2EOpen\ V0s))) \Rightarrow (p\ (ap\ c_2Ereal_topology_2EOpen \\
& (ap\ (ap\ (c_2Epred_set_2EIMAGE\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\
& \quad (\lambda V2x \in ty_2Erealax_2Ereal. (ap\ (ap\ c_2Erealax_2Ereal_mul \\
& \quad \quad V1c)\ V2x)))\ V0s))))))
\end{aligned}$$