

thm_2Ereal__topology_2EPAIRWISE__DISJOINT__COMPONENTS
(TMNPcezGpzKamNDkcpqw-
PdEX5TF5HvV6gbM)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_2F)$.

Definition 6 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2E_2F$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{9}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{10}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega\omega}) \tag{11}$$

Definition 20 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{12}$$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 22 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Ebool_2E_2$

Definition 23 We define $c_2Ereal_topology_2Econnected$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ c_2Ebool_2E_2$

Definition 24 We define $c_2Ereal_topology_2Econnected_component$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). \lambda V$

Definition 25 We define $c_2Ereal_topology_2Ecomponents$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Epre$

Assume the following.

$$True \tag{13}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{14}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \tag{15}$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg (p\ V0t)))) \tag{16}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \wedge ((p\ V1t2) \wedge (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Rightarrow (\neg (p\ V0t)))) \tag{18}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in \\ & 2.(((\forall V2x \in A.27a.(p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in \\ & A.27a.((p (ap V0P V3x)) \wedge (p V1Q)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ 2^{A.27a}). ((p\ V0P) \vee (\exists V2x \in A.27a. (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow (\exists V3x \in \\ A.27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ 2^{A.27a}). ((\exists V2x \in A.27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow ((p \\ V0P) \wedge (\exists V3x \in A.27a. (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ 2^{A.27a}). ((\forall V2x \in A.27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow ((p \\ V0P) \vee (\forall V3x \in A.27a. (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ (p\ V1B) \vee (p\ V2C)))))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee \\ (p\ V0A)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(\\ p\ V0A)) \vee (\neg(p\ V1B)))))) \wedge (((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0P \in ((2^{A.27b})^{A.27a}). ((\forall V1x \in A.27a. (\exists V2y \in \\ A.27b. (p\ (ap\ (ap\ V0P\ V1x)\ V2y)))))) \Leftrightarrow (\exists V3f \in (A.27b^{A.27a}). (\\ \forall V4x \in A.27a. (p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1a \in ty_2Erealax_2Ereal. \\ (\forall V2b \in ty_2Erealax_2Ereal. (((ap\ (ap\ (c_2Epred_set_2EINTER \\ ty_2Erealax_2Ereal)\ (ap\ (ap\ c_2Ereal_topology_2Econnected_component \\ V0s)\ V1a))\ (ap\ (ap\ c_2Ereal_topology_2Econnected_component \\ V0s)\ V2b)) = (c_2Epred_set_2EEMPTY\ ty_2Erealax_2Ereal))) \Leftrightarrow ((\\ \neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V1a)\ V0s))) \vee ((\\ \neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V2b)\ V0s))) \vee (\neg \\ ((ap\ (ap\ c_2Ereal_topology_2Econnected_component\ V0s)\ V1a) = \\ (ap\ (ap\ c_2Ereal_topology_2Econnected_component\ V0s)\ V2b))))))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned}
& (\forall V0u \in (2^{ty_2Erealax_2Ereal}).(\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& ((p (ap (ap (c_2Ebool_2EIN (2^{ty_2Erealax_2Ereal}) V1s) (ap c_2Ereal_topology_2Ecomponents \\
& V0u))) \Leftrightarrow (\exists V2x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) V2x) V0u)) \wedge (V1s = (ap (ap c_2Ereal_topology_2Econnected_component \\
& V0u) V2x)))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{38}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{41}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \Rightarrow (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (p \vee V1q)) \wedge (((p \vee V0p) \vee \neg(p \vee V2r))) \wedge (\\
& \neg(p \vee V1q)) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))))) \quad (46)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee V0p) \Leftrightarrow \neg(p \vee V1q))) \Leftrightarrow (((p \vee V0p) \vee \\
& (p \vee V1q)) \wedge (\neg(p \vee V1q)) \vee \neg(p \vee V0p)))))) \quad (47)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0u \in (2^{ty_2Erealax_2Ereal}). (p (ap (ap (c_2Ereal_topology_2Epairwise \\
& (2^{ty_2Erealax_2Ereal})) (c_2Epred_set_2EDISJOINT ty_2Erealax_2Ereal)) \\
& (ap c_2Ereal_topology_2Ecomponents V0u))))
\end{aligned}$$