

thm\_2Ereal\_\_topology\_2EPASTING\_\_LEMMA\_\_EXISTS\_\_CLOSED  
(TMGPymVEmrn-  
CUzVbwR3faHvidYJkq9nveT)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$   
of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$   
of type  $\iota$ .

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A-27b} A-27a)}) \tag{2}$$

**Definition 7** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2E\_2F\_5C$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A-27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A-27b}}) \tag{3}$$

**Definition 8** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

**Definition 9** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.(\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Emin\_2E40\ (c\_2Epred\_set\_2EIN\ s)\ t)))$

**Definition 10** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ (c\_2Epred\_set\_2EIN\ P)\ (c\_2Ebool\_2E3F\ P))))$

**Definition 11** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_set\_2EIN\ P)))$

**Definition 12** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.(\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Emin\_2E40\ (c\_2Epred\_set\_2EIN\ s)\ t)))$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (4)$$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (5)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (7)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ (c\_2Epred\_set\_2EIN\ a)\ (c\_2Erealax\_2Ereal\_REP\ a)))$

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (8)$$

**Definition 14** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ (c\_2Epred\_set\_2EIN\ T1)\ (c\_2Erealax\_2Ereal\_lt\ T1\ T2)))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 16** We define  $c\_Ereal\_topology\_Econtinuous\_on$  to be  $\lambda V0f \in (ty\_Erealax\_Ereal^{ty\_Ereal})$

**Definition 17** We define  $c\_Ereal\_topology\_EOpen$  to be  $\lambda V0s \in (2^{ty\_Erealax\_Ereal}).(ap (c\_Ebool\_E2E2$

Let  $ty\_Etopology\_Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_Etopology\_Etopology A0) \quad (13)$$

Let  $c\_Etopology\_Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_Etopology\_Etopology A\_27a \in ((ty\_Etopology\_Etopology A\_27a)^{(2^{(2^A\_27a)})}) \quad (14)$$

**Definition 18** We define  $c\_Ereal\_topology\_Eeuclidean$  to be  $(ap (c\_Etopology\_Etopology ty\_Erealax$

Let  $c\_Etopology\_Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_Etopology\_Eopen\_in A\_27a \in ((2^{(2^A\_27a)})^{(ty\_Etopology\_Etopology A\_27a)}) \quad (15)$$

**Definition 19** We define  $c\_Ereal\_topology\_Esubtopology$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_Etopology\_Etopology$

**Definition 20** We define  $c\_Etopology\_Etopspace$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_Etopology\_Etopology$

**Definition 21** We define  $c\_Ebool\_E2EF$  to be  $(ap (c\_Ebool\_E2E21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 22** We define  $c\_Ebool\_E2E7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_E3D\_3D\_3E V0t) c\_Ebool\_E2E21$

**Definition 23** We define  $c\_Epred\_set\_E2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_E2E21$

**Definition 24** We define  $c\_Etopology\_E2Eclosed\_in$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_Etopology\_Etopology$

**Definition 25** We define  $c\_Ebool\_E2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E2E21 2) (\lambda V2t \in 2$

**Definition 26** We define  $c\_Epred\_set\_E2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_E2E21$

**Definition 27** We define  $c\_Epred\_set\_E2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_Ebool\_E2EF)$ .

**Definition 28** We define  $c\_Epred\_set\_E2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_Ebool\_E2E21 2)$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A\_27a.(p (ap V1Q V3x))))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\ & \quad A\_27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\ & \hspace{15em} (29) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}). (\forall V1v \in \\ & \quad A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ & \quad A\_27a\ A\_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \\ & \hspace{15em} (30) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & \quad (2^{A\_27a}). (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ \\ & \quad V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER\ A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\ & \quad (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & \quad A\_27a)\ V2x)\ V1t)))))) \\ & \hspace{15em} (31) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1sos \in \\ & \quad (2^{(2^{A\_27a})}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Epred\_set\_2EBIGUNION \\ & \quad A\_27a)\ V1sos))) \Leftrightarrow (\exists V2s \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & \quad A\_27a)\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V2s)\ V1sos)))))) \\ & \hspace{15em} (32) \end{aligned}$$

Assume the following.

$$\begin{aligned}
\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0f \in ((ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})^{A\_27a}). \\
& (\forall V1g \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V2t \in \\
& ((2^{ty\_2Erealax\_2Ereal})^{A\_27a}). (\forall V3s \in (2^{ty\_2Erealax\_2Ereal}). \\
& (\forall V4k \in (2^{A\_27a}). (((p (ap (c\_2Epred\_set\_2EFINITE A\_27a) \\
& V4k)) \wedge ((\forall V5i \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V5i) \\
& V4k)) \Rightarrow ((p (ap (ap (c\_2Etopology\_2Eclosed\_in ty\_2Erealax\_2Ereal) \\
& (ap (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& c\_2Ereal\_topology\_2Euclidean) V3s)) (ap V2t V5i)))) \wedge (p (ap ( \\
& ap c\_2Ereal\_topology\_2Econtinuous\_on (ap V0f V5i)) (ap V2t V5i)))))) \wedge \\
& ((\forall V6i \in A\_27a. (\forall V7j \in A\_27a. (\forall V8x \in ty\_2Erealax\_2Ereal. \\
& (((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V6i) V4k)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN \\
& A\_27a) V7j) V4k)) \wedge (p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\
& V8x) (ap (ap (c\_2Epred\_set\_2EINTER ty\_2Erealax\_2Ereal) (ap ( \\
& ap (c\_2Epred\_set\_2EINTER ty\_2Erealax\_2Ereal) V3s) (ap V2t V6i))) \\
& (ap V2t V7j)))))) \Rightarrow ((ap (ap V0f V6i) V8x) = (ap (ap V0f V7j) V8x)))))) \wedge \\
& (\forall V9x \in ty\_2Erealax\_2Ereal. ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\
& V9x) V3s)) \Rightarrow (\exists V10j \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\
& V10j) V4k)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V9x) \\
& (ap V2t V10j)))) \wedge ((ap V1g V9x) = (ap (ap V0f V10j) V9x)))))) \Rightarrow ( \\
& p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on V1g) V3s))))))
\end{aligned} \tag{33}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{34}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{35}$$

Assume the following.

$$\begin{aligned}
(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \tag{38}$$

Assume the following.

$$\begin{aligned}
(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
(p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg( \\
p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \wedge (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (\neg(p \vee V1q)) \vee (\neg(p \vee V2r)))) \wedge (((p \vee V1q) \vee \\
& (\neg(p \vee V0p))) \wedge ((p \vee V2r) \vee (\neg(p \vee V0p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \vee (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (\neg(p \vee V1q))) \wedge (((p \vee V0p) \vee (\neg(p \vee V2r))) \wedge \\
& ((p \vee V1q) \vee ((p \vee V2r) \vee (\neg(p \vee V0p))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow ( \\
& (p \vee V1q) \Rightarrow (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (p \vee V1q)) \wedge (((p \vee V0p) \vee (\neg(p \vee V2r))) \wedge ( \\
& \neg(p \vee V1q)) \vee ((p \vee V2r) \vee (\neg(p \vee V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee V0p) \Leftrightarrow (\neg(p \vee V1q))) \Leftrightarrow (((p \vee V0p) \vee \\
& (p \vee V1q)) \wedge ((\neg(p \vee V1q)) \vee (\neg(p \vee V0p))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow (p \vee V0p))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow (\neg(p \vee V1q)))) \tag{45}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow (\neg(p \vee V0p)))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow (\neg(p \vee V1q)))) \tag{47}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \vee V0p))) \Rightarrow (p \vee V0p))) \tag{48}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0f \in ((ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})^{A_{27a}}). \\
& \quad (\forall V1t \in ((2^{ty\_2Erealax\_2Ereal})^{A_{27a}}). (\forall V2s \in ( \\
& \quad \quad 2^{ty\_2Erealax\_2Ereal}). (\forall V3k \in (2^{A_{27a}}). (((p (ap (c\_2Epred\_set\_2EFINITE \\
& \quad \quad A_{27a}) V3k)) \wedge ((p (ap (ap (c\_2Epred\_set\_2ESUBSET ty\_2Erealax\_2Ereal) \\
& \quad \quad V2s) (ap (c\_2Epred\_set\_2EBIGUNION ty\_2Erealax\_2Ereal) (ap ( \\
& \quad \quad c\_2Epred\_set\_2EGSPEC (2^{ty\_2Erealax\_2Ereal}) A_{27a}) (\lambda V4i \in \\
& \quad \quad A_{27a}. (ap (ap (c\_2Epair\_2E\_2C (2^{ty\_2Erealax\_2Ereal}) 2) (ap \\
& \quad \quad V1t V4i)) (ap (ap (c\_2Ebool\_2EIN A_{27a}) V4i) V3k)))))) \wedge ((\forall V5i \in \\
& \quad \quad A_{27a}. ((p (ap (ap (c\_2Ebool\_2EIN A_{27a}) V5i) V3k)) \Rightarrow ((p (ap (ap ( \\
& \quad \quad c\_2Etopology\_2Eclosed\_in ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \\
& \quad \quad ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Eeuclidean) V2s)) \\
& \quad \quad (ap V1t V5i))) \wedge (p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on \\
& \quad \quad (ap V0f V5i)) (ap V1t V5i)))))) \wedge (\forall V6i \in A_{27a}. (\forall V7j \in \\
& \quad \quad A_{27a}. (\forall V8x \in ty\_2Erealax\_2Ereal. (((p (ap (ap (c\_2Ebool\_2EIN \\
& \quad \quad A_{27a}) V6i) V3k)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN A_{27a}) V7j) V3k)) \wedge \\
& \quad \quad (p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V8x) (ap (ap (c\_2Epred\_set\_2EINTER \\
& \quad \quad ty\_2Erealax\_2Ereal) (ap (ap (c\_2Epred\_set\_2EINTER ty\_2Erealax\_2Ereal) \\
& \quad \quad V2s) (ap V1t V6i))) (ap V1t V7j)))))) \Rightarrow ((ap (ap V0f V6i) V8x) = (ap ( \\
& \quad \quad ap V0f V7j) V8x)))))) \Rightarrow (\exists V9g \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). \\
& \quad \quad ((p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on V9g) V2s)) \wedge ( \\
& \quad \quad \forall V10x \in ty\_2Erealax\_2Ereal. (\forall V11i \in A_{27a}. (((p ( \\
& \quad \quad \quad ap (ap (c\_2Ebool\_2EIN A_{27a}) V11i) V3k)) \wedge (p (ap (ap (c\_2Ebool\_2EIN \\
& \quad \quad ty\_2Erealax\_2Ereal) V10x) (ap (ap (c\_2Epred\_set\_2EINTER ty\_2Erealax\_2Ereal) \\
& \quad \quad V2s) (ap V1t V11i)))))) \Rightarrow ((ap V9g V10x) = (ap (ap V0f V11i) V10x)))))))))
\end{aligned}$$