

thm_2Ereal__topology_2ESEPARATION__NORMAL__LOCAL (TMTej5nmywYJXxHRJX84qfP9VpWqNBG4hjE)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_7E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40\ P))))$

Definition 11 We define $c_2Eprim_rec_2E3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Earithmetic_2E3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 13 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ t1\ t2)))$

Definition 14 We define $c_2Earithmetic_2E3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{7}$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(c_2Ebool_2E21\ t1\ t2))))$

Definition 17 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2E21\ m\ 0))))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{8}$$

Definition 18 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E2B\ n))$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{9}$$

Let $c_2Earithmetic_2E2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{10}$$

Let $c_2Earithmetic_2E2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{11}$$

Definition 19 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{12}$$

Definition 20 We define c_Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (13)$$

Definition 21 We define $c_Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Let $c_Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (14)$$

Definition 22 We define $c_Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Definition 23 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 24 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic$

Definition 25 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (15)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (16)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (17)$$

Definition 26 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap\ (c_2Emin_2E40\ (t$

Let $c_2Erealax_2Etrealm_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (18)$$

Definition 27 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (19)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})$$
(20)

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})}$$
(21)

Definition 28 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 29 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal)$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
(22)

Definition 30 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
(23)

Definition 31 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 32 We define $c_2Earithmic_2E3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 33 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ c_2Ebool_2E2)$

Definition 34 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 35 We define $c_2Ereal_2Ereal_gt$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}$$
(24)

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum}$$
(25)

Definition 36 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebool_2E2))$

Definition 37 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 38 We define $c_2Ereal_topology_2Econtinuous_on$ to be $\lambda V0f \in (ty_2Erealax_2Ereal)^{ty_2Erealax_2Ereal}$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (26)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Etopology_2Etopology\ A.27a \in ((ty_2Etopology_2Etopology\ A.27a)^{(2^{(2^A-27a)})}) \quad (27)$$

Definition 39 We define $c_2Ereal_topology_2Euclidean$ to be $(ap\ (c_2Etopology_2Etopology\ ty_2Erealax_2Ereal))$.

Let $c_2Etopology_2Eopen_in : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Etopology_2Eopen_in\ A.27a \in ((2^{(2^A-27a)})^{(ty_2Etopology_2Etopology\ A.27a)}) \quad (28)$$

Definition 40 We define $c_2Ereal_topology_2Esubtopology$ to be $\lambda A.27a : \iota. \lambda V0top \in (ty_2Etopology_2Etopology\ A.27a)$.

Definition 41 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A.27a : \iota. \lambda V0P \in (2^{(2^A-27a)}). (ap\ (c_2Epred_set_2Ebigunion\ A.27a\ V0P))$.

Definition 42 We define $c_2Etopology_2Etopspace$ to be $\lambda A.27a : \iota. \lambda V0top \in (ty_2Etopology_2Etopology\ A.27a)$.

Definition 43 We define $c_2Epred_set_2EDIFF$ to be $\lambda A.27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ (c_2Epred_set_2Ediff\ A.27a\ V0s\ V1t))$.

Definition 44 We define $c_2Etopology_2Eclosed_in$ to be $\lambda A.27a : \iota. \lambda V0top \in (ty_2Etopology_2Etopology\ A.27a)$.

Definition 45 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota. \lambda V0x \in A.27a. \lambda V1s \in (2^{A-27a}). (ap\ (c_2Epred_set_2Einsert\ A.27a\ V0x\ V1s))$.

Let $c_2Ereal_topology_2Esetdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Esetdist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal}))}) \quad (29)$$

Definition 46 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A.27a : \iota. (\lambda V0x \in A.27a. c_2Ebool_2EF)$.

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ c_2Enum_2E0)\ V0n))) \quad (30)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\neg(p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0m)\ V1n)))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1n)\ V0m)))) \quad (31)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = c_2Enum_2E0) \Leftrightarrow ((V0m = c_2Enum_2E0) \wedge (V1n = c_2Enum_2E0)))) \quad (32)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) c_2Enum_2E0)) \Leftrightarrow (V0n = c_2Enum_2E0))) \wedge (\forall V1m \in ty_2Enum_2Enum. \\
& (\forall V2n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) (ap c_2Enum_2ESUC V2n))) \Leftrightarrow ((V1m = (ap c_2Enum_2ESUC V2n)) \vee \\
& (p (ap (ap c_2Earithmetic_2E_3C_3D V1m) V2n)))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$True \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{35}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{36}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\
& A_27a.(p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge \\
& ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3))))))
\end{aligned} \tag{39}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \tag{40}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))
\end{aligned} \tag{43}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (44)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (47)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (48)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (49)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p V0P) \wedge (p (ap V1Q V3x))))) \quad (50)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in (2^{A_27a}).((\exists V2x \in A_27a.((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A_27a.(p (ap V0P V3x))) \vee (\exists V4x \in A_27a.(p (ap V1Q V4x))))) \quad (51)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.(((\exists V2x \in A_27a.(p (ap V0P V2x))) \vee (p V1Q)) \Leftrightarrow (\exists V3x \in A_27a.((p (ap V0P V3x)) \vee (p V1Q))))) \quad (52)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A-27a}). ((p V0P) \vee (\exists V2x \in A.27a. (p (ap V1Q V2x)))))) \Leftrightarrow (\exists V3x \in A.27a. ((p V0P) \vee (p (ap V1Q V3x)))))) \quad (53)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in 2. ((\exists V2x \in A.27a. ((p (ap V0P V2x)) \wedge (p V1Q)))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x))) \wedge (p V1Q)))))) \quad (54)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A-27a}). ((\forall V2x \in A.27a. ((p (ap V1P V2x)) \vee (p V0Q)))) \Leftrightarrow ((\forall V3x \in A.27a. (p (ap V1P V3x))) \vee (p V0Q)))))) \quad (55)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A-27a}). ((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))))) \quad (59)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (60)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (61)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1a \in \\ A.27a. ((\exists V2x \in A.27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (\\ ap\ V0P\ V1a)))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0P \in ((2^{A-27b})^{A-27a}). ((\forall V1x \in A.27a. (\exists V2y \in \\ A.27b. (p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A-27a}). (\\ \forall V4x \in A.27a. (p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x))))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))))) \end{aligned} \quad (65)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t))))))) \end{aligned} \quad (66)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\ A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\ A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (67)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p\ (ap\ (ap \\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a)))))) \end{aligned} \quad (68)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). ((\exists V1x \in \\ A_27a. (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s))) \Leftrightarrow (\neg (V0s = (c_2Epred_set_2EEMPTY \\ A_27a)))))) \end{aligned} \quad (69)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (p\ (ap\ (\\ ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ (c_2Epred_set_2EEMPTY\ A_27a)) \\ V0s))) \end{aligned} \quad (70)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t))))))))) \end{aligned} \quad (71)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0s \in (2^{A.27a}).((ap\ (\\ & ap\ (c.2Epred_set_2EINTER\ A.27a)\ (c.2Epred_set_2EEMPTY\ A.27a)) \\ & V0s) = (c.2Epred_set_2EEMPTY\ A.27a))) \wedge (\forall V1s \in (2^{A.27a}). \\ & ((ap\ (ap\ (c.2Epred_set_2EINTER\ A.27a)\ V1s)\ (c.2Epred_set_2EEMPTY \\ & A.27a)) = (c.2Epred_set_2EEMPTY\ A.27a)))) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal.((ap\ (ap\ c.2Erealax_2Ereal_add \\ & (ap\ c.2Ereal_2Ereal_of_num\ c.2Enum_2E0))\ V0x) = V0x)) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal.((ap\ (ap\ c.2Erealax_2Ereal_add \\ & (ap\ c.2Erealax_2Ereal_neg\ V0x))\ V0x) = (ap\ c.2Ereal_2Ereal_of_num \\ & c.2Enum_2E0))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\ & (\forall V2z \in ty_2Erealax_2Ereal.(((p\ (ap\ (ap\ c.2Erealax_2Ereal_lt \\ & V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c.2Erealax_2Ereal_lt\ V1y)\ V2z))) \Rightarrow (p\ (ap \\ & (ap\ c.2Erealax_2Ereal_lt\ V0x)\ V2z)))))) \end{aligned} \quad (75)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal.((ap\ (ap\ c.2Erealax_2Ereal_mul \\ & (ap\ c.2Ereal_2Ereal_of_num\ (ap\ c.2Earithmetic_2ENUMERAL\ (\\ & ap\ c.2Earithmetic_2EBIT1\ c.2Earithmetic_2EZERO))))\ V0x) = V0x)) \end{aligned} \quad (76)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal.((ap\ (ap\ c.2Erealax_2Ereal_add \\ & V0x)\ (ap\ c.2Ereal_2Ereal_of_num\ c.2Enum_2E0)) = V0x)) \end{aligned} \quad (77)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal.((ap\ (ap\ c.2Erealax_2Ereal_add \\ & V0x)\ (ap\ c.2Erealax_2Ereal_neg\ V0x)) = (ap\ c.2Ereal_2Ereal_of_num \\ & c.2Enum_2E0))) \end{aligned} \quad (78)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal.((ap\ (ap\ c.2Erealax_2Ereal_mul \\ & (ap\ c.2Ereal_2Ereal_of_num\ c.2Enum_2E0))\ V0x) = (ap\ c.2Ereal_2Ereal_of_num \\ & c.2Enum_2E0))) \end{aligned} \quad (79)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add \\
& V0x) V2z))) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z))))))
\end{aligned} \tag{80}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\neg((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt \\
& V1y) V0x))))))
\end{aligned} \tag{81}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Erealax_2Ereal_lt \\
& V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))) \Rightarrow (p (ap (\\
& ap c_2Erealax_2Ereal_lt V0x) V2z))))))
\end{aligned} \tag{82}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Ereal_2Ereal_lte \\
& V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z))) \Rightarrow (p (ap (\\
& ap c_2Erealax_2Ereal_lt V0x) V2z))))))
\end{aligned} \tag{83}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Ereal_2Ereal_lte \\
& V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))) \Rightarrow (p (ap (\\
& ap c_2Ereal_2Ereal_lte V0x) V2z))))))
\end{aligned} \tag{84}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte \\
& V1y) V0x))) \Leftrightarrow (V0x = V1y)))
\end{aligned} \tag{85}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Ereal_2Ereal_sub V0x) V1y))) \Leftrightarrow (p (ap (\\
& ap c_2Erealax_2Ereal_lt V1y) V0x))))))
\end{aligned} \tag{86}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad (ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Ereal_of_num \\
& \quad V0m)) (ap c_2Ereal_2Ereal_of_num V1n)) = (ap c_2Ereal_2Ereal_of_num \\
& \quad (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))
\end{aligned} \tag{87}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad ((ap (ap c_2Erealax_2Ereal_mul (ap c_2Erealax_2Ereal_neg V0x)) \\
& \quad V1y) = (ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_mul \\
& \quad V0x) V1y))))))
\end{aligned} \tag{88}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty_2Erealax_2Ereal. (\forall V1x \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap c_2Erealax_2Ereal_lte V1x) V0y)) \Leftrightarrow (\neg (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V0y) V1x))))))
\end{aligned} \tag{89}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V1y) V2z)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
& \quad V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add V0x) V2z))))))
\end{aligned} \tag{90}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& \quad V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) (ap (ap c_2Erealax_2Ereal_add V0x) V1y))))))
\end{aligned} \tag{91}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& \quad (ap c_2Erealax_2Ereal_neg V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V1y) V0x))))))
\end{aligned} \tag{92}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap c_2Erealax_2Ereal_neg \\
& \quad (ap c_2Erealax_2Ereal_neg V0x)) = V0x))
\end{aligned} \tag{93}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap c_2Ereal_2Ereal_lte V0x) (ap c_2Erealax_2Ereal_neg \\
& \quad V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
& \quad V0x) V1y)) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))))))
\end{aligned} \tag{94}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V2z) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)) (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V2z))))))
\end{aligned} \tag{95}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& V0m)) (ap c_2Ereal_2Ereal_of_num V1n))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0m) V1n))))))
\end{aligned} \tag{96}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0top \in (ty_2Etopology_2Etopology \\
& A_27a). (\forall V1s \in (2^{A_27a}). (\forall V2t \in (2^{A_27a}). ((p (\\
& ap (ap (c_2Etopology_2Eclosed_in A_27a) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& A_27a) V0top) V1s)) V2t)) \Rightarrow (p (ap (ap (c_2Epred_set_2ESUBSET A_27a) \\
& V2t) V1s))))))
\end{aligned} \tag{97}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (p (ap (ap (c_2Etopology_2Eopen_in \\
& ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) V0s)) \\
& V0s)))
\end{aligned} \tag{98}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1g \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V2s \in (2^{ty_2Erealax_2Ereal}). \\
& (((p (ap (ap c_2Ereal_topology_2Econtinuous_on V0f) V2s)) \wedge \\
& (p (ap (ap c_2Ereal_topology_2Econtinuous_on V1g) V2s))) \Rightarrow (\\
& p (ap (ap c_2Ereal_topology_2Econtinuous_on (\lambda V3x \in ty_2Erealax_2Ereal. \\
& (ap (ap c_2Ereal_2Ereal_sub (ap V0f V3x)) (ap V1g V3x)))) V2s))))))
\end{aligned} \tag{99}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\
& \quad (2^{ty_2Erealax_2Ereal}).(\forall V2t \in (2^{ty_2Erealax_2Ereal}). \\
& \quad ((p (ap (ap c_2Ereal_topology_2Econtinuous_on V0f) V1s)) \wedge \\
& (p (ap c_2Ereal_topology_2EOpen V2t))) \Rightarrow (p (ap (ap (c_2Etopology_2Eopen_in \\
& \quad ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& \quad ty_2Erealax_2Ereal) c_2Ereal_topology_2Euclidean) V1s)) \\
& (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& (\lambda V3x \in ty_2Erealax_2Ereal.(ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& 2) V3x) (ap (ap c_2Ebool_2E_2F_5C (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& \quad V3x) V1s)) (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap V0f V3x)) \\
& \quad V2t))))))))))
\end{aligned} \tag{100}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal.(p (ap c_2Ereal_topology_2EOpen \\
& (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& (\lambda V1x \in ty_2Erealax_2Ereal.(ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad 2) V1x) (ap (ap c_2Ereal_2Ereal_gt V1x) V0a))))))
\end{aligned} \tag{101}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C \\
& \quad (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) V0s) V1t))))))
\end{aligned} \tag{102}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (p (ap (ap c_2Ereal_topology_2Econtinuous_on (\lambda V2y \in ty_2Erealax_2Ereal. \\
& (ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) \\
& \quad (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal) \\
& \quad V2y) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) V0s)))) V1t))))
\end{aligned} \tag{103}$$

Assume the following.

$$\begin{aligned}
& (\forall V0u \in (2^{ty_2Erealax_2Ereal}).(\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& (\forall V2x \in ty_2Erealax_2Ereal.(((p (ap (ap (c_2Etopology_2Eclosed_in \\
& ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) V0u)) \\
& V1s)) \wedge (p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V2x) V0u)))) \Rightarrow \\
& (((ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (\\
& 2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT \\
& ty_2Erealax_2Ereal) V2x) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) \\
& V1s)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \Leftrightarrow ((V1s = (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)) \vee (p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V2x) V1s)))))))))
\end{aligned} \tag{104}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V0x) V1s)) \Rightarrow ((ap \\
& c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) \\
& (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal) \\
& V0x) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) V1s)) = (ap \\
& c_2Ereal_2Ereal_of_num c_2Enum_2E0))))))
\end{aligned} \tag{105}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{106}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{107}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{108}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{109}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{110}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p)))))))))
\end{aligned} \tag{111}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{112}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{113}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& (\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{114}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{115}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))
\end{aligned} \tag{116}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q))))
\end{aligned} \tag{117}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0top \in (ty.2Etopology.2Etopology \\
& A.27a).(p (ap (ap (c.2Etopology.2Eopen_in A.27a) V0top) (c.2Epred_set.2EEMPTY \\
& A.27a))))
\end{aligned} \tag{118}$$

Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\ & (\forall V2u \in (2^{ty_2Erealax_2Ereal}).(((p (ap (ap (c_2Etopology_2Eclosed_in \\ & ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\ & ty_2Erealax_2Ereal) c_2Ereal_topology_2Euclidean) V2u)) \\ & V0s)) \wedge ((p (ap (ap (c_2Etopology_2Eclosed_in ty_2Erealax_2Ereal) \\ & (ap (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\ & c_2Ereal_topology_2Euclidean) V2u)) V1t)) \wedge ((ap (ap (c_2Epred_set_2EINTER \\ & ty_2Erealax_2Ereal) V0s) V1t) = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))))) \Rightarrow \\ & (\exists V3s_27 \in (2^{ty_2Erealax_2Ereal}).(\exists V4t_27 \in (2^{ty_2Erealax_2Ereal}). \\ & ((p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap \\ & (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\ & c_2Ereal_topology_2Euclidean) V2u)) V3s_27)) \wedge ((p (ap (ap (\\ & c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\ & ty_2Erealax_2Ereal) c_2Ereal_topology_2Euclidean) V2u)) \\ & V4t_27)) \wedge ((p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) \\ & V0s) V3s_27)) \wedge ((p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) \\ & V1t) V4t_27)) \wedge ((ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) \\ & V3s_27) V4t_27) = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))))))))) \end{aligned}$$