

thm_2Ereal_topology_2ESERIES_DROP_POS
 (TM-
 PhrChFD4TDzHoZTicZRqtCF8xRXsFNDX5)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 7 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{4}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \tag{5}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (6)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (7)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{ty_2Erealax_2Ereal_REP_CLASS}) \quad (8)$$

Definition 8 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 9 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (ty_2Erealax_2Ereal_REP_CLASS\ a)))$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Definition 10 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Etreall_lt\ T1\ T2)$

Definition 11 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.(c_2Ereal_2Ereal_lt\ x\ y)$

Definition 12 We define c_2Ebool_2EIN to be $\lambda A.\lambda 27a : \iota.(\lambda V0x \in A.\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x))$

Definition 13 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.(c_2Ebool_2E2F_5C\ t1\ t2))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (11)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2ESUC_REP\ m)$

Definition 15 We define c_2Ebool_2E3F to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40\ (c_2Ereal_2Ereal_lte\ P\ P))))$

Definition 16 We define $c_2Eprim_rec_2E3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Eprim_rec_2E3C\ m\ n)$

Definition 17 We define $c_2Earithmetic_2E3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Earithmetic_2E3E\ m\ n)$

Definition 18 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.(c_2Ebool_2E5C_2F\ t1\ t2))))$

Definition 19 We define $c_2Earithmetic_2E3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(c_2Earithmetic_2E3E\ m\ n)$

Let $ty_2Ereal_topology_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Enet\ A0) \quad (12)$$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow c_2Ereal_topology_2Emk_net \\ A.27a \in ((ty_2Ereal_topology_2Enet\ A.27a)^{(2^{A.27a})^{A.27a}}) \end{aligned} \quad (13)$$

Definition 20 We define $c_2Ereal_topology_2Esequentially$ to be $(ap\ (c_2Ereal_topology_2Emk_net\ ty_2Ereal_topology_2Emk_net))$.

Definition 21 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2EABS_prod \\ A.27a\ A.27b \in ((ty_2Epair_2Eprod\ A.27a\ A.27b)^{(2^{A.27b})^{A.27a}}) \end{aligned} \quad (14)$$

Definition 22 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap\ (c_2Epair_2EABS_prod\ A.27a\ A.27b))$.

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epred_set_2EGSPEC \\ A.27a\ A.27b \in ((2^{A.27a})^{((ty_2Epair_2Eprod\ A.27a\ 2)^{A.27b})}) \end{aligned} \quad (15)$$

Definition 23 We define $c_2Eiterate_2E_2E_2E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 24 We define $c_2Epred_set_2EINTER$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1t \in (2^{A.27a}).(ap\ (c_2Epred_set_2EGSPEC\ A.27a\ A.27a))$.

Let $c_2Erealax_2Etreax_add : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Erealax_2Etreax_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \end{aligned} \quad (16)$$

Let $c_2Erealax_2Etreax_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (17)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (18)$$

Definition 25 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$.

Definition 26 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 27 We define $c_2Eiterate_2Eneutral$ to be $\lambda A.27a : \iota.\lambda V0op \in ((A.27a)^{A.27a})^{A.27a}.$

Definition 28 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V$

Definition 29 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 30 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2$

Definition 31 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF).$

Definition 32 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap (c_2Ebool_2E_21 (2$

Definition 33 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in ((A_27a^{A_27a})^{A_27b}). \lambda V$

Definition 34 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V$

Definition 35 We define $c_2Eiterate_2ESum$ to be $\lambda A_27a : \iota. (ap (c_2Eiterate_2Eiterate A_27a ty_2Erealax$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)}) \quad (19)$$

Let $c_2Ereal_topology_2Eenetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ereal_topology_2Eenetord A_27a \in (((2^{A_27a})^{A_27a})^{ty_2Ereal_topology_2Eenet A_27a}) \quad (20)$$

Definition 36 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota. \lambda V0net \in (ty_2Ereal_topology$

Definition 37 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota. \lambda V0p \in (2^{A_27a}). \lambda V1net \in (ty_2$

Definition 38 We define $c_2Ereal_topology_2E_2D_2D_3E$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Erealax_2Ereal^{A$

Definition 39 We define $c_2Ereal_topology_2ESums$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}). \lambda$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (28)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (29)$$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V1s \in (2^{ty_2Enum_2Enum}). ((\forall V2n \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ V2n)\ V1s)) \Rightarrow ((ap\ V0f\ V2n) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)))) \Rightarrow (p\ (ap\ (ap\ (ap\ c_2Ereal_topology_2Esums\ V0f)\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)\ V1s)))))) \quad (30)$$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V1g \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V2s \in (2^{ty_2Enum_2Enum}). (\forall V3a \in ty_2Erealax_2Ereal. (\forall V4b \in ty_2Erealax_2Ereal. (((p\ (ap\ (ap\ (ap\ c_2Ereal_topology_2Esums\ V0f)\ V3a)\ V2s)) \wedge ((p\ (ap\ (ap\ (ap\ c_2Ereal_topology_2Esums\ V1g)\ V4b)\ V2s)) \wedge (\forall V5x \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ V5x)\ V2s)) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ V0f\ V5x)\ (ap\ V1g\ V5x)))))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V3a)\ V4b)))))) \quad (31)$$

Theorem 1

$$\begin{aligned} & (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1s \in \\ & (2^{ty_2Enum_2Enum}).(\forall V2a \in ty_2Erealax_2Ereal.(((p (\\ & ap (ap (ap (ap c_2Ereal_topology_2Esums V0f) V2a) V1s)) \wedge (\forall V3x \in \\ ty_2Enum_2Enum.((p (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) V3x) \\ V1s)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0)) (ap V0f V3x)))))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\ (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V2a)))))) \end{aligned}$$