

thm_2Ereal__topology_2ESETDIST__EQ__0__BOUNDED (TMRVLsjZ88dxyv4eyTdNKHGsYKU3GQqoJzg)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \tag{5}$$

Definition 16 We define c_Ereal_2Eabs to be $\lambda V0x \in ty_2Erealx_2Ereal.(ap (ap (ap (c_Ebool_2ECONJ$

Definition 17 We define c_Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 18 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 19 We define $c_Ereal_topology_2Ebounded_def$ to be $\lambda V0s \in (2^{ty_2Erealx_2Ereal}).(ap (c_2Ebo$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (13)$$

Definition 20 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealx_2Ereal^{(ty_2Epair_2Eprod ty_2Erealx_2Ereal ty_2Erealx_2Ereal)}) \quad (14)$$

Definition 21 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealx_2Ereal}).(ap (c_2Ebool_2E_2$

Definition 22 We define $c_2Ereal_topology_2Elimit_point_of$ to be $\lambda V0x \in ty_2Erealx_2Ereal.\lambda V1s \in ($

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \end{aligned} \quad (15)$$

Definition 23 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 24 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 25 We define $c_2Ereal_topology_2Eclosure$ to be $\lambda V0s \in (2^{ty_2Erealx_2Ereal}).(ap (ap (c_2Epred$

Definition 26 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 27 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Let $c_2Ereal_topology_2Esetdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Esetdist \in (ty_2Erealx_2Ereal^{(ty_2Epair_2Eprod (2^{ty_2Erealx_2Ereal}) (2^{ty_2Erealx_2Ereal})}))) \quad (16)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow \text{False}) \Rightarrow (\neg(p V0t)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow \text{False}))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge \text{True}) \Leftrightarrow \\ & (p V0t)) \wedge (((\text{False} \wedge (p V0t)) \Leftrightarrow \text{False}) \wedge (((p V0t) \wedge \text{False}) \Leftrightarrow \text{False}) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \vee (p V0t)) \Leftrightarrow \text{True}) \wedge (((p V0t) \vee \text{True}) \Leftrightarrow \text{True}) \wedge \\ & (((\text{False} \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \text{False}) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow \text{True}) \Leftrightarrow \\ & \text{True}) \wedge (((\text{False} \Rightarrow (p V0t)) \Leftrightarrow \text{True}) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow \text{True}) \wedge ((\\ & (p V0t) \Rightarrow \text{False}) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg \text{True}) \Leftrightarrow \text{False}) \wedge \\ & ((\neg \text{False}) \Leftrightarrow \text{True})))) \end{aligned} \quad (31)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \text{True})) \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow \text{True}) \Leftrightarrow \\ & (p V0t)) \wedge (((\text{False} \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (\\ & (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \end{aligned} \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B))))))) \quad (36)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (37)$$

Assume the following.

$$(\forall V0s \in (2^{ty_2Erealax_2Ereal}). (p (ap c_2Ereal_topology_2EClosed (ap c_2Ereal_topology_2Eclosure V0s)))) \quad (38)$$

Assume the following.

$$(\forall V0s \in (2^{ty_2Erealax_2Ereal}). (((ap c_2Ereal_topology_2Eclosure V0s) = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)) \Leftrightarrow (V0s = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) \quad (39)$$

Assume the following.

$$(\forall V0s \in (2^{ty_2Erealax_2Ereal}). ((p (ap c_2Ereal_topology_2Ecompact (ap c_2Ereal_topology_2Eclosure V0s))) \Leftrightarrow (p (ap c_2Ereal_topology_2Ebounded_def V0s)))) \quad (40)$$

Assume the following.

$$((\forall V0t \in (2^{ty_2Erealax_2Ereal}). ((ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)) V0t)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \wedge (\forall V1s \in (2^{ty_2Erealax_2Ereal}). ((ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) V1s) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))))) \quad (41)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& ((ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealax_2Ereal}) \\
& (2^{ty_2Erealax_2Ereal}))\ (ap\ c_2Ereal_topology_2Eclosure\ V0s)) \\
& V1t)) = (ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal}))\ V0s)\ V1t)))) \wedge \\
& (\forall V2s \in (2^{ty_2Erealax_2Ereal}).(\forall V3t \in (2^{ty_2Erealax_2Ereal}). \\
& ((ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealax_2Ereal}) \\
& (2^{ty_2Erealax_2Ereal}))\ V2s)\ (ap\ c_2Ereal_topology_2Eclosure \\
& V3t))) = (ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal}))\ V2s)\ V3t))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (((p\ (ap\ c_2Ereal_topology_2Ecompact\ V0s)) \wedge (p\ (ap\ c_2Ereal_topology_2EClosed \\
& V1t)))) \Rightarrow (((ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal}))\ V0s)\ V1t)) = \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \Leftrightarrow ((V0s = (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)) \vee ((V1t = (c_2Epred_set_2EEMPTY\ ty_2Erealax_2Ereal)) \vee \\
& (\neg((ap\ (ap\ (c_2Epred_set_2EINTER\ ty_2Erealax_2Ereal)\ V0s)\ V1t) = \\
& (c_2Epred_set_2EEMPTY\ ty_2Erealax_2Ereal)))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (((p\ (ap\ c_2Ereal_topology_2EClosed\ V0s)) \wedge (p\ (ap\ c_2Ereal_topology_2Ecompact \\
& V1t)))) \Rightarrow (((ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal}))\ V0s)\ V1t)) = \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \Leftrightarrow ((V0s = (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)) \vee ((V1t = (c_2Epred_set_2EEMPTY\ ty_2Erealax_2Ereal)) \vee \\
& (\neg((ap\ (ap\ (c_2Epred_set_2EINTER\ ty_2Erealax_2Ereal)\ V0s)\ V1t) = \\
& (c_2Epred_set_2EEMPTY\ ty_2Erealax_2Ereal)))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{45}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{46}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \tag{47}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (53)$$

Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\ & (((p (ap c_2Ereal_topology_2Ebounded_def V0s)) \vee (p (ap c_2Ereal_topology_2Ebounded_def \\ & V1t))) \Rightarrow (((ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C \\ & (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) V0s) V1t)) = \\ & (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0) \Leftrightarrow ((V0s = (c_2Epred_set_2EEMPTY \\ & ty_2Erealax_2Ereal)) \vee ((V1t = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)) \vee \\ & (\neg((ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eclosure \\ & V0s)) (ap c_2Ereal_topology_2Eclosure V1t)) = (c_2Epred_set_2EEMPTY \\ & ty_2Erealax_2Ereal)))))))))) \end{aligned}$$