

thm_2Ereal__topology_2ESETDIST__LE__HAUSDIST
(TMbqLYT-
NpX3Vzu3oXdCXS8QViNaRCjosyu)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \tag{3}$$

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 17 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebool_2E$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 18 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 19 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (11)$$

Definition 20 We define $c_2Earithmic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2E_2B))$

Definition 21 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2E_2B))$

Definition 22 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (12)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (13)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (14)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Erealax_2Ereal) \quad (15)$$

Definition 23 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40\ ty_2Erealax_2Ereal_REP_CLASS))$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (16)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (17)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (18)$$

Definition 24 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 25 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg)$

Definition 26 We define $c_2Earithmic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (19)$$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (20)$$

Definition 27 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 28 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 29 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECONJ))))$.

Let $c_2Erealax_2Etrealt_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (21)$$

Definition 30 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 31 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (22)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (23)$$

Definition 32 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})^{A_27b})$.

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (24)$$

Definition 33 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$.

Definition 34 We define $c_2Ereal_topology_2Ebounded_def$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebool_2ECONJ))$.

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (25)$$

Let $c_2Ereal_topology_2Ehausdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Ehausdist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal})})} \quad (26)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (27)$$

Definition 35 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Definition 36 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2E$

Let $c_2Ereal_topology_2Esetdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Esetdist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal})})} \quad (28)$$

Definition 37 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ c_2Enum_2E0)\ V0n))) \quad (29)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((\\ ((ap\ (ap\ c_2Earithmetic_2E_2A\ c_2Enum_2E0)\ V0m) = c_2Enum_2E0) \wedge \\ (((ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ c_2Enum_2E0) = c_2Enum_2E0) \wedge \\ (((ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))\ V0m) = V0m) \wedge \\ (((ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))) = V0m) \wedge \\ ((ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Enum_2ESUC\ V0m))\ V1n) = (ap \\ (ap\ c_2Earithmetic_2E_2B\ (ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ V1n)) \\ V1n)) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ (ap\ c_2Enum_2ESUC\ V1n)) = \\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ (ap\ (ap\ c_2Earithmetic_2E_2A \\ V0m)\ V1n)))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ \forall V2p \in ty_2Enum_2Enum.(((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\ V0m)\ V1n)) \wedge (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V1n)\ V2p))) \Rightarrow (p\ (\\ ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0m)\ V2p)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
& \quad V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad (ap c_2Enum_2ESUC V1n)) V0m))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap \\
& c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) V0n)))
\end{aligned} \tag{34}$$

Assume the following.

$$True \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& \quad V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{37}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& \quad A_27a. (p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge \\
& \quad ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& \quad (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{41}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (42)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (43)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (44)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (45)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (46)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (47)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.((\exists V2x \in A_27a.((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A_27a.(p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (48)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).((\exists V2x \in A_27a.((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A_27a.(p (ap V1Q V3x))))))) \quad (49)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V1P V3x)) \vee (p V0Q)))))) \quad (50)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (51)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Earithmic_2E_3C_3D c_2Earithmic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) c_2Earithmic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D \\
& (ap c_2Earithmic_2EBIT2 V0n)) c_2Earithmic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) (ap c_2Earithmic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) (ap c_2Earithmic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT2 \\
& V0n)) (ap c_2Earithmic_2EBIT1 V1m))) \Leftrightarrow \neg (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V1m) V0n)))) \wedge ((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT2 \\
& V0n)) (ap c_2Earithmic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m)))))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). ((\exists V1x \in \\
& A_27a. (p (ap (ap (c_2Ebool_2EIN A_27a) V1x) V0s))) \Leftrightarrow (\neg (V0s = (c_2Epred_set_2EEMPTY \\
& A_27a))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) V0x) (ap (ap (c_2Epred_set_2EINSERT \\
& A_27a) V1y) (c_2Epred_set_2EEMPTY A_27a)))) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& (\forall V2z \in ty_2Erealx_2Ereal. (((p (ap (ap c_2Ereal_2Ereal_lte \\
& V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))) \Rightarrow (p (ap (\\
& ap c_2Ereal_2Ereal_lte V0x) V2z))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
V0n)) (ap c_2Ereal_2Ereal_of_num V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
V0n) V1m))) \wedge (((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg \\
(ap c_2Ereal_2Ereal_of_num V0n)) (ap c_2Ereal_2Ereal_of_num \\
V1m))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
V0n)) (ap c_2Erealax_2Ereal_neg (ap c_2Ereal_2Ereal_of_num \\
V1m))) \Leftrightarrow ((V0n = c_2Enum_2E0) \wedge (V1m = c_2Enum_2E0)) \wedge ((p (ap (ap \\
c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg (ap c_2Ereal_2Ereal_of_num \\
V0n)) (ap c_2Erealax_2Ereal_neg (ap c_2Ereal_2Ereal_of_num \\
V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D V1m) V0n)))))))))) \\
& \hspace{15em} (59)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\
& nonempty A_27c \Rightarrow \forall A_27d.nonempty A_27d \Rightarrow \forall A_27e.nonempty \\
& A_27e \Rightarrow \forall A_27f.nonempty A_27f \Rightarrow \forall A_27g.nonempty A_27g \Rightarrow \\
& (\forall V0Q \in (2^{A_27b}). (\forall V1P \in (2^{A_27a}). (\forall V2f \in \\
& (A_27b^{A_27a}). ((\forall V3z \in A_27b. ((p (ap (ap (c_2Ebool_2EIN \\
A_27b) V3z) (ap (c_2Epred_set_2EGSPEC A_27b A_27a) (\lambda V4x \in \\
A_27a. (ap (ap (c_2Epair_2E_2C A_27b 2) (ap V2f V4x)) (ap V1P V4x)))))) \Rightarrow \\
& (p (ap V0Q V3z)))) \Leftrightarrow (\forall V5x \in A_27a. ((p (ap V1P V5x)) \Rightarrow (p (ap V0Q \\
& (ap V2f V5x)))))) \wedge ((\forall V6P \in ((2^{A_27d})^{A_27e}). (\forall V7f \in \\
& ((A_27b^{A_27d})^{A_27e}). ((\forall V8z \in A_27b. ((p (ap (ap (c_2Ebool_2EIN \\
A_27b) V8z) (ap (c_2Epred_set_2EGSPEC A_27b (ty_2Epair_2Eprod \\
A_27c A_27d)) (ap (c_2Epair_2EUNCURRY A_27c A_27d (ty_2Epair_2Eprod \\
A_27b 2)) (\lambda V9x \in A_27c. (\lambda V10y \in A_27d. (ap (ap (c_2Epair_2E_2C \\
A_27b 2) (ap (ap V7f V9x) V10y)) (ap (ap V6P V9x) V10y)))))) \Rightarrow (p \\
& (ap V0Q V8z)))) \Leftrightarrow (\forall V11x \in A_27c. (\forall V12y \in A_27d. ((p \\
& (ap (ap V6P V11x) V12y)) \Rightarrow (p (ap V0Q (ap (ap V7f V11x) V12y)))))) \wedge \\
& (\forall V13P \in (((2^{A_27g})^{A_27f})^{A_27e}). (\forall V14f \in (((A_27b^{A_27g})^{A_27f})^{A_27e}). \\
& ((\forall V15z \in A_27b. ((p (ap (ap (c_2Ebool_2EIN A_27b) V15z) (\\
ap (c_2Epred_set_2EGSPEC A_27b (ty_2Epair_2Eprod A_27e (ty_2Epair_2Eprod \\
A_27f A_27g))) (ap (c_2Epair_2EUNCURRY A_27e (ty_2Epair_2Eprod \\
A_27f A_27g) (ty_2Epair_2Eprod A_27b 2)) (\lambda V16w \in A_27e. (ap \\
& (c_2Epair_2EUNCURRY A_27f A_27g (ty_2Epair_2Eprod A_27b 2)) \\
& (\lambda V17x \in A_27f. (\lambda V18y \in A_27g. (ap (ap (c_2Epair_2E_2C A_27b \\
2) (ap (ap (ap V14f V16w) V17x) V18y)) (ap (ap (ap V13P V16w) V17x) \\
& V18y)))))) \Rightarrow (p (ap V0Q V15z)))) \Leftrightarrow (\forall V19w \in A_27e. (\forall V20x \in \\
& A_27f. (\forall V21y \in A_27g. ((p (ap (ap (ap V13P V19w) V20x) V21y)) \Rightarrow \\
& (p (ap V0Q (ap (ap (ap V14f V19w) V20x) V21y)))))))))) \\
& \hspace{15em} (60)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap\ c_2Ereal_topology_2EDist\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)\ V0x)\ V1y)) = (ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Ereal_sub \\
& V0x)\ V1y))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap\ c_2Ereal_topology_2EDist\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)\ V0x)\ V1y)) = (ap\ c_2Ereal_topology_2EDist \\
& (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\
& V1y)\ V0x))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (((p\ (ap\ c_2Ereal_topology_2Ebunded_def\ V0s)) \wedge (p\ (ap\ c_2Ereal_topology_2Ebunded_def \\
& V1t))) \Rightarrow (p\ (ap\ c_2Ereal_topology_2Ebunded_def\ (ap\ (c_2Epred_set_2EGSPEC \\
& ty_2Erealax_2Ereal\ (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)) \\
& (ap\ (c_2Epair_2EUNCURRY\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal \\
& (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ 2))\ (\lambda V2x \in ty_2Erealax_2Ereal. \\
& (\lambda V3y \in ty_2Erealax_2Ereal. (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& 2)\ (ap\ (ap\ c_2Ereal_2Ereal_sub\ V2x)\ V3y))\ (ap\ (ap\ c_2Ebool_2E_2F_5C \\
& (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V2x)\ V0s))\ (ap\ (ap\ (\\
& c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V3y)\ V1t))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in (2^{ty_2Erealax_2Ereal}). ((ap\ c_2Ereal_topology_2Esetdist \\
& (ap\ (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal})) \\
& (c_2Epred_set_2EEMPTY\ ty_2Erealax_2Ereal))\ V0t)) = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \wedge (\forall V1s \in (2^{ty_2Erealax_2Ereal}). ((ap\ c_2Ereal_topology_2Esetdist \\
& (ap\ (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal})) \\
& V1s)\ (c_2Epred_set_2EEMPTY\ ty_2Erealax_2Ereal)))) = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (\forall V2x \in ty_2Erealax_2Ereal. (\forall V3y \in ty_2Erealax_2Ereal. \\
& (((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V2x)\ V0s)) \wedge (p \\
& (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealax_2Ereal)\ V3y)\ V1t))) \Rightarrow (p\ (ap \\
& (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_topology_2Esetdist\ (\\
& ap\ (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal})) \\
& V0s)\ V1t)))\ (ap\ c_2Ereal_topology_2EDist\ (ap\ (ap\ (c_2Epair_2E_2C \\
& ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)\ V2x)\ V3y)))))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (\forall V2x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V2x) V0s)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_topology_2Esetdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& V0s) V1t))) (ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT \\
& ty_2Erealax_2Ereal) V2x) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) \\
& V1t)))))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in (2^{ty_2Erealax_2Ereal}).((ap c_2Ereal_topology_2Ehausdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)) V0t)) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \wedge (\forall V1s \in (2^{ty_2Erealax_2Ereal}).((ap c_2Ereal_topology_2Ehausdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& V1s) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (\forall V2a \in ty_2Erealax_2Ereal.(\forall V3b \in ty_2Erealax_2Ereal. \\
& (\forall V4c \in ty_2Erealax_2Ereal.(\forall V5z \in ty_2Erealax_2Ereal. \\
& (((\neg(V0s = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) \wedge ((\\
& \neg(V1t = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) \wedge ((\forall V6x \in \\
& ty_2Erealax_2Ereal.((p (ap (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V6x) V0s)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_topology_2Esetdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal) V6x) (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)))) V1t)))) V3b)))) \wedge ((\forall V7y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V7y) V1t)) \Rightarrow (p (\\
& ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_topology_2Esetdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal) V7y) (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)))) V0s)))) V4c)))) \wedge (((p (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) V5z) V0s)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte \\
& V2a) (ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT \\
& ty_2Erealax_2Ereal) V5z) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) \\
& V1t)))))) \vee ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V5z) \\
& V1t)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V2a) (ap c_2Ereal_topology_2Esetdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal) V5z) (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)))) V0s))))))))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& V2a) (ap c_2Ereal_topology_2Ehausdist (ap (ap (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) V0s) V1t)))))))))
\end{aligned} \tag{68}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{69}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{70}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{72}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{73}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{74}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{75}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{76}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{78}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{79}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{80}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{81}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{82}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{83}$$

Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\ & (((p (ap c_2Ereal_topology_2Ebounded_def V0s)) \wedge (p (ap c_2Ereal_topology_2Ebounded_def \\ & V1t))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_topology_2Esetdist \\ & (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\ & V0s) V1t))) (ap c_2Ereal_topology_2Ehausdist (ap (ap (c_2Epair_2E_2C \\ & (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) V0s) V1t)))))) \end{aligned}$$