

thm_2Ereal__topology_2ESETDIST__SUBSET__RIGHT
 (TMKn-
 pucmLy9SUrWUjbfWCfSMEsATQ98GTb)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$
 of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
 of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Definition 5 We define $c_2Ebool_2E_2EIN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$
 of type ι .

Definition 7 We define $c_2Ebool_2E_2E21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}$

Definition 8 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \tag{3}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (4)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (5)$$

Definition 9 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27b})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (6)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (7)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal_REP_CLASS}) \quad (8)$$

Definition 10 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ (ty_2Erealax_2Ereal_REP_CLASS\ V0a)))$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Definition 11 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Erealax_2Etreall_lt\ V0T1\ V1T2)$

Definition 12 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2))$

Definition 14 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.(c_2Erealax_2Ereal_lt\ V0x\ V1y)$

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 16 We define $c_2Eiterate_2Einf$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal_lt\ V0s))$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(c_2Ebool_2E_21\ 2\ V1t1\ V2t2))))$

Definition 18 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (10)$$

Definition 19 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Let $c_2Ereal_topology_2Esetdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Esetdist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal})})} \quad (11)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (13)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (14)$$

Definition 20 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (15)$$

Definition 21 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \quad (19)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (21)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p (ap V0P V2x)))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p (ap V0P V2x)))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (30)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1a \in A_{.27a}.((\exists V2x \in A_{.27a}.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \Rightarrow (32)$$

Assume the following.

$$(\forall V0s \in (2^{ty_{.27}Erealax_{.27}Ereal}).(\forall V1t \in (2^{ty_{.27}Erealax_{.27}Ereal}).((\neg(V1t = (c_{.27}Epred_{.set}_{.27}EMPTY ty_{.27}Erealax_{.27}Ereal)))) \wedge (p (ap (ap (c_{.27}Epred_{.set}_{.27}ESUBSET ty_{.27}Erealax_{.27}Ereal) V1t) V0s)) \wedge (\exists V2b \in ty_{.27}Erealax_{.27}Ereal.(\forall V3x \in ty_{.27}Erealax_{.27}Ereal.((p (ap (ap (c_{.27}Ebool_{.27}EIN ty_{.27}Erealax_{.27}Ereal) V3x) V0s)) \Rightarrow (p (ap (ap c_{.27}Ereal_{.27}Ereal_{.lte} V2b) V3x)))))) \Rightarrow (p (ap (ap c_{.27}Ereal_{.27}Ereal_{.lte} (ap c_{.27}Eiterate_{.27}Einf V0s)) (ap c_{.27}Eiterate_{.27}Einf V1t)))))) \Rightarrow (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in A_{.27b}.(((ap (ap (c_{.27}Epair_{.27}E_{.2C} A_{.27a} A_{.27b}) V0x) V1y) = (ap (ap (c_{.27}Epair_{.27}E_{.2C} A_{.27a} A_{.27b}) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \Rightarrow (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \forall A_{.27c}.nonempty A_{.27c} \Rightarrow (\forall V0f \in ((A_{.27c}^{A_{.27b}})^{A_{.27a}}).(\forall V1x \in A_{.27a}.(\forall V2y \in A_{.27b}.((ap (ap (c_{.27}Epair_{.27}EUNCURRY A_{.27a} A_{.27b} A_{.27c}) V0f) (ap (ap (c_{.27}Epair_{.27}E_{.2C} A_{.27a} A_{.27b}) V1x) V2y))) = (ap (ap V0f V1x) V2y)))))) \Rightarrow (35)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0P \in (2^{(ty_{.27}Epair_{.27}Eprod A_{.27a} A_{.27b})}).((\exists V1p \in (ty_{.27}Epair_{.27}Eprod A_{.27a} A_{.27b}).(p (ap V0P V1p))) \Leftrightarrow (\exists V2p_{.1} \in A_{.27a}.(\exists V3p_{.2} \in A_{.27b}.(p (ap V0P (ap (ap (c_{.27}Epair_{.27}E_{.2C} A_{.27a} A_{.27b}) V2p_{.1}) V3p_{.2})))))) \Rightarrow (36)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_{.27a}.((p (ap (ap (c_{.27}Ebool_{.27}EIN A_{.27a}) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_{.27}Ebool_{.27}EIN A_{.27a}) V2x) V1t)))))) \Rightarrow (37)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0f \in ((ty.2Epair.2Eprod\ A.27a\ 2)^{A.27b}).(\forall V1v \in \\ & \quad A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V1v)\ (ap\ (c.2Epred_set.2EGSPEC \\ & \quad A.27a\ A.27b)\ V0f)))) \Leftrightarrow (\exists V2x \in A.27b.((ap\ (ap\ (c.2Epair.2E_2C \\ & \quad A.27a\ 2)\ V1v)\ c.2Ebool.2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\neg(p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V0x)\ (c.2Epred_set.2EEMPTY\ A.27a)))))) \quad (39)$$

Assume the following.

$$(\forall V0x \in ty.2Erealx.2Ereal.(p\ (ap\ (ap\ c.2Ereal.2Ereal_lte\ V0x)\ V0x))) \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & \quad nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow \forall A.27e.nonempty \\ & \quad A.27e \Rightarrow \forall A.27f.nonempty\ A.27f \Rightarrow \forall A.27g.nonempty\ A.27g \Rightarrow \\ & \quad (\forall V0Q \in (2^{A.27b}).((\forall V1P \in (2^{A.27a}).(\forall V2f \in \\ & \quad (A.27b^{A.27a}).((\forall V3z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\ & \quad A.27b)\ V3z)\ (ap\ (c.2Epred_set.2EGSPEC\ A.27b\ A.27a)\ (\lambda V4x \in \\ & \quad A.27a.(ap\ (ap\ (c.2Epair.2E_2C\ A.27b\ 2)\ (ap\ V2f\ V4x)\ (ap\ V1P\ V4x)))))) \Rightarrow \\ & \quad (p\ (ap\ V0Q\ V3z)))) \Leftrightarrow (\forall V5x \in A.27a.((p\ (ap\ V1P\ V5x)) \Rightarrow (p\ (ap\ V0Q \\ & \quad (ap\ V2f\ V5x)))))) \wedge ((\forall V6P \in ((2^{A.27d})^{A.27e}).(\forall V7f \in \\ & \quad ((A.27b^{A.27d})^{A.27e}).((\forall V8z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\ & \quad A.27b)\ V8z)\ (ap\ (c.2Epred_set.2EGSPEC\ A.27b\ (ty.2Epair.2Eprod \\ & \quad A.27c\ A.27d)\ (ap\ (c.2Epair.2EUNCURRY\ A.27c\ A.27d)\ (ty.2Epair.2Eprod \\ & \quad A.27b\ 2)\ (\lambda V9x \in A.27c.(\lambda V10y \in A.27d.(ap\ (ap\ (c.2Epair.2E_2C \\ & \quad A.27b\ 2)\ (ap\ (ap\ V7f\ V9x)\ V10y)\ (ap\ (ap\ V6P\ V9x)\ V10y)))))) \Rightarrow (p \\ & \quad (ap\ V0Q\ V8z)))) \Leftrightarrow (\forall V11x \in A.27c.(\forall V12y \in A.27d.((p \\ & \quad (ap\ (ap\ V6P\ V11x)\ V12y)) \Rightarrow (p\ (ap\ V0Q\ (ap\ (ap\ V7f\ V11x)\ V12y)))))) \wedge \\ & \quad (\forall V13P \in (((2^{A.27g})^{A.27f})^{A.27e}).(\forall V14f \in (((A.27b^{A.27g})^{A.27f})^{A.27e}). \\ & \quad ((\forall V15z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27b)\ V15z)\ (\\ & \quad ap\ (c.2Epred_set.2EGSPEC\ A.27b\ (ty.2Epair.2Eprod\ A.27e\ (ty.2Epair.2Eprod \\ & \quad A.27f\ A.27g)\ (ap\ (c.2Epair.2EUNCURRY\ A.27e\ (ty.2Epair.2Eprod \\ & \quad A.27f\ A.27g)\ (ty.2Epair.2Eprod\ A.27b\ 2)\ (\lambda V16w \in A.27e.(ap \\ & \quad (c.2Epair.2EUNCURRY\ A.27f\ A.27g)\ (ty.2Epair.2Eprod\ A.27b\ 2)) \\ & \quad (\lambda V17x \in A.27f.(\lambda V18y \in A.27g.(ap\ (ap\ (c.2Epair.2E_2C\ A.27b \\ & \quad 2)\ (ap\ (ap\ (ap\ V14f\ V16w)\ V17x)\ V18y)\ (ap\ (ap\ (ap\ V13P\ V16w)\ V17x) \\ & \quad V18y)))))) \Rightarrow (p\ (ap\ V0Q\ V15z)))) \Leftrightarrow (\forall V19w \in A.27e.(\forall V20x \in \\ & \quad A.27f.(\forall V21y \in A.27g.((p\ (ap\ (ap\ (ap\ V13P\ V19w)\ V20x)\ V21y)) \Rightarrow \\ & \quad (p\ (ap\ V0Q\ (ap\ (ap\ (ap\ V14f\ V19w)\ V20x)\ V21y))))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_topology_2EDist (ap (ap (c_2Epair_2E_2C \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0x) V1y))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& ((ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal} \\
& (2^{ty_2Erealax_2Ereal})) V0s) V1t)) = (ap (ap (ap (c_2Ebool_2ECOND \\
& ty_2Erealax_2Ereal) (ap (ap c_2Ebool_2E_5C_2F (ap (ap (c_2Emin_2E_3D \\
& (2^{ty_2Erealax_2Ereal})) V0s) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) \\
& (ap (ap (c_2Emin_2E_3D (2^{ty_2Erealax_2Ereal})) V1t) (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)))) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
& (ap c_2Eiterate_2Einf (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal \\
& (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)) \\
& (ap (c_2Epair_2EUNCURRY ty_2Erealax_2Ereal ty_2Erealax_2Ereal \\
& (ty_2Epair_2Eprod ty_2Erealax_2Ereal 2)) (\lambda V2x \in ty_2Erealax_2Ereal. \\
& (\lambda V3y \in ty_2Erealax_2Ereal. (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& 2) (ap c_2Ereal_topology_2EDist (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V2x) V3y))) (ap (ap c_2Ebool_2E_2F_5C (ap \\
& (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V2x) V0s)) (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) V3y) V1t))))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in (2^{ty_2Erealax_2Ereal}). ((ap c_2Ereal_topology_2Esetdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal} (2^{ty_2Erealax_2Ereal})) \\
& (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal) V0t)) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \wedge (\forall V1s \in (2^{ty_2Erealax_2Ereal}). ((ap c_2Ereal_topology_2Esetdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal} (2^{ty_2Erealax_2Ereal})) \\
& V1s) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal} (2^{ty_2Erealax_2Ereal})) V0s) V1t))))))
\end{aligned} \tag{45}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{46}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{47}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (57)$$

Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\ & (\forall V2u \in (2^{ty_2Erealax_2Ereal}).(((\neg(V1t = (c_2Epred_set_2EEMPTY \\ & ty_2Erealax_2Ereal)))) \wedge (p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) \\ & V1t) V2u))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_topology_2Esetdist \\ & (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\ & V0s) V2u))) (ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C \\ & (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) V0s) V1t)))))))))) \end{aligned}$$