

thm_2Ereal_topology_2ESPAN__UNION (TMKpZrycjodpssTJiNDi6NGMQnxqqpFwrtg)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. if (\exists x \in A. p (ap P x))$ then (the $(\lambda x. x \in A \wedge p (ap P x))$) of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40 A_27a P))))$

Definition 5 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a}) P) V0P)))$

Definition 8 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. V2t))))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2EABS_prod A_27a A_27b) (ty_2Epair_2Eprod V0x V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}})$$
(3)

Definition 11 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ V0s)\ V1t)$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega$$
(4)

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum$$
(5)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega})$$
(6)

Definition 12 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal$$
(7)

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum})$$
(8)

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal$$
(9)

Let $c_2Erealx_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealx_2Ereal})$$
(10)

Definition 13 We define $c_2Erealx_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealx_2Ereal.(ap\ (c_2Emin_2E40\ ty_2Erealx_2Ereal_REP_CLASS)\ a)$.

Let $c_2Erealx_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealx_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal}$$
(11)

Let $c_2Erealx_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealx_2Etrealeq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal}$$
(12)

Let $c_2Erealx_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_ABS_CLASS \in (ty_2Erealx_2Ereal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})})$$
(13)

Definition 14 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 15 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Ereal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (14)$$

Definition 16 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 17 We define $c_2Ereal_topology_2Esubspace$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (ap\ c_2Ebool_2E21\ 2))$

Definition 18 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ 2))$

Definition 19 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Ebool_2E21\ 2))$

Definition 20 We define $c_2Etopology_2Ehull$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ 2))$

Definition 21 We define $c_2Ereal_topology_2Espan$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (ap\ (c_2Etopology_2Ehull)))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (15)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (16)$$

Definition 22 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})^{A_27b}$

Definition 23 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2))\ (\lambda V0t \in 2.V0t)$.

Definition 24 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t))\ c_2Ebool_2E21\ 2)$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \wedge ((p\ V1t2) \wedge (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p \ V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ & 2^{A.27a}).(((p \ V0P) \wedge (\forall V2x \in A.27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\forall V3x \in \\ & A.27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V3x)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((p V0P) \vee (\exists V2x \in A.27a. (p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A.27a. ((p V0P) \vee (p (ap V1Q V3x)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in 2. ((\exists V2x \in A.27a. ((p (ap V0P V2x)) \wedge (p V1Q)))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x))) \wedge (p V1Q)))) \quad (31)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))) \quad (36)$$

Assume the following.

$$\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (37)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0P \in ((2^{A.27b})^{A.27a}). ((\forall V1x \in A.27a. (\exists V2y \in A.27b. (p (ap (ap V0P V1x) V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A.27a}). (\forall V4x \in A.27a. (p (ap (ap V0P V4x) (ap V3f V4x)))))) \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. (\forall V2a \in A.27a. (\forall V3b \in \\ & \quad A.27b. (((ap\ (ap\ (c.2Epair_2E_2C\ A.27a\ A.27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c.2Epair_2E_2C\ A.27a\ A.27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\ & \hspace{15em} (39) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}). (\forall V1x \in \\ & \quad A.27a. (\forall V2y \in A.27b. ((ap\ (ap\ (c.2Epair_2EUNCURRY\ A.27a \\ & \quad A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c.2Epair_2E_2C\ A.27a\ A.27b)\ V1x)\ V2y)) = \\ & \quad (ap\ (ap\ V0f\ V1x)\ V2y)))))) \\ & \hspace{15em} (40) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0P \in (2^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}). ((\exists V1p \in \\ & \quad (ty_2Epair_2Eprod\ A.27a\ A.27b). (p\ (ap\ V0P\ V1p))) \Leftrightarrow (\exists V2p_1 \in \\ & \quad A.27a. (\exists V3p_2 \in A.27b. (p\ (ap\ V0P\ (ap\ (ap\ (c.2Epair_2E_2C \\ & \quad A.27a\ A.27b)\ V2p_1)\ V3p_2)))))) \\ & \hspace{15em} (41) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Epair_2Eprod\ A.27a\ 2)^{A.27b}). (\forall V1v \in \\ & \quad A.27a. ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V1v)\ (ap\ (c.2Epred_set_2EGSPEC \\ & \quad A.27a\ A.27b)\ V0f))) \Leftrightarrow (\exists V2x \in A.27b. ((ap\ (ap\ (c.2Epair_2E_2C \\ & \quad A.27a\ 2)\ V1v)\ c.2Ebool_2ET) = (ap\ V0f\ V2x)))))) \\ & \hspace{15em} (42) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & \quad (2^{A.27a}). (((p\ (ap\ (ap\ (c.2Epred_set_2ESUBSET\ A.27a)\ V0s)\ V1t)) \wedge \\ & \quad (p\ (ap\ (ap\ (c.2Epred_set_2ESUBSET\ A.27a)\ V1t)\ V0s))) \Rightarrow (V0s = V1t)))) \\ & \hspace{15em} (43) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & \quad (2^{A.27a}). (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a) \\ & \quad V2x)\ (ap\ (ap\ (c.2Epred_set_2EUNION\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\ & \quad (ap\ (c.2Ebool_2EIN\ A.27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c.2Ebool_2EIN \\ & \quad A.27a)\ V2x)\ V1t)))))) \\ & \hspace{15em} (44) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& (2^{A.27a}).(p\ (ap\ (ap\ (c.2Epred_set.2ESUBSET\ A.27a)\ V0s)\ (ap\ (\\
& \quad ap\ (c.2Epred_set.2EUNION\ A.27a)\ V0s)\ V1t)))))) \wedge (\forall V2s \in \quad (45) \\
& (2^{A.27a}).(\forall V3t \in (2^{A.27a}).(p\ (ap\ (ap\ (c.2Epred_set.2ESUBSET \\
& A.27a)\ V2s)\ (ap\ (ap\ (c.2Epred_set.2EUNION\ A.27a)\ V3t)\ V2s))))))
\end{aligned}$$

Assume the following.

$$(\forall V0x \in ty.2Erealax.2Ereal.((ap\ (ap\ c.2Erealax.2Ereal_add \quad (46) \\
(ap\ c.2Ereal.2Ereal_of_num\ c.2Enum.2E0))\ V0x) = V0x))$$

Assume the following.

$$(\forall V0x \in ty.2Erealax.2Ereal.((ap\ (ap\ c.2Erealax.2Ereal_add \quad (47) \\
V0x)\ (ap\ c.2Ereal.2Ereal_of_num\ c.2Enum.2E0)) = V0x))$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow \forall A.27e.nonempty \\
& A.27e \Rightarrow \forall A.27f.nonempty\ A.27f \Rightarrow \forall A.27g.nonempty\ A.27g \Rightarrow \\
& (\forall V0Q \in (2^{A.27b}).(\forall V1P \in (2^{A.27a}).(\forall V2f \in \\
& \quad (A.27b^{A.27a}).(\forall V3z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& \quad A.27b)\ V3z)\ (ap\ (c.2Epred_set.2EGSPEC\ A.27b\ A.27a)\ (\lambda V4x \in \\
& A.27a.(ap\ (ap\ (c.2Epair.2E.2C\ A.27b\ 2)\ (ap\ V2f\ V4x))\ (ap\ V1P\ V4x)))))) \Rightarrow \\
& \quad (p\ (ap\ V0Q\ V3z)))))) \Leftrightarrow (\forall V5x \in A.27a.((p\ (ap\ V1P\ V5x)) \Rightarrow (p\ (ap\ V0Q \\
& \quad (ap\ V2f\ V5x)))))) \wedge ((\forall V6P \in ((2^{A.27d})^{A.27e}).(\forall V7f \in \\
& \quad ((A.27b^{A.27d})^{A.27e}).(\forall V8z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& \quad A.27b)\ V8z)\ (ap\ (c.2Epred_set.2EGSPEC\ A.27b\ (ty.2Epair.2Eprod \\
& A.27c\ A.27d))\ (ap\ (c.2Epair.2EUNCURRY\ A.27c\ A.27d\ (ty.2Epair.2Eprod \\
& \quad A.27b\ 2))\ (\lambda V9x \in A.27c.(\lambda V10y \in A.27d.(ap\ (ap\ (c.2Epair.2E.2C \\
& \quad A.27b\ 2)\ (ap\ (ap\ V7f\ V9x)\ V10y))\ (ap\ (ap\ V6P\ V9x)\ V10y)))))) \Rightarrow (p \\
& \quad (ap\ V0Q\ V8z)))) \Leftrightarrow (\forall V11x \in A.27c.(\forall V12y \in A.27d.((p \\
& (ap\ (ap\ V6P\ V11x)\ V12y)) \Rightarrow (p\ (ap\ V0Q\ (ap\ (ap\ V7f\ V11x)\ V12y)))))) \wedge \\
& (\forall V13P \in (((2^{A.27g})^{A.27f})^{A.27e}).(\forall V14f \in (((A.27b^{A.27g})^{A.27f})^{A.27e}). \\
& \quad ((\forall V15z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27b)\ V15z)\ (\\
& ap\ (c.2Epred_set.2EGSPEC\ A.27b\ (ty.2Epair.2Eprod\ A.27e\ (ty.2Epair.2Eprod \\
& \quad A.27f\ A.27g))\ (ap\ (c.2Epair.2EUNCURRY\ A.27e\ (ty.2Epair.2Eprod \\
& \quad A.27f\ A.27g)\ (ty.2Epair.2Eprod\ A.27b\ 2))\ (\lambda V16w \in A.27e.(ap \\
& \quad (c.2Epair.2EUNCURRY\ A.27f\ A.27g\ (ty.2Epair.2Eprod\ A.27b\ 2)) \\
& \quad (\lambda V17x \in A.27f.(\lambda V18y \in A.27g.(ap\ (ap\ (c.2Epair.2E.2C\ A.27b \\
& \quad 2)\ (ap\ (ap\ (ap\ V14f\ V16w)\ V17x)\ V18y))\ (ap\ (ap\ (ap\ V13P\ V16w)\ V17x) \\
& \quad V18y)))))) \Rightarrow (p\ (ap\ V0Q\ V15z)))) \Leftrightarrow (\forall V19w \in A.27e.(\forall V20x \in \\
& A.27f.(\forall V21y \in A.27g.((p\ (ap\ (ap\ (ap\ V13P\ V19w)\ V20x)\ V21y)) \Rightarrow \\
& \quad (p\ (ap\ V0Q\ (ap\ (ap\ (ap\ V14f\ V19w)\ V20x)\ V21y))))))))) \quad (48)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& ((p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) V0s) \\
& V1t)) \Rightarrow (p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) \\
& (ap c_2Ereal_topology_2Espan V0s)) (ap c_2Ereal_topology_2Espan \\
& V1t))))))
\end{aligned} \tag{49}$$

Assume the following.

$$(\forall V0s \in (2^{ty_2Erealax_2Ereal}).(p (ap c_2Ereal_topology_2Esubspace (ap c_2Ereal_topology_2Espan V0s)))) \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1x \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V1x) V0s)) \Rightarrow (p (\\
& ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V1x) (ap c_2Ereal_topology_2Espan \\
& V0s))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(p (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
& (ap c_2Ereal_topology_2Espan V0s))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2s \in (2^{ty_2Erealax_2Ereal}).(((p (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) V0x) (ap c_2Ereal_topology_2Espan V2s))) \wedge \\
& (p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V1y) (ap c_2Ereal_topology_2Espan \\
& V2s)))))) \Rightarrow (p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap (ap \\
& c_2Erealax_2Ereal_add V0x) V1y)) (ap c_2Ereal_topology_2Espan \\
& V2s))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (((p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) V0s) \\
& V1t)) \wedge (p (ap c_2Ereal_topology_2Esubspace V1t))) \Rightarrow (p (ap (ap \\
& (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Espan \\
& V0s)) V1t))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (((p (ap c_2Ereal_topology_2Esubspace V0s)) \wedge (p (ap c_2Ereal_topology_2Esubspace \\
& V1t))) \Rightarrow (p (ap c_2Ereal_topology_2Esubspace (ap (c_2Epred_set_2EGSPEC \\
& ty_2Erealax_2Ereal (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)) \\
& (ap (c_2Epair_2EUNCURRY ty_2Erealax_2Ereal ty_2Erealax_2Ereal \\
& (ty_2Epair_2Eprod ty_2Erealax_2Ereal 2)) (\lambda V2x \in ty_2Erealax_2Ereal. \\
& (\lambda V3y \in ty_2Erealax_2Ereal.(ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& 2) (ap (ap c_2Erealax_2Ereal_add V2x) V3y)) (ap (ap c_2Ebool_2E_2F_5C \\
& (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V2x) V0s)) (ap (ap (\\
& c_2Ebool_2EIN ty_2Erealax_2Ereal) V3y) V1t))))))))))))) \\
& \tag{55}
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{56}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
& \tag{58}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
& \tag{59}
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \\
& \tag{61}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \\
& \tag{62}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge ((\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{65}$$

Theorem 1

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& ((ap \ c_2Ereal_topology_2Espan \ (ap \ (ap \ (c_2Epred_set_2EUNION \\
& ty_2Erealax_2Ereal \ V0s) \ V1t))) = (ap \ (c_2Epred_set_2EGSPEC \ ty_2Erealax_2Ereal \\
& (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal)) \\
& (ap \ (c_2Epair_2EUNCURRY \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal \\
& (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ 2)) \ (\lambda V2x \in ty_2Erealax_2Ereal. \\
& (\lambda V3y \in ty_2Erealax_2Ereal. (ap \ (ap \ (c_2Epair_2E_2C \ ty_2Erealax_2Ereal \\
& 2) \ (ap \ (ap \ c_2Erealax_2Ereal_add \ V2x) \ V3y)) \ (ap \ (ap \ c_2Ebool_2E_2F_5C \\
& (ap \ (ap \ (c_2Ebool_2EIN \ ty_2Erealax_2Ereal) \ V2x) \ (ap \ c_2Ereal_topology_2Espan \\
& V0s))) \ (ap \ (ap \ (c_2Ebool_2EIN \ ty_2Erealax_2Ereal) \ V3y) \ (ap \ c_2Ereal_topology_2Espan \\
& V1t))))))))))
\end{aligned}$$