

thm_2Ereal__topology_2ESUBORDINATE__PARTITION__OF__UN (TMZC686e8dEEujJUdWD61VR4fmi9AWk3CLS)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 7 We define $c_2Eiterate_2Eneutral$ to be $\lambda A_27a : \iota.\lambda V0op \in ((A_27a^{A_27a})^{A_27a}).(ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 8 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 10 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota) be given. Assume the following.$

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}})$$
(3)

Definition 12 We define $c_2Eiterate_2Esupport$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0op \in ((A_27b^{A_27b})^{A_27b}). \lambda V1$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($
Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum$$
(4)

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum})$$
(5)

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum})$$
(6)

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum})$$
(7)

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega})$$
(8)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega})$$
(9)

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num$

Definition 15 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40$

Definition 16 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 17 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 18 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 19 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega$$
(10)

Definition 20 We define c_Enum_2E0 to be $(ap\ c_Enum_2EABS_num\ c_Enum_2EZERO_REP)$.

Definition 21 We define $c_Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_Ebool_2E$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 22 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (14)$$

Definition 23 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 24 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap\ ($

Definition 25 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap\ (c_2Epred_s$

Definition 26 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 27 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 28 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (15)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (16)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (17)$$

Definition 29 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (t$

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (18)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (19)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} \quad (20)$$

Definition 30 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 31 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS$

Let $c_2Erealax_2Etrealm_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (21)$$

Definition 32 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 33 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (22)$$

Definition 34 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} \quad (23)$$

Definition 35 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 36 We define $c_2Earithmic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 37 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 38 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal)}) \quad (24)$$

Definition 39 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Let $c_2Ereal_topology_2Eball : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Eball \in ((2^{ty_2Erealax_2Ereal})^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (25)$$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)} \quad (26)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Eenum_2Eenum} \quad (27)$$

Definition 40 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebool_2E2$

Definition 41 We define $c_2Epred_set_2EINTER$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1t \in (2^{A.27a}).(ap\ (c_2$

Definition 42 We define $c_2Ereal_topology_2EClosed$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ c_2Ereal_topo$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (28)$$

Let $c_2Etopology_2Eopen_in : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Etopology_2Eopen_in\ A.27a \in ((2^{(2^{A.27a})})^{(ty_2Etopology_2Etopology\ A.27a)}) \quad (29)$$

Let $ty_2Ereal_topology_2Eenet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Eenet\ A0) \quad (30)$$

Let $c_2Ereal_topology_2Eenetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ereal_topology_2Eenetord\ A.27a \in (((2^{A.27a})^{A.27a})^{(ty_2Ereal_topology_2Eenet\ A.27a)}) \quad (31)$$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ereal_topology_2Emk_net\ A.27a \in ((ty_2Ereal_topology_2Eenet\ A.27a)^{(2^{A.27a})^{A.27a}}) \quad (32)$$

Definition 43 We define $c_2Ereal_topology_2Ewithin$ to be $\lambda A.27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Eenet$

Definition 44 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A.27a}).(ap\ (c_2$

Definition 45 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 46 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E21$

Definition 47 We define $c_2Eiterate_2EITSET$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27b}).\lambda V$

Definition 48 We define $c_2Eiterate_2Eiterate$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0op \in ((A_27b^{A_27b})^{A_27c}).\lambda V$

Definition 49 We define $c_2Eiterate_2ESum$ to be $\lambda A_27a : \iota.(ap (c_2Eiterate_2Eiterate A_27a ty_2Erealax$

Definition 50 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Definition 51 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 52 We define $c_2Ereal_topology_2Eat$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Ereal_topology$

Definition 53 We define $c_2Ereal_topology_2Eenlimit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2E$

Definition 54 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology$

Definition 55 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1net \in (ty_2$

Definition 56 We define $c_2Ereal_topology_2E2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal^{A$

Definition 57 We define $c_2Ereal_topology_2Econtinuous$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal^{A$

Definition 58 We define $c_2Ereal_topology_2Econtinuous_on$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Ereal$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Etopology_2Etopology A_27a \in ((ty_2Etopology_2Etopology A_27a)^{(2^{(2^{A_27a})})}) \quad (33)$$

Definition 59 We define $c_2Ereal_topology_2Eeuclidean$ to be $(ap (c_2Etopology_2Etopology ty_2Erealax$

Definition 60 We define $c_2Ereal_topology_2Esubtopology$ to be $\lambda A_27a : \iota.\lambda V0top \in (ty_2Etopology_2Etopology$

Definition 61 We define $c_2Etopology_2Etopspace$ to be $\lambda A_27a : \iota.\lambda V0top \in (ty_2Etopology_2Etopology$

Definition 62 We define $c_2Etopology_2Eclosed_in$ to be $\lambda A_27a : \iota.\lambda V0top \in (ty_2Etopology_2Etopology$

Let $c_2Ereal_topology_2Esetdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Esetdist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})})} \quad (34)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Earithmetic_2E3C_3D c_2Enum_2EO) V0n))) \quad (35)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg(p (ap (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n))) \Leftrightarrow (p (ap (ap (ap c_2Eprim_rec_2E_3C V1n) V0m)))))) \tag{36}$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V0m) V1n) = c_2Enum_2E0) \Leftrightarrow ((V0m = c_2Enum_2E0) \wedge (V1n = c_2Enum_2E0)))) \tag{37}$$

Assume the following.

$$((\forall V0n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D V0n) c_2Enum_2E0)) \Leftrightarrow (V0n = c_2Enum_2E0))) \wedge (\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D V1m) (ap c_2Enum_2ESUC V2n))) \Leftrightarrow ((V1m = (ap c_2Enum_2ESUC V2n)) \vee (p (ap (ap c_2Earithmetic_2E_3C_3D V1m) V2n))))))) \tag{38}$$

Assume the following.

$$True \tag{39}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{40}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{41}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{42}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{43}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{44}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (46)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (47)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (48)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))) \quad (49)
\end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (50)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (51)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (52)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t)))))) \quad (53)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\
& A_27a. (((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2EF) \\
& V0t1) \ V1t2) = V1t2)))) \quad (54)
\end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). ((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (55)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). ((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. ((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B))))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (59)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))))) \quad (60)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B)) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))) \quad (61)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (62)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (63)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0b \in 2. (\forall V1f \in (A.27b^{A.27a}). (\forall V2g \in (A.27b^{A.27a}). (\forall V3x \in A.27a. ((ap (ap (ap (ap (c.2Ebool.2ECOND (A.27b^{A.27a}) V0b) V1f) V2g) V3x) = (ap (ap (ap (c.2Ebool.2ECOND A.27b) V0b) (ap V1f V3x)) (ap V2g V3x)))))))) \quad (64)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. \\ & \quad (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ & \quad V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f \\ & \quad V2x))\ (ap\ V0f\ V3y))))))))) \end{aligned} \quad (65)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & \quad 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow \\ & \quad (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (66)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & \quad (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & \quad (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & \quad ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ & \quad V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\ & \quad V5y_27))))))))) \end{aligned} \quad (67)$$

Assume the following.

$$\begin{aligned} & (\forall V0y \in 2. (\forall V1x \in 2. (((p\ V0y) \Rightarrow (p\ V1x)) \Leftrightarrow ((\neg(p\ V1x)) \Rightarrow \\ & \quad (\neg(p\ V0y)))))) \end{aligned} \quad (68)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in \\ & \quad A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (\\ & \quad ap\ V0P\ V1a)))))) \end{aligned} \quad (69)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (2^{A_27a}). (\forall V1v \in \\ & \quad A_27a. ((\forall V2x \in A_27a. ((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ (\\ & \quad ap\ V0f\ V1v)))))) \end{aligned} \quad (70)$$

Assume the following.

$$\begin{aligned} & (\forall V0r \in 2. (\forall V1p \in 2. (\forall V2q \in 2. (((p\ V1p) \wedge \\ & \quad (p\ V2q) \Rightarrow (p\ V0r)) \Leftrightarrow ((p\ V2q) \Rightarrow ((p\ V1p) \Rightarrow (p\ V0r)))))) \end{aligned} \quad (71)$$

Assume the following.

$$\begin{aligned} & ((ap\ (c_2Eiterate_2Eneutral\ ty_2Erealax_2Ereal)\ c_2Erealax_2Ereal_add) = \\ & \quad (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Erealax_2Ereal^{A_27a}). \\ (\forall V1s \in (2^{A_27a}). ((ap\ (ap\ (c_2Eiterate_2ESum\ A_27a)\ (ap \\ (ap\ (ap\ (c_2Eiterate_2ESupport\ A_27a\ ty_2Erealax_2Ereal)\ c_2Erealax_2Ereal_add \\ V0f)\ V1s))\ V0f) = (ap\ (ap\ (c_2Eiterate_2ESum\ A_27a)\ V1s)\ V0f)))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Erealax_2Ereal^{A_27a}). \\ (\forall V1c \in ty_2Erealax_2Ereal. (\forall V2s \in (2^{A_27a}). ((\\ ap\ (ap\ (c_2Eiterate_2ESum\ A_27a)\ V2s)\ (\lambda V3x \in A_27a. (ap\ (ap\ c_2Erealax_2Ereal_mul \\ (ap\ V0f\ V3x))\ V1c))) = (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ (ap\ (c_2Eiterate_2ESum \\ A_27a)\ V2s)\ V0f))\ V1c)))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Erealax_2Ereal^{A_27a}). \\ (\forall V1s \in (2^{A_27a}). (((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a) \\ V1s)) \wedge ((\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x) \\ V1s)) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0))\ (ap\ V0f\ V2x)))))) \wedge (\exists V3x \in A_27a. ((p\ (ap\ (ap \\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s)) \wedge (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ (ap\ V0f\ V3x))))))) \Rightarrow \\ (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0))\ (ap\ (ap\ (c_2Eiterate_2ESum\ A_27a)\ V1s)\ V0f)))))) \end{aligned} \quad (75)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Erealax_2Ereal^{A_27a}). \\ (\forall V1s \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1s)) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0))\ (ap\ V0f\ V2x)))))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ (ap\ (ap\ (c_2Eiterate_2ESum \\ A_27a)\ V1s)\ V0f)))))) \end{aligned} \quad (76)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b \in ty_2Erealax_2Ereal. \\ (\forall V1s \in (2^{A_27a}). (\forall V2a \in A_27a. ((ap\ (ap\ (c_2Eiterate_2ESum \\ A_27a)\ V1s)\ (\lambda V3x \in A_27a. (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Erealax_2Ereal) \\ (ap\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V3x)\ V2a))\ V0b)\ (ap\ c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0)))) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Erealax_2Ereal) \\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2a)\ V1s))\ V0b)\ (ap\ c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0)))))) \end{aligned} \quad (77)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0g \in (ty_2Erealax_2Ereal^{A.27a}). \\
& \quad (\forall V1f \in (ty_2Erealax_2Ereal^{A.27a}). (\forall V2s \in (2^{A.27a}). \\
& \quad (\forall V3t \in (2^{A.27a}). (((p\ (ap\ (c_2Epred_set_2EFINITE\ A.27a) \\
& \quad V3t)) \wedge ((p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ A.27a)\ V3t)\ V2s)) \wedge (\\
& \quad (\forall V4x \in A.27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V4x)\ V3t)) \Rightarrow \\
& \quad ((ap\ V1f\ V4x) = (ap\ V0g\ V4x)))) \wedge (\forall V5x \in A.27a. (((p\ (ap\ (ap\ (\\
& \quad c_2Ebool_2EIN\ A.27a)\ V5x)\ V2s)) \wedge (\neg (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a) \\
& \quad V5x)\ V3t)))) \Rightarrow ((ap\ V1f\ V5x) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)))))) \Rightarrow \\
& \quad ((ap\ (ap\ (c_2Eiterate_2ESum\ A.27a)\ V2s)\ V1f) = (ap\ (ap\ (c_2Eiterate_2ESum \\
& \quad A.27a)\ V3t)\ V0g))))))
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((c_2Earithmetic_2EZERO = (ap\ c_2Earithmetic_2EBIT1\ V0n)) \Leftrightarrow False) \wedge \\
& (((ap\ c_2Earithmetic_2EBIT1\ V0n) = c_2Earithmetic_2EZERO) \Leftrightarrow \\
& False) \wedge (((c_2Earithmetic_2EZERO = (ap\ c_2Earithmetic_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmetic_2EBIT2\ V0n) = c_2Earithmetic_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap\ c_2Earithmetic_2EBIT1\ V0n) = (ap\ c_2Earithmetic_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmetic_2EBIT2\ V0n) = (ap\ c_2Earithmetic_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmetic_2EBIT1\ V0n) = (ap\ c_2Earithmetic_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c_2Earithmetic_2EBIT2\ V0n) = (ap\ c_2Earithmetic_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m)))))))))
\end{aligned} \tag{80}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\
& A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\
& (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{81}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{82}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\
& A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\
& A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\
& A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x))))))
\end{aligned} \tag{83}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a)))))) \tag{84}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EUNIV\ A_27a)))) \tag{85}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ \\
& V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\
& (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& A_27a)\ V2x)\ V1t))))))
\end{aligned} \tag{86}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ & (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ & V2x)\ (ap\ (ap\ (c_2Epred_set_2EDIFF\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (\\ & ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (\neg (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V2x)\ V1t)))))))))) \end{aligned} \quad (87)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & A_27a)\ V1y)\ (c_2Epred_set_2EEMPTY\ A_27a)))) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (88)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ & (2^{A_27a}). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V0s)) \wedge (p\ (\\ & ap\ (ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ V1t)\ V0s))) \Rightarrow (p\ (ap\ (c_2Epred_set_2EFINITE \\ & A_27a)\ V1t)))) \end{aligned} \quad (89)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (p\ (ap\ (c_2Epred_set_2EFINITE \\ & A_27a)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY \\ & A_27a)))))) \end{aligned} \quad (90)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1sos \in \\ & (2^{(2^{A_27a})}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (c_2Epred_set_2EBIGUNION \\ & A_27a)\ V1sos))) \Leftrightarrow (\exists V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V2s)\ V1sos)))))) \end{aligned} \quad (91)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealx_2Ereal. ((ap\ (ap\ c_2Erealx_2Ereal_add \\ & (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x) = V0x)) \end{aligned} \quad (92)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealx_2Ereal. ((ap\ (ap\ c_2Erealx_2Ereal_add \\ & (ap\ c_2Erealx_2Ereal_neg\ V0x))\ V0x) = (ap\ c_2Ereal_2Ereal_of_num \\ & c_2Enum_2E0))) \end{aligned} \quad (93)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\ & (\forall V2z \in ty_2Erealx_2Ereal. (((p\ (ap\ (ap\ c_2Erealx_2Ereal_lt \\ & V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Erealx_2Ereal_lt\ V1y)\ V2z))) \Rightarrow (p\ (ap \\ & (ap\ c_2Erealx_2Ereal_lt\ V0x)\ V2z)))))) \end{aligned} \quad (94)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) V0x) = V0x)) \quad (95)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = V0x)) \quad (96)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add V0x) (ap c_2Erealax_2Ereal_neg V0x)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \quad (97)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \quad (98)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.((p (ap (ap c_2Erealax_2Ereal_lt (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add V0x) V2z)))) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z)))))) \quad (99)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z)))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt V0x) V2z)))))) \quad (100)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z)))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt V0x) V2z)))))) \quad (101)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z)))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte V0x) V2z)))))) \quad (102)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte \\
& V1y) V0x))) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{103}$$

Assume the following.

$$\begin{aligned}
& (p (ap (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{104}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \Rightarrow (\neg (V0x = V1y))))))
\end{aligned} \tag{105}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Ereal_2Ereal_lte \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num \\
& V0n))))))
\end{aligned} \tag{106}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Ereal_of_num \\
& V0m)) (ap c_2Ereal_2Ereal_of_num V1n)) = (ap c_2Ereal_2Ereal_of_num \\
& (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))
\end{aligned} \tag{107}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((\neg (V0x = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Rightarrow ((ap (ap c_2Ereal_2E_2F V0x) V0x) = (ap c_2Ereal_2Ereal_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{108}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p (ap (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V0x)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V1y))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Ereal_2E_2F V0x) V1y))))))
\end{aligned} \tag{109}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Erealax_2Ereal_mul (ap c_2Erealax_2Ereal_neg V0x)) \\
& V1y) = (ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_mul \\
& V0x) V1y))))))
\end{aligned} \tag{110}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty_2Erealax_2Ereal. (\forall V1x \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt V1x) V0y)) \Leftrightarrow (\neg (p (ap (ap c_2Ereal_2Ereal_lte \\
& V0y) V1x))))))
\end{aligned} \tag{111}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Ereal_2Ereal_lte \\
& V1y) V2z)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
& V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add V0x) V2z))))))
\end{aligned} \tag{112}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap (ap c_2Erealax_2Ereal_add V0x) V1y))))))
\end{aligned} \tag{113}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& (ap c_2Erealax_2Ereal_neg V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& V1y) V0x))))))
\end{aligned} \tag{114}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap c_2Erealax_2Ereal_neg \\
& (ap c_2Erealax_2Ereal_neg V0x)) = V0x))
\end{aligned} \tag{115}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte V0x) (ap c_2Erealax_2Ereal_neg \\
& V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
& V0x) V1y)) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))))))
\end{aligned} \tag{116}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V2z) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)) (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V2z))))))
\end{aligned} \tag{117}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad (p (ap (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& \quad V0m)) (ap c_2Ereal_2Ereal_of_num V1n))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad V0m) V1n))))))
\end{aligned} \tag{118}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad ((ap c_2Ereal_2Ereal_of_num V0m) = (ap c_2Ereal_2Ereal_of_num \\
& \quad V1n)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{119}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). ((p (ap c_2Ereal_topology_2EOpen \\
& \quad V0s)) \Leftrightarrow (p (ap c_2Ereal_topology_2EClosed (ap (ap (c_2Epred_set_2EDIFF \\
& \quad ty_2Erealax_2Ereal) (c_2Epred_set_2EUNIV ty_2Erealax_2Ereal) \\
& \quad V0s))))))
\end{aligned} \tag{120}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1e \in ty_2Erealax_2Ereal. \\
& \quad (p (ap c_2Ereal_topology_2EOpen (ap c_2Ereal_topology_2Eball \\
& \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad V0x) V1e))))))
\end{aligned} \tag{121}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1e \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V0x) (ap c_2Ereal_topology_2Eball \\
& \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad V0x) V1e)))) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0) V1e))))))
\end{aligned} \tag{122}$$

Assume the following.

$$\begin{aligned}
& (\forall V0u \in (2^{ty_2Erealax_2Ereal}). (\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& \quad ((p (ap c_2Ereal_topology_2EOpen V1s)) \Rightarrow (p (ap (ap (c_2Etopology_2Eopen_in \\
& \quad ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& \quad ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) V0u)) \\
& \quad (ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) V0u) V1s))))))
\end{aligned} \tag{123}$$

Assume the following.

$$\begin{aligned}
& (\forall V0u \in (2^{ty_2Erealax_2Ereal}). (\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& \quad ((p (ap c_2Ereal_topology_2EClosed V1s)) \Rightarrow (p (ap (ap (c_2Etopology_2EClosed_in \\
& \quad ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& \quad ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) V0u)) \\
& \quad (ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) V0u) V1s))))))
\end{aligned} \tag{124}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1x \in \\
& \quad ty_2Erealax_2Ereal.(\forall V2s \in (2^{ty_2Erealax_2Ereal}).(\\
& \quad (p (ap (ap (c_2Ereal_topology_2Econtinuous ty_2Erealax_2Ereal) \\
V0f) (ap c_2Ereal_topology_2Eat V1x))) \Rightarrow (p (ap (ap (c_2Ereal_topology_2Econtinuous \\
& \quad ty_2Erealax_2Ereal) V0f) (ap (ap (c_2Ereal_topology_2Ewithin \\
& \quad ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eat V1x)) V2s))))))))) \\
& \hspace{15em} (125)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1g \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V2s \in (2^{ty_2Erealax_2Ereal}). \\
& (\forall V3t \in (2^{ty_2Erealax_2Ereal}).(\forall V4a \in ty_2Erealax_2Ereal. \\
& (((p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap \\
& \quad (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\
c_2Ereal_topology_2Euclidean) V3t)) V2s)) \wedge ((p (ap (ap (c_2Ebool_2EIN \\
& \quad ty_2Erealax_2Ereal) V4a) V2s)) \wedge ((\forall V5x \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V5x) V2s)) \Rightarrow ((ap \\
V0f V5x) = (ap V1g V5x)))))) \wedge (p (ap (ap (c_2Ereal_topology_2Econtinuous \\
& \quad ty_2Erealax_2Ereal) V0f) (ap (ap (c_2Ereal_topology_2Ewithin \\
& \quad ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eat V4a)) V3t)))))) \Rightarrow \\
& (p (ap (ap (c_2Ereal_topology_2Econtinuous ty_2Erealax_2Ereal) \\
& \quad V1g) (ap (ap (c_2Ereal_topology_2Ewithin ty_2Erealax_2Ereal) \\
& \quad (ap c_2Ereal_topology_2Eat V4a)) V3t))))))))) \\
& \hspace{15em} (126)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\
& (2^{ty_2Erealax_2Ereal}).((p (ap (ap (c_2Ereal_topology_2Econtinuous_on \\
V0f) V1s)) \Leftrightarrow (\forall V2x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN \\
& \quad ty_2Erealax_2Ereal) V2x) V1s)) \Rightarrow (p (ap (ap (c_2Ereal_topology_2Econtinuous \\
& \quad ty_2Erealax_2Ereal) V0f) (ap (ap (c_2Ereal_topology_2Ewithin \\
& \quad ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eat V2x)) V1s))))))))) \\
& \hspace{15em} (127)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1g \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V2s \in (2^{ty_2Erealax_2Ereal}). \\
& (((\forall V3x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN \\
ty_2Erealax_2Ereal) V3x) V2s)) \Rightarrow ((ap V0f V3x) = (ap V1g V3x))) \wedge \\
& (p (ap (ap (c_2Ereal_topology_2Econtinuous_on V0f) V2s))) \Rightarrow (\\
& \quad p (ap (ap (c_2Ereal_topology_2Econtinuous_on V1g) V2s))))))))) \\
& \hspace{15em} (128)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0net \in (ty_2Ereal_topology_2Enet\ A_27a). (\forall V1f \in \\
& \quad \quad ((ty_2Erealax_2Ereal^{A_27a})^{A_27b}). (\forall V2s \in (2^{A_27b}). \\
& \quad \quad \quad (((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27b)\ V2s)) \wedge (\forall V3a \in A_27b. \\
& \quad \quad \quad \quad ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V3a)\ V2s)) \Rightarrow (p\ (ap\ (ap\ (c_2Ereal_topology_2Econtinuous \\
& \quad \quad \quad \quad \quad A_27a)\ (ap\ V1f\ V3a))\ V0net)))))) \Rightarrow (p\ (ap\ (ap\ (c_2Ereal_topology_2Econtinuous \\
& \quad \quad \quad \quad \quad \quad A_27a)\ (\lambda V4x \in A_27a.(ap\ (ap\ (c_2Eiterate_2ESum\ A_27b)\ V2s) \\
& \quad \quad \quad \quad \quad \quad \quad (\lambda V5a \in A_27b.(ap\ (ap\ V1f\ V5a)\ V4x))))))\ V0net)))))) \\
& \hspace{15em} (129)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1c \in ty_2Erealax_2Ereal. \\
& \quad (p\ (ap\ (ap\ c_2Ereal_topology_2Econtinuous_on\ (\lambda V2x \in ty_2Erealax_2Ereal. \\
& \quad \quad V1c))\ V0s)))) \\
& \hspace{15em} (130)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1c \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \\
& \quad (\forall V2f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (((p\ \\
& \quad \quad (ap\ (ap\ c_2Ereal_topology_2Econtinuous_on\ V1c)\ V0s)) \wedge (p\ (ap\ \\
& \quad \quad \quad (ap\ c_2Ereal_topology_2Econtinuous_on\ V2f)\ V0s))) \Rightarrow (p\ (ap\ (\\
& \quad \quad \quad \quad ap\ c_2Ereal_topology_2Econtinuous_on\ (\lambda V3x \in ty_2Erealax_2Ereal. \\
& \quad \quad \quad \quad \quad (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ V1c\ V3x))\ (ap\ V2f\ V3x))))\ V0s)))))) \\
& \hspace{15em} (131)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1s \in \\
& \quad (2^{ty_2Erealax_2Ereal}). (((p\ (ap\ (ap\ c_2Ereal_topology_2Econtinuous_on \\
& \quad \quad V0f)\ V1s)) \wedge (\forall V2x \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad \quad \quad ty_2Erealax_2Ereal)\ V2x)\ V1s)) \Rightarrow \neg((ap\ V0f\ V2x) = (ap\ c_2Ereal_2Ereal_of_num \\
& \quad \quad \quad \quad c_2Enum_2E0)))))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_topology_2Econtinuous_on \\
& \quad \quad \quad \quad (ap\ (ap\ (c_2Ecombin_2Eo\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal \\
& \quad \quad \quad \quad \quad ty_2Erealax_2Ereal)\ c_2Erealax_2Einv\ V0f))\ V1s)))))) \\
& \hspace{15em} (132)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& \quad (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Ereal_of_num \\
& \quad \quad c_2Enum_2E0))\ (ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C \\
& \quad \quad \quad (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal}))\ V0s)\ V1t)))))) \\
& \hspace{15em} (133)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1x \in ty_2Erealax_2Ereal. \\
& (p (ap (ap (c_2Ereal_topology_2Econtinuous ty_2Erealax_2Ereal) \\
& (\lambda V2y \in ty_2Erealax_2Ereal.(ap c_2Ereal_topology_2Esetdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal) V2y) (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)))) (V0s)))) (ap c_2Ereal_topology_2Eat V1x)))))) \\
& (134)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (p (ap (ap c_2Ereal_topology_2Econtinuous_on (\lambda V2y \in ty_2Erealax_2Ereal. \\
& (ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) \\
& (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal) \\
& V2y) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) V0s)))) V1t)))) \\
& (135)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0u \in (2^{ty_2Erealax_2Ereal}).(\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& (\forall V2x \in ty_2Erealax_2Ereal.(((p (ap (ap (c_2Etopology_2Eclosed_in \\
& ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) V0u)) \\
& V1s)) \wedge (p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V2x) V0u)))) \Rightarrow \\
& (((ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (\\
& 2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT \\
& ty_2Erealax_2Ereal) V2x) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) \\
& V1s)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \Leftrightarrow ((V1s = (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)) \vee (p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V2x) V1s))))))))) \\
& (136)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V0x) V1s)) \Rightarrow ((ap \\
& c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) \\
& (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal) \\
& V0x) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))) V1s)) = (ap \\
& c_2Ereal_2Ereal_of_num c_2Enum_2E0)))))) \\
& (137)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (138)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (139)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (140)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (141)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (142)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (143)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (144)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (145)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (146)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (147)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (148)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (149)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (150)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (151)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (152)$$

Theorem 1

$$\begin{aligned}
& (\forall V0c \in (2^{(2^{ty_2Erealax_2Ereal})}).(\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& (((p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) V1s) \\
& (ap (c_2Epred_set_2EBIGUNION ty_2Erealax_2Ereal) V0c)))) \wedge (\\
& (\forall V2u \in (2^{ty_2Erealax_2Ereal}).((p (ap (ap (c_2Ebool_2EIN \\
& (2^{ty_2Erealax_2Ereal}) V2u) V0c)) \Rightarrow (p (ap c_2Ereal_topology_2EOpen \\
& V2u)))) \wedge (\forall V3x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) V3x) V1s)) \Rightarrow (\exists V4v \in (2^{ty_2Erealax_2Ereal}). \\
& ((p (ap c_2Ereal_topology_2EOpen V4v)) \wedge ((p (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) V3x) V4v)) \wedge (p (ap (c_2Epred_set_2EFINITE \\
& (2^{ty_2Erealax_2Ereal}) (ap (c_2Epred_set_2EGSPEC (2^{ty_2Erealax_2Ereal} \\
& (2^{ty_2Erealax_2Ereal})) (\lambda V5u \in (2^{ty_2Erealax_2Ereal}). \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) 2) V5u) (ap (ap \\
& c_2Ebool_2E_2F_5C (ap (ap (c_2Ebool_2EIN (2^{ty_2Erealax_2Ereal})) \\
& V5u) V0c)) (ap c_2Ebool_2E_7E (ap (ap (c_2Emin_2E_3D (2^{ty_2Erealax_2Ereal})) \\
& (ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) V5u) V4v)) \\
& (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))))))))) \Rightarrow \\
& (\exists V6f \in ((ty_2Erealax_2Ereal)^{ty_2Erealax_2Ereal})^{(2^{ty_2Erealax_2Ereal})}). \\
& ((\forall V7u \in (2^{ty_2Erealax_2Ereal}).((p (ap (ap (c_2Ebool_2EIN \\
& (2^{ty_2Erealax_2Ereal}) V7u) V0c)) \Rightarrow ((p (ap (ap c_2Ereal_topology_2Econtinuous_on \\
& (ap V6f V7u) V1s)) \wedge (\forall V8x \in ty_2Erealax_2Ereal.((p (ap (\\
& ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V8x) V1s)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap (ap V6f V7u) V8x)))))) \wedge \\
& ((\forall V9x \in ty_2Erealax_2Ereal.(\forall V10u \in (2^{ty_2Erealax_2Ereal}). \\
& (((p (ap (ap (c_2Ebool_2EIN (2^{ty_2Erealax_2Ereal}) V10u) V0c)) \wedge \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V9x) V1s)) \wedge (\neg (\\
& p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V9x) V10u)))))) \Rightarrow (\\
& (ap (ap V6f V10u) V9x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))) \wedge \\
& ((\forall V11x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) V11x) V1s)) \Rightarrow ((ap (ap (c_2Eiterate_2ESum \\
& (2^{ty_2Erealax_2Ereal}) V0c) (\lambda V12u \in (2^{ty_2Erealax_2Ereal}). \\
& (ap (ap V6f V12u) V11x))) = (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge (\forall V13x \in \\
& ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V13x) V1s)) \Rightarrow (\exists V14n \in (2^{ty_2Erealax_2Ereal}).((p (ap c_2Ereal_topology_2EOpen \\
& V14n)) \wedge ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V13x) V14n)) \wedge \\
& (p (ap (c_2Epred_set_2EFINITE (2^{ty_2Erealax_2Ereal}) (ap (\\
& c_2Epred_set_2EGSPEC (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& (\lambda V15u \in (2^{ty_2Erealax_2Ereal}).(ap (ap (c_2Epair_2E_2C (\\
& 2^{ty_2Erealax_2Ereal}) 2) V15u) (ap (ap c_2Ebool_2E_2F_5C (ap \\
& (ap (c_2Ebool_2EIN (2^{ty_2Erealax_2Ereal})) V15u) V0c)) (ap c_2Ebool_2E_7E \\
& (ap (c_2Ebool_2E_21 ty_2Erealax_2Ereal) (\lambda V16x \in ty_2Erealax_2Ereal. \\
& (ap (ap c_2Emin_2E_3D_3D_3E (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V16x) V14n)) (ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) (ap (ap \\
& V6f V15u) V16x)) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))))))))))))))
\end{aligned}$$