thm_2Ereal__topology_2EUNIFORMLY__CAUCHY__IMP__UNIFO (TM-Rrw2xDWsPiNKLVehzBvTPoaoNyLS5EFBE)

October 26, 2020

Definition 1 *We define* c_2Emin_2E_40 *to be* $\lambda A.\lambda P \in 2^A.$**if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge p$ *of type* $\iota \Rightarrow \iota$.

Definition 2 *We define* c_2Emin_2E_3D *to be* $\lambda A.\lambda x \in A.\lambda y \in A.inj\_\_o\ (x = y)$ *of type* $\iota \Rightarrow \iota$.

Definition 3 *We define* c_2Ebool_2ET *to be* $(ap\ (ap\ ($c_2Emin_2E_3D$\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V$

Let $ty\_2Enum\_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Definition 4 *We define* c_2Ebool_2E_21 *to be* $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ ($c_2Emin_2E_3D$\ (2^{A_27}$

Definition 5 *We define* c_2Ebool_2EF *to be* $(ap\ ($c_2Ebool_2E_21$\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 6 *We define* c_2Emin_2E_3D_3D_3E *to be* $\lambda P \in 2.\lambda Q \in 2.inj\_\_o\ (p\ P \Rightarrow p\ Q)$ *of type* ι.

Definition 7 *We define* c_2Ebool_2E_7E *to be* $(\lambda V0t \in 2.(ap\ (ap\ $c_2Emin_2E_3D_3D_3E$\ V0t)\ $c_2Ebool_2EF

Definition 8 *We define* c_2Ebool_2E_2F_5C *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ ($c_2Ebool_2E_21$\ 2)\ (\lambda V2t \in 2$

Let $c\_2Enum\_2EREP\_\_num : \iota$ be given. Assume the following.

$$c\_2Enum\_2EREP\_\_num \in (omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let $c\_2Enum\_2ESUC\_\_REP : \iota$ be given. Assume the following.

$$c\_2Enum\_2ESUC\_\_REP \in (omega^{omega}) \tag{3}$$

Let $c\_2Enum\_2EABS\_\_num : \iota$ be given. Assume the following.

$$c\_2Enum\_2EABS\_\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{4}$$

Definition 9 *We define* c_2Enum_2ESUC *to be* $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_\_num\ ($

Definition 10 *We define* c_2Ebool_2E_3F *to be* $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (\mathsf{c\_2Emin\_2E\_40}$

Definition 11 *We define* c_2Eprim__rec_2E_3C *to be* $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enu$

Definition 12 *We define* c_2Earithmetic_2E_3E *to be* $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2En$

Definition 13 *We define* c_2Ebool_2E_5C_2F *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V2t \in$

Definition 14 *We define* c_2Earithmetic_2E_3E_3D *to be* $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2$

Let $ty\_2Ereal\_\_topology\_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ereal\_\_topology\_2Enet\ A0) \tag{5}$$

Let $c\_2Ereal\_\_topology\_2Emk\_\_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ereal\_\_topology\_2Emk\_\_net\ A\_27a \in ((ty\_2Ereal\_\_topology\_2Enet\ A\_27a)^{((2^{A\_27a})^{A\_27a})}) \tag{6}$$

Definition 15 *We define* c_2Ereal__topology_2Esequentially *to be* $(ap\ (c\_2Ereal\_\_topology\_2Emk\_\_net\ ty\_2E$

Let $ty\_2Erealax\_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{7}$$

Let $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{8}$$

Let $c\_2Epair\_2EABS\_\_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})}) \tag{9}$$

Definition 16 *We define* c_2Epair_2E_2C *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let $c\_2Ereal\_\_topology\_2EDist : \iota$ be given. Assume the following.

$$c\_2Ereal\_\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \tag{10}$$

Let $ty\_2Ehreal\_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{11}$$

Let $c\_2Erealax\_2Ereal\_\_REP\_\_CLASS : \iota$ be given. Assume the following.

$$c\_2Erealax\_2Ereal\_\_REP\_\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax} \tag{12}$$

Definition 17 *We define* c_2Erealax_2Ereal__REP *to be* $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap$ (c_2Emin_2E_40 $(t$

Let $c\_2Erealax\_2Etreal\_\_lt : \iota$ be given. Assume the following.

$$c\_2Erealax\_2Etreal\_\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Eh} \tag{13}$$

Definition 18 *We define* c_2Erealax_2Ereal__lt *to be* $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_$

Let $c\_2Ereal\_\_topology\_2Enetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ereal\_\_topology\_2Enetord\ A\_27a \in (((2^{A\_27a})^{A\_27a})^{(ty\_2Ereal\_\_topology\_2Enet\ A\_27a)}) \tag{14}$$

Definition 19 *We define* c_2Ereal__topology_2Etrivial__limit *to be* $\lambda A\_27a : \iota.\lambda V0net \in (ty\_2Ereal\_\_topology$

Definition 20 *We define* c_2Ereal__topology_2Eeventually *to be* $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1net \in (ty\_2$

Let $c\_2Enum\_2EZERO\_\_REP : \iota$ be given. Assume the following.

$$c\_2Enum\_2EZERO\_\_REP \in omega \tag{15}$$

Definition 21 *We define* c_2Enum_2E0 *to be* $(ap\ c\_2Enum\_2EABS\_\_num\ c\_2Enum\_2EZERO\_\_REP)$.

Let $c\_2Ereal\_2Ereal\_\_of\_\_num : \iota$ be given. Assume the following.

$$c\_2Ereal\_2Ereal\_\_of\_\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \tag{16}$$

Definition 22 *We define* c_2Ereal__topology_2E_2D_2D_3E *to be* $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal^{A}$

Definition 23 *We define* c_2Earithmetic_2E_3C_3D *to be* $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2$

Assume the following.

$$True \tag{17}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{18}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \tag{19}$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \tag{20}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \tag{21}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge ((((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t))))))) \tag{22}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))))) \tag{23}$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{24}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{25}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg (p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p\ V0t))))))) \tag{26}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg (\forall V1x \in A\_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg (p\ (ap\ V0P\ V2x)))))) \tag{27}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg (\exists V1x \in A\_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg (p\ (ap\ V0P\ V2x)))))) \tag{28}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in (2^{A\_27a}).((\exists V2x \in A\_27a.((p\ (ap\ V0P\ V2x)) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((\exists V3x \in A\_27a.(p\ (ap\ V0P\ V3x))) \vee (\exists V4x \in A\_27a.(p\ (ap\ V1Q\ V4x))))))) \tag{29}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).(((p\ V0P) \vee (\exists V2x \in A\_27a.(p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\exists V3x \in A\_27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V3x))))))) \tag{30}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).((\exists V2x \in A\_27a.((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \wedge (\exists V3x \in A\_27a.(p\ (ap\ V1Q\ V3x))))))) \tag{31}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A\_27a.(p\ (ap\ V1P\ V3x))) \vee (p\ V0Q))))) \tag{32}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A\_27a.(p\ (ap\ V1Q\ V3x))))))) \tag{33}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee ((p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \tag{34}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A))))) \tag{35}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))))) \tag{36}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0P \in ((2^{A\_27b})^{A\_27a}).((\forall V1x \in A\_27a.(\exists V2y \in A\_27b.(p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A\_27b^{A\_27a}).(\forall V4x \in A\_27a.(p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x))))))) \tag{37}$$

Assume the following.

$$(\neg(p\ (ap\ (\mathsf{c\_2Ereal\_\_topology\_2Etrivial\_\_limit}\ ty\_2Enum\_2Enum)\ \mathsf{c\_2Ereal\_\_topology\_2Esequentially}))) \tag{38}$$

Assume the following.

$$(\forall V0s \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V1l \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ (ap\ (\mathsf{c\_2Ereal\_\_topology\_2E\_2D\_2D\_3E}\ ty\_2Enum\_2Enum)\ V0s)\ V1l)\ \mathsf{c\_2Ereal\_\_topology\_2Esequentially}))\Leftrightarrow (\forall V2e \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V2e))\Rightarrow(\exists V3N \in ty\_2Enum\_2Enum.(\forall V4n \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ \mathsf{c\_2Earithmetic\_2E\_3C\_3D}\ V3N)\ V4n))\Rightarrow(p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_\_topology\_2EDist\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ (ap\ V0s\ V4n))\ V1l)))\ V2e))))))))))) \tag{39}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0net \in (ty\_2Ereal\_\_topology\_2Enet\ A\_27a).(\forall V1f \in (ty\_2Erealax\_2Ereal^{A\_27a}).(\forall V2l \in ty\_2Erealax\_2Ereal.(\forall V3l\_27 \in ty\_2Erealax\_2Ereal.(((\neg(p\ (ap\ (\mathsf{c\_2Ereal\_\_topology\_2Etrivial\_\_limit}\ A\_27a)\ V0net)))\wedge ((p\ (ap\ (ap\ (ap\ (\mathsf{c\_2Ereal\_\_topology\_2E\_2D\_2D\_3E}\ A\_27a)\ V1f)\ V2l)\ V0net))\wedge(p\ (ap\ (ap\ (ap\ (\mathsf{c\_2Ereal\_\_topology\_2E\_2D\_2D\_3E}\ A\_27a)\ V1f)\ V3l\_27)\ V0net))))\Rightarrow(V2l = V3l\_27)))))) \tag{40}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0P \in (2^{A\_27a}).(\forall V1s \in ((ty\_2Erealax\_2Ereal^{A\_27a})^{ty\_2Enum\_2Enum}).((\exists V2l \in (ty\_2Erealax\_2Ereal^{A\_27a}).(\forall V3e \in ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V3e))\Rightarrow(\exists V4N \in ty\_2Enum\_2Enum.(\forall V5n \in ty\_2Enum\_2Enum.(\forall V6x \in A\_27a.(((p\ (ap\ (ap\ \mathsf{c\_2Earithmetic\_2E\_3C\_3D}\ V4N)\ V5n))\wedge(p\ (ap\ V0P\ V6x)))\Rightarrow(p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_\_topology\_2EDist\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ (ap\ (ap\ V1s\ V5n)\ V6x))\ (ap\ V2l\ V6x))))\ V3e)))))))))\Leftrightarrow (\forall V7e \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V7e))\Rightarrow(\exists V8N \in ty\_2Enum\_2Enum.(\forall V9m \in ty\_2Enum\_2Enum.(\forall V10n \in ty\_2Enum\_2Enum.(\forall V11x \in A\_27a.(((p\ (ap\ (ap\ \mathsf{c\_2Earithmetic\_2E\_3C\_3D}\ V8N)\ V9m))\wedge((p\ (ap\ (ap\ \mathsf{c\_2Earithmetic\_2E\_3C\_3D}\ V8N)\ V10n))\wedge(p\ (ap\ V0P\ V11x))))\Rightarrow(p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_\_topology\_2EDist\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ (ap\ (ap\ V1s\ V9m)\ V11x))\ (ap\ (ap\ V1s\ V10n)\ V11x))))\ V7e)))))))))))) \tag{41}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t)))\Leftrightarrow(p\ V0t))) \tag{42}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A)\Rightarrow((\neg(p\ V0A))\Rightarrow False))) \tag{43}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A)\vee(p\ V1B)))\Rightarrow False)\Leftrightarrow (((p\ V0A)\Rightarrow False)\Rightarrow((\neg(p\ V1B))\Rightarrow False))))) \tag{44}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A))\vee(p\ V1B)))\Rightarrow False)\Leftrightarrow ((p\ V0A)\Rightarrow((\neg(p\ V1B))\Rightarrow False))))) \tag{45}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A))\Rightarrow False)\Rightarrow(((p\ V0A)\Rightarrow False)\Rightarrow False))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\Leftrightarrow(p\ V2r)))\Leftrightarrow(((p\ V0p)\vee((p\ V1q)\vee(p\ V2r)))\wedge(((p\ V0p)\vee((\neg(p\ V2r))\vee(\neg(p\ V1q))))\wedge(((p\ V1q)\vee((\neg(p\ V2r))\vee(\neg(p\ V0p))))\wedge((p\ V2r)\vee ((\neg(p\ V1q))\vee(\neg(p\ V0p))))))))))) \tag{47}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\wedge(p\ V2r)))\Leftrightarrow(((p\ V0p)\vee((\neg(p\ V1q))\vee(\neg(p\ V2r))))\wedge(((p\ V1q)\vee (\neg(p\ V0p)))\wedge((p\ V2r)\vee(\neg(p\ V0p))))))))) \tag{48}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\vee(p\ V2r)))\Leftrightarrow(((p\ V0p)\vee(\neg(p\ V1q)))\wedge(((p\ V0p)\vee(\neg(p\ V2r)))\wedge ((p\ V1q)\vee((p\ V2r)\vee(\neg(p\ V0p)))))))))) \tag{49}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\Rightarrow(p\ V2r)))\Leftrightarrow(((p\ V0p)\vee(p\ V1q))\wedge(((p\ V0p)\vee(\neg(p\ V2r)))\wedge((\neg(p\ V1q))\vee((p\ V2r)\vee(\neg(p\ V0p)))))))))) \tag{50}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p\ V0p)\Leftrightarrow(\neg(p\ V1q)))\Leftrightarrow(((p\ V0p)\vee (p\ V1q))\wedge((\neg(p\ V1q))\vee(\neg(p\ V0p))))))) \tag{51}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\Rightarrow(p\ V1q)))\Rightarrow(p\ V0p)))) \tag{52}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\Rightarrow(p\ V1q)))\Rightarrow(\neg(p\ V1q))))) \tag{53}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\vee(p\ V1q)))\Rightarrow(\neg(p\ V0p))))) \tag{54}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\vee(p\ V1q)))\Rightarrow(\neg(p\ V1q))))) \tag{55}$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p\ V0p)))\Rightarrow(p\ V0p))) \tag{56}$$

Theorem 1

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0P \in (2^{A\_27a}).(\forall V1s \in ((ty\_2Erealax\_2Ereal^{A\_27a})^{ty\_2Enum\_2Enum}).(\forall V2l \in (ty\_2Erealax\_2Ereal^{A\_27a}).(((\forall V3e \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V3e))\Rightarrow(\exists V4N \in ty\_2Enum\_2Enum.(\forall V5m \in ty\_2Enum\_2Enum.(\forall V6n \in ty\_2Enum\_2Enum.(\forall V7x \in A\_27a.(((p\ (ap\ (ap\ \mathsf{c\_2Earithmetic\_2E\_3C\_3D}\ V4N)\ V5m))\wedge((p\ (ap\ (ap\ \mathsf{c\_2Earithmetic\_2E\_3C\_3D}\ V4N)\ V6n))\wedge(p\ (ap\ V0P\ V7x))))\Rightarrow(p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_\_topology\_2EDist\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ (ap\ (ap\ V1s\ V5m)\ V7x))\ (ap\ (ap\ V1s\ V6n)\ V7x))))\ V3e)))))))))\wedge(\forall V8x \in A\_27a.((p\ (ap\ V0P\ V8x))\Rightarrow(\forall V9e \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V9e))\Rightarrow(\exists V10N \in ty\_2Enum\_2Enum.(\forall V11n \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ \mathsf{c\_2Earithmetic\_2E\_3C\_3D}\ V10N)\ V11n))\Rightarrow(p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_\_topology\_2EDist\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ (ap\ (ap\ V1s\ V11n)\ V8x))\ (ap\ V2l\ V8x))))\ V9e))))))))))\Rightarrow(\forall V12e \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V12e))\Rightarrow(\exists V13N \in ty\_2Enum\_2Enum.(\forall V14n \in ty\_2Enum\_2Enum.(\forall V15x \in A\_27a.(((p\ (ap\ (ap\ \mathsf{c\_2Earithmetic\_2E\_3C\_3D}\ V13N)\ V14n))\wedge(p\ (ap\ V0P\ V15x)))\Rightarrow(p\ (ap\ (ap\ \mathsf{c\_2Erealax\_2Ereal\_\_lt}\ (ap\ c\_2Ereal\_\_topology\_2EDist\ (ap\ (ap\ (\mathsf{c\_2Epair\_2E\_2C}\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ (ap\ (ap\ V1s\ V14n)\ V15x))\ (ap\ V2l\ V15x))))\ V12e)))))))))))$$