

thm_2Ereal_topology_2EWITHIN (TMKQHV4wAzpToyFbB1CNi9m85pckT976GSf)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))))$

Definition 4 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $ty_2Ereal_topology_2E_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ereal_topology_2E_net A0) \quad (1)$$

Let $c_2Ereal_topology_2E_netord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ereal_topology_2E_netord A_27a \in ((2^{A_27a})^{A_27a})^{(ty_2Ereal_topology_2E_net A_27a)} \quad (2)$$

Let $c_2Ereal_topology_2E_mk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ereal_topology_2E_mk_net A_27a \in ((ty_2Ereal_topology_2E_net A_27a)^{(2^{A_27a})^{A_27a}}) \quad (3)$$

Definition 6 We define $c_2Emin_2E_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}) P))))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 9 We define $c_2Ereal_topology_2E_within$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2E_net A_27a)$

Definition 10 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in$

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Assume the following.

$$True \tag{4}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{6}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \tag{7}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{8}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27b^{A_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a.((ap V0f V2x) = (ap V1g V2x)))))) \tag{9}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{10}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V1P V3x)) \vee (p V0Q)))))) \tag{11}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).((\forall V2x \in A_27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A_27a.(p (ap V1Q V3x)))))) \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& (\forall V0a \in (ty_2Ereal_topology_2Enet\ A.27a).((ap\ (c.2Ereal_topology_2Emk_net \\
& \quad A.27a)\ (ap\ (c.2Ereal_topology_2Enetord\ A.27a)\ V0a)) = V0a)) \wedge \\
& \quad (\forall V1r \in ((2^{A.27b})^{A.27b}).((\forall V2x \in A.27b.(\forall V3y \in \\
& \quad A.27b.((\forall V4z \in A.27b.((p\ (ap\ (ap\ V1r\ V4z)\ V2x)) \Rightarrow (p\ (ap\ (ap \\
& \quad V1r\ V4z)\ V3y)))) \vee (\forall V5z \in A.27b.((p\ (ap\ (ap\ V1r\ V5z)\ V3y)) \Rightarrow \\
& \quad (p\ (ap\ (ap\ V1r\ V5z)\ V2x)))))) \Leftrightarrow ((ap\ (c.2Ereal_topology_2Enetord \\
& \quad A.27b)\ (ap\ (c.2Ereal_topology_2Emk_net\ A.27b)\ V1r)) = V1r)))) \\
& \hspace{15em} (13)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in (ty_2Ereal_topology_2Enet \\
& \quad A.27a).(\forall V1x \in A.27a.(\forall V2y \in A.27a.((\forall V3z \in \\
& \quad A.27a.((p\ (ap\ (ap\ (ap\ (c.2Ereal_topology_2Enetord\ A.27a)\ V0n) \\
& \quad V3z)\ V1x)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c.2Ereal_topology_2Enetord\ A.27a) \\
& \quad V0n)\ V3z)\ V2y)))) \vee (\forall V4z \in A.27a.((p\ (ap\ (ap\ (ap\ (c.2Ereal_topology_2Enetord \\
& \quad A.27a)\ V0n)\ V4z)\ V2y)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c.2Ereal_topology_2Enetord \\
& \quad A.27a)\ V0n)\ V4z)\ V1x)))))) \\
& \hspace{15em} (14)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (16)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (17)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (18)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (19)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))) \\
& \hspace{15em} (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee \neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee \neg(p \ V0p))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge (\\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{24}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow (p \ V0p))) \tag{25}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \ V0p) \Rightarrow (p \ V1q)) \Rightarrow \neg(p \ V1q))) \tag{26}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0n \in (ty_2Ereal_topology_2Enet \\
& \ A.27a). (\forall V1s \in (2^{A.27a}). (\forall V2x \in A.27a. (\forall V3y \in \\
& \ A.27a. ((p \ (ap \ (ap \ (ap \ (ap \ (c_2Ereal_topology_2Enetord \ A.27a) \ (ap \\
& \ (ap \ (c_2Ereal_topology_2Ewithin \ A.27a) \ V0n) \ V1s)) \ V2x) \ V3y)) \Leftrightarrow \\
& \ ((p \ (ap \ (ap \ (ap \ (c_2Ereal_topology_2Enetord \ A.27a) \ V0n) \ V2x) \ V3y)) \wedge \\
& \ (p \ (ap \ (ap \ (c_2Ebool_2EIN \ A.27a) \ V2x) \ V1s))))))
\end{aligned}$$