

thm_2Ereal__topology_2Econtinuous__at (TMGc- nuA4dAK1cUgkcmpd2uFAphqXBHoxyWG)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_27E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define `c_2Epred__set_2EUNIV` to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_2T)$.

Let `ty_2Ereal__topology_2Eenet` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ereal__topology_2Eenet A0) \quad (1)$$

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (2)$$

Let `c_2Epair_2EABS__prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS__prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (3)$$

Definition 9 We define `c_2Epair_2E_2C` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2E_2F_5C$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (4)$$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (5)$$

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40\ P))))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (6)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 13 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP).$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (9)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (10)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (11)$$

Definition 14 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap\ (c_2Emin_2E_40\ V0a)\ a)$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (12)$$

Definition 15 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal. (c_2Erealax_2Ereal_lt\ T1\ T2)$

Definition 16 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow c_2Ereal_topology_2Emk_net \\ A.27a \in ((ty_2Ereal_topology_2Enet \ A.27a)^{(2^{A-27a})^{A-27a}}) \end{aligned} \quad (13)$$

Definition 17 We define $c_2Ereal_topology_2Eat$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap \ (c_2Ereal_topology_2Eat \ V0a) \ V0a)$

Let $c_2Ereal_topology_2Enetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow c_2Ereal_topology_2Enetord \ A.27a \in ((2^{A-27a})^{A-27a})^{(ty_2Ereal_topology_2Enet \ A.27a)} \quad (14)$$

Definition 18 We define $c_2Ereal_topology_2Ewithin$ to be $\lambda A.27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Ewithin \ A.27a \ V0net)$

Definition 19 We define $c_2Ereal_topology_2Eenlimit$ to be $\lambda A.27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Eenlimit \ A.27a \ V0net)$

Definition 20 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap \ (c_2Ebool_2E21 \ 2) \ (\lambda V2t \in 2.V2t \ t2)) \ V0t1)) \ V0t1$

Definition 21 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A.27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Etrivial_limit \ A.27a \ V0net)$

Definition 22 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A.27a : \iota.\lambda V0p \in (2^{A-27a}).\lambda V1net \in (ty_2Ereal_topology_2Eeventually \ A.27a \ V0p \ V1net)$

Definition 23 We define $c_2Ereal_topology_2E2D_2D_3E$ to be $\lambda A.27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal^A \ 2E2D_2D_3E \ A.27a \ V0f)$

Definition 24 We define $c_2Ereal_topology_2Econtinuous$ to be $\lambda A.27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal^A \ 2Econtinuous \ A.27a \ V0f)$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg \\ (p \ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (20)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (21)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(p (ap (ap (c_{.2E}bool_{.2E}IN A_{.27a}) V0x) (c_{.2E}pred_{.set}_{.2E}UNIV A_{.27a})))) \quad (22)$$

Assume the following.

$$(\forall V0x \in ty_{.2E}realax_{.2E}real.((ap (ap (c_{.2E}real_{.topology}_{.2E}within ty_{.2E}realax_{.2E}real) (ap c_{.2E}real_{.topology}_{.2E}at V0x)) (c_{.2E}pred_{.set}_{.2E}UNIV ty_{.2E}realax_{.2E}real)) = (ap c_{.2E}real_{.topology}_{.2E}at V0x))) \quad (23)$$

Assume the following.

$$(\forall V0f \in (ty_{.2E}realax_{.2E}real^{ty_{.2E}realax_{.2E}real}).(\forall V1x \in ty_{.2E}realax_{.2E}real.(\forall V2s \in (2^{ty_{.2E}realax_{.2E}real}).(p (ap (ap (c_{.2E}real_{.topology}_{.2E}continuous ty_{.2E}realax_{.2E}real) V0f) (ap (ap (c_{.2E}real_{.topology}_{.2E}within ty_{.2E}realax_{.2E}real) (ap c_{.2E}real_{.topology}_{.2E}at V1x)) V2s))) \Leftrightarrow (\forall V3e \in ty_{.2E}realax_{.2E}real.((p (ap (ap c_{.2E}realax_{.2E}real_{.lt} (ap c_{.2E}real_{.2E}real_{.of}_{.num} c_{.2E}enum_{.2E}E0)) V3e)) \Rightarrow (\exists V4d \in ty_{.2E}realax_{.2E}real.((p (ap (ap c_{.2E}realax_{.2E}real_{.lt} (ap c_{.2E}real_{.2E}real_{.of}_{.num} c_{.2E}enum_{.2E}E0)) V4d)) \wedge (\forall V5x_{.27} \in ty_{.2E}realax_{.2E}real.(((p (ap (ap (c_{.2E}bool_{.2E}IN ty_{.2E}realax_{.2E}real) V5x_{.27}) V2s)) \wedge (p (ap (ap c_{.2E}realax_{.2E}real_{.lt} (ap c_{.2E}real_{.topology}_{.2E}Dist (ap (ap (c_{.2E}pair_{.2E}_{.2C} ty_{.2E}realax_{.2E}real ty_{.2E}realax_{.2E}real) V5x_{.27}) V1x))) V4d))) \Rightarrow (p (ap (ap c_{.2E}realax_{.2E}real_{.lt} (ap c_{.2E}real_{.topology}_{.2E}Dist (ap (ap (c_{.2E}pair_{.2E}_{.2C} ty_{.2E}realax_{.2E}real ty_{.2E}realax_{.2E}real) (ap V0f V5x_{.27}) (ap V0f V1x)))) V3e)))))))))) \quad (24)$$

Theorem 1

$$\begin{aligned} & (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1x \in \\ & ty_2Erealax_2Ereal.((p (ap (ap (c_2Ereal_topology_2Econtinuous \\ & ty_2Erealax_2Ereal) V0f) (ap c_2Ereal_topology_2Eat V1x)))) \Leftrightarrow \\ & (\forall V2e \in ty_2Erealax_2Ereal.((p (ap (ap c_2Erealax_2Ereal_lt \\ & (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V2e)) \Rightarrow (\exists V3d \in \\ & ty_2Erealax_2Ereal.((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\ & c_2Enum_2E0)) V3d)) \wedge (\forall V4x_27 \in ty_2Erealax_2Ereal.((\\ & p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_topology_2EDist \\ & (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & V4x_27) V1x))) V3d)) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_topology_2EDist \\ & (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & (ap V0f V4x_27)) (ap V0f V1x)))) V2e)))))))))) \end{aligned}$$