

# thm\_2Erealax\_2EHREAL\_\_EQ\_\_ADDR (TMWuz1QydipXHpte5hzqDih2aCUbxEr1Nk8)

October 26, 2020

Let  $ty\_2Ehurat\_2Ehurat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehurat\_2Ehurat \tag{1}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{2}$$

Let  $c\_2Ehreal\_2Ecut : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ecut \in ((2^{ty\_2Ehurat\_2Ehurat})^{ty\_2Ehreal\_2Ehreal}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow P \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{4}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{5}$$

Let  $c\_2Ehurat\_2Ehurat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehurat\_2Ehurat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Ehurat\_2Ehurat}) \tag{6}$$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then**  $(the (\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Ehrat\_2Ehrat\_REP$  to be  $\lambda V0a \in ty\_2Ehrat\_2Ehrat.(ap (c\_2Emin\_2E\_40 (ty\_2E$

Let  $c\_2Ehrat\_2Etrrat\_add : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrrat\_add \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum})^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum})^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum} \quad (7)$$

Let  $c\_2Ehrat\_2Etrrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrrat\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum})^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum} \quad (8)$$

Let  $c\_2Ehrat\_2Ehrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_ABS\_CLASS \in (ty\_2Ehrat\_2Ehrat^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum}})^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum} \quad (9)$$

**Definition 8** We define  $c\_2Ehrat\_2Ehrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2E$

**Definition 9** We define  $c\_2Ehrat\_2Ehrat\_add$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat.\lambda V1T2 \in ty\_2Ehrat\_2Eh$

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $c\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ehreal \in (ty\_2Ehreal\_2Ehreal^{(2^{ty\_2Ehrat\_2Ehrat})})^{ty\_2Ehrat\_2Ehrat} \quad (10)$$

**Definition 11** We define  $c\_2Ehreal\_2Ehreal\_add$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2Eh$

**Definition 12** We define  $c\_2Ebool\_2E\_7E$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E$

Assume the following.

$$(\forall V0X \in ty\_2Ehreal\_2Ehreal.(\forall V1Y \in ty\_2Ehreal\_2Ehreal. \neg((ap (ap c\_2Ehreal\_2Ehreal\_add V0X) V1Y) = V0X)))) \quad (11)$$

**Theorem 1**

$$(\forall V0x \in ty\_2Ehreal\_2Ehreal.(\forall V1y \in ty\_2Ehreal\_2Ehreal. \neg((ap (ap c\_2Ehreal\_2Ehreal\_add V0x) V1y) = V0x))))$$