

thm\_2Erealax\_2EHREAL\_EQ\_LADD  
(TMYyrTPPbbpQVRHhrkmw5yDJqB8sWJQC3Gf)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 4** We define `c_2Ebool_2E_2F` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V 0t \in 2. V 0t))$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V 0t1 \in 2. (\lambda V 1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V 2t \in 2. V 2t))))$

**Definition 7** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (the (\lambda x. x \in A \wedge p (\text{ap } P x)))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } V 0P (\text{ap } (\text{c\_2Emin\_2E\_40 } A))))$

**Definition 9** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V 0t1 \in 2. (\lambda V 1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V 2t \in 2. V 2t))))$

Let `ty_2Ehrat_2Ehrat` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Ehrat\_2Ehrat} \tag{1}$$

Let `ty_2Ehreal_2Ehreal` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Ehreal\_2Ehreal} \tag{2}$$

Let `c_2Ehreal_2Ecut` :  $\iota$  be given. Assume the following.

$$\text{c\_2Ehreal\_2Ecut} \in ((2^{\text{ty\_2Ehrat\_2Ehrat}})^{\text{ty\_2Ehreal\_2Ehreal}}) \tag{3}$$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Enum\_2Enum} \tag{4}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (5)$$

Let  $c\_2Ehrat\_2Ehrat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Ehrat\_2Ehrat}) \quad (6)$$

**Definition 10** We define  $c\_2Ehrat\_2Ehrat\_REP$  to be  $\lambda V0a \in ty\_2Ehrat\_2Ehrat.(ap\ (c\_2Emin\_2E\_40\ (ty\_2Ehrat\_2Ehrat)))$

Let  $c\_2Ehrat\_2Etrat\_add : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)})^{(ty\_2Ehrat\_2Ehrat)}) \quad (7)$$

Let  $c\_2Ehrat\_2Etrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)})^{(ty\_2Ehrat\_2Ehrat)} \quad (8)$$

Let  $c\_2Ehrat\_2Ehrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_ABS\_CLASS \in (ty\_2Ehrat\_2Ehrat^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})}) \quad (9)$$

**Definition 11** We define  $c\_2Ehrat\_2Ehrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 12** We define  $c\_2Ehrat\_2Ehrat\_add$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat.\lambda V1T2 \in ty\_2Ehrat\_2Ehrat$

Let  $c\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ehreal \in (ty\_2Ehreal\_2Ehreal^{(2^{ty\_2Ehrat\_2Ehrat})}) \quad (10)$$

**Definition 13** We define  $c\_2Ehreal\_2Ehreal\_add$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2Ehreal$

**Definition 14** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty\_2Ehreal\_2Ehreal. (\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\
& (\forall V2Z \in ty\_2Ehreal\_2Ehreal. ((ap (ap c\_2Ehreal\_2Ehreal\_add \\
& V0X) (ap (ap c\_2Ehreal\_2Ehreal\_add V1Y) V2Z)) = (ap (ap c\_2Ehreal\_2Ehreal\_add \\
& (ap (ap c\_2Ehreal\_2Ehreal\_add V0X) V1Y)) V2Z))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty\_2Ehreal\_2Ehreal. (\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\
& ((V0X = V1Y) \vee ((\exists V2D \in ty\_2Ehreal\_2Ehreal. (V1Y = (ap (ap c\_2Ehreal\_2Ehreal\_add \\
& V0X) V2D))) \vee (\exists V3D \in ty\_2Ehreal\_2Ehreal. (V0X = (ap (ap c\_2Ehreal\_2Ehreal\_add \\
& V1Y) V3D))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Ehreal\_2Ehreal. (\forall V1y \in ty\_2Ehreal\_2Ehreal. \\
& (\neg((ap (ap c\_2Ehreal\_2Ehreal\_add V0x) V1y) = V0x))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Ehreal\_2Ehreal. (\forall V1y \in ty\_2Ehreal\_2Ehreal. \\
& (\neg(V0x = (ap (ap c\_2Ehreal\_2Ehreal\_add V0x) V1y))))))
\end{aligned} \tag{18}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0x \in ty\_2Ehreal\_2Ehreal. (\forall V1y \in ty\_2Ehreal\_2Ehreal. \\
& (\forall V2z \in ty\_2Ehreal\_2Ehreal. (((ap (ap c\_2Ehreal\_2Ehreal\_add \\
& V0x) V1y) = (ap (ap c\_2Ehreal\_2Ehreal\_add V0x) V2z)) \Leftrightarrow (V1y = V2z))))))
\end{aligned}$$