

# thm\_2Erealax\_2EHREAL\_LT\_LADD (TM- cxVN1GDbpquRwBKPofwZPA8d92FE22amP)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A) P)))$

Let  $ty\_2Ehrat\_2Ehrat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehrat\_2Ehrat \tag{1}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{2}$$

Let  $c\_2Ehreal\_2Ecut : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ecut \in ((2^{ty\_2Ehrat\_2Ehrat})^{ty\_2Ehreal\_2Ehreal}) \tag{3}$$

**Definition 10** We define  $c\_2Ehreal\_2Ehreal\_lt$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2Ehreal.$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (5)$$

Let  $c\_2Ehrat\_2Ehrat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{ty\_2Ehrat\_2Ehrat}) \quad (6)$$

**Definition 11** We define  $c\_2Ehrat\_2Ehrat\_REP$  to be  $\lambda V0a \in ty\_2Ehrat\_2Ehrat.(ap\ (c\_2Emin\_2E\_40\ (ty\_2Ehrat\_2Ehrat)))$

Let  $c\_2Ehrat\_2Etrrat\_add : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrrat\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)})) \quad (7)$$

Let  $c\_2Ehrat\_2Etrrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrrat\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (8)$$

Let  $c\_2Ehrat\_2Ehrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_ABS\_CLASS \in (ty\_2Ehrat\_2Ehrat^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})}) \quad (9)$$

**Definition 12** We define  $c\_2Ehrat\_2Ehrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 13** We define  $c\_2Ehrat\_2Ehrat\_add$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat.\lambda V1T2 \in ty\_2Ehrat\_2Ehrat$

Let  $c\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ehreal \in (ty\_2Ehreal\_2Ehreal^{(2^{ty\_2Ehrat\_2Ehrat})}) \quad (10)$$

**Definition 14** We define  $c\_2Ehreal\_2Ehreal\_add$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2Ehreal$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0X \in ty\_2Ehreal\_2Ehreal. (\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\ & (\forall V2Z \in ty\_2Ehreal\_2Ehreal. ((ap\ (ap\ c\_2Ehreal\_2Ehreal\_add \\ & V0X)\ (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add\ V1Y)\ V2Z)) = (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add \\ & (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add\ V0X)\ V1Y))\ V2Z)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0X \in ty\_2Ehreal\_2Ehreal. (\forall V1Y \in ty\_2Ehreal\_2Ehreal. \\ & ((p\ (ap\ (ap\ c\_2Ehreal\_2Ehreal\_lt\ V0X)\ V1Y)) \Leftrightarrow (\exists V2D \in ty\_2Ehreal\_2Ehreal. \\ & (V1Y = (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add\ V0X)\ V2D)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Ehreal\_2Ehreal. (\forall V1y \in ty\_2Ehreal\_2Ehreal. \\ & (\forall V2z \in ty\_2Ehreal\_2Ehreal. (((ap\ (ap\ c\_2Ehreal\_2Ehreal\_add \\ & V0x)\ V1y) = (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add\ V0x)\ V2z)) \Leftrightarrow (V1y = V2z)))))) \end{aligned} \quad (17)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in ty\_2Ehreal\_2Ehreal. (\forall V1y \in ty\_2Ehreal\_2Ehreal. \\ & (\forall V2z \in ty\_2Ehreal\_2Ehreal. ((p\ (ap\ (ap\ c\_2Ehreal\_2Ehreal\_lt \\ & (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add\ V0x)\ V1y))\ (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add \\ & V0x)\ V2z))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Ehreal\_2Ehreal\_lt\ V1y)\ V2z)))))) \end{aligned}$$