

thm_2Erealax_2EREAL__10 (TMMCM- nAtfE4ie8VquEqDw1cMaANCyn54gPn)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0 x \in 2. V 0 x)) (\lambda V 1 x \in 2. V 1 x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0 P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Equotient_2EEQUIV` to be $\lambda A. 27a : \iota. \lambda V 0 E \in ((2^{A-27a})^{A-27a}). (\text{ap } (\text{c_2Ebool_2E_21 } (2^{A-27a})))$

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow P \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V 0 t1 \in 2. (\lambda V 1 t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 2 t \in 2. V 2 t))))$

Definition 7 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0 t \in 2. V 0 t))$.

Definition 8 We define `c_2Ebool_2E_7E` to be $(\lambda V 0 t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 0 t) (\text{c_2Ebool_2E_2F } (2^{V 0 t}))))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$\text{nonempty } ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (ty_2Epair_2Eprod A 0 A 1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$\text{nonempty } ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) ty_2Erealax_2Ereal) \tag{4}$$

Definition 9 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** *(the* $(\lambda x.x \in A \wedge p)$ *of type* $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E40 (ty_2Erealax_2Ereal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)}) \quad (5)$$

Definition 11 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a})^{A_27b}.$ Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (6)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 12 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP).$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (9)$$

Definition 13 We define c_2Epair_2E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS_prod$

Definition 14 We define $c_2Ehrat_2Etrat_1$ to be $(ap (ap (c_2Epair_2E2C ty_2Enum_2Enum ty_2Enum_2Enum$

Let $c_2Ehrat_2Etrat_eq : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (10)$$

Let $ty_2Ehrat_2Ehrat : \iota$ be given. Assume the following.

$$nonempty ty_2Ehrat_2Ehrat \quad (11)$$

Let $c_2Ehrat_2Ehrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_ABS_CLASS \in (ty_2Ehrat_2Ehrat^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})}) \quad (12)$$

Definition 15 We define $c_2Ehrat_2Ehrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum$

Definition 16 We define $c_2Eh_rat_2Eh_rat_1$ to be $(ap\ c_2Eh_rat_2Eh_rat_ABS\ c_2Eh_rat_2E_trac_1)$.

Let $c_2Eh_rat_2Eh_rat_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Eh_rat_2Eh_rat_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Eh_rat_2Eh_rat}) \quad (13)$$

Definition 17 We define $c_2Eh_rat_2Eh_rat_REP$ to be $\lambda V0a \in ty_2Eh_rat_2Eh_rat.(ap\ (c_2Emin_2E_40\ (ty_2Eh_rat_2Eh_rat)))$

Let $c_2Eh_rat_2E_trac_add : \iota$ be given. Assume the following.

$$c_2Eh_rat_2E_trac_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Epair_2Eprod\ ty_2Enum_2Enum})^{ty_2Eh_rat_2Eh_rat}) \quad (14)$$

Definition 18 We define $c_2Eh_rat_2Eh_rat_add$ to be $\lambda V0T1 \in ty_2Eh_rat_2Eh_rat.\lambda V1T2 \in ty_2Eh_rat_2Eh_rat$

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ (ty_2Eh_rat_2Eh_rat))))$

Definition 20 We define $c_2Ehreal_2Eh_rat_lt$ to be $\lambda V0x \in ty_2Eh_rat_2Eh_rat.\lambda V1y \in ty_2Eh_rat_2Eh_rat$

Definition 21 We define $c_2Ehreal_2Ecut_of_h_rat$ to be $\lambda V0x \in ty_2Eh_rat_2Eh_rat.(\lambda V1y \in ty_2Eh_rat_2Eh_rat)$

Let $c_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal \in (ty_2Ehreal_2Ehreal^{(2^{ty_2Eh_rat_2Eh_rat})}) \quad (15)$$

Definition 22 We define $c_2Ehreal_2Ehreal_1$ to be $(ap\ c_2Ehreal_2Ehreal\ (ap\ c_2Ehreal_2Ecut_of_h_rat))$

Definition 23 We define $c_2Erealax_2E_trac_0$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})}) \quad (16)$$

Definition 24 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 25 We define $c_2Erealax_2Ereal_0$ to be $(ap\ c_2Erealax_2Ereal_ABS\ c_2Erealax_2E_trac_0)$.

Let $c_2Ehreal_2Ecut : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ecut \in ((2^{ty_2Eh_rat_2Eh_rat})^{ty_2Ehreal_2Ehreal}) \quad (17)$$

Definition 26 We define $c_2Ehreal_2Ehreal_add$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal.\lambda V1Y \in ty_2Ehreal_2Ehreal$

Definition 27 We define $c_2Erealax_2E_trac_1$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))$

Definition 28 We define $c_2Erealax_2Ereal_1$ to be $(ap\ c_2Erealax_2Ereal_ABS\ c_2Erealax_2E_trac_1)$.

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & ((\forall V1x \in A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ V0R\ V1x)\ V2y)) \Leftrightarrow \\ & ((ap\ V0R\ V1x) = (ap\ V0R\ V2y)))))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ (ap\ V0R \\ & V3x)\ V3x))) \wedge ((\forall V4x \in A_27a. (\forall V5y \in A_27a. ((p\ (ap\ (\\ & ap\ V0R\ V4x)\ V5y)) \Rightarrow (p\ (ap\ (ap\ V0R\ V5y)\ V4x)))))) \wedge (\forall V6x \in A_27a. \\ & (\forall V7y \in A_27a. (\forall V8z \in A_27a. (((p\ (ap\ (ap\ V0R\ V6x)\ V7y)) \wedge \\ & (p\ (ap\ (ap\ V0R\ V7y)\ V8z))) \Rightarrow (p\ (ap\ (ap\ V0R\ V6x)\ V8z)))))))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & (\forall V2rep \in (A_27a^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\ & A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x \in A_27b. (\forall V4y \in \\ & A_27b. ((V3x = V4y) \Leftrightarrow (p\ (ap\ (ap\ V0R\ (ap\ V2rep\ V3x))\ (ap\ V2rep\ V4y)))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & (\forall V2rep \in (A_27a^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\ & A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a. (\forall V4x2 \in \\ & A_27a. (\forall V5y1 \in A_27a. (\forall V6y2 \in A_27a. (((p\ (ap\ (ap\ V0R \\ & V3x1)\ V4x2)) \wedge (p\ (ap\ (ap\ V0R\ V5y1)\ V6y2))) \Rightarrow ((p\ (ap\ (ap\ V0R\ V3x1)\ V5y1)) \Leftrightarrow \\ & (p\ (ap\ (ap\ V0R\ V4x2)\ V6y2)))))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0REL \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & (\forall V2rep \in (A_27a^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\ & A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a. (\forall V4x2 \in \\ & A_27a. ((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\ & (ap\ V1abs\ V4x2)))))))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal). \\ & (\forall V1q \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal). \\ & ((p\ (ap\ (ap\ c.2Erealax_2Etreal_eq\ V0p)\ V1q)) \Leftrightarrow ((ap\ c.2Erealax_2Etreal_eq \\ & V0p) = (ap\ c.2Erealax_2Etreal_eq\ V1q)))) \end{aligned} \quad (23)$$

Assume the following.

$$(\neg(p (ap (ap (ap c_2Erealax_2Etreall_eq c_2Erealax_2Ereal_1) c_2Erealax_2Ereal_0)))) \quad (24)$$

Assume the following.

$$(p (ap (ap (ap (c_2Equotient_2EQUOTIENT (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) ty_2Erealax_2Ereal) c_2Erealax_2Etreall_eq) c_2Erealax_2Ereal_ABS) c_2Erealax_2Ereal_REP)) \quad (25)$$

Theorem 1 $(\neg(c_2Erealax_2Ereal_1 = c_2Erealax_2Ereal_0))$.