

thm_2Erealax_2EREAL_LDISTRIB (TMcupJBzfH7JkVB7KTgy5XBAqYya7reUzgb)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$
of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Ecombin_2E_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 8 We define $c_2Ecombin_2E_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 9 We define $c_2Ecombin_2E_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2E_2ES A_27a (A_27a^{A_27a}) A_27a$

Definition 10 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f$

Definition 11 We define $c_2Equotient_2E_3D_3D_3D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27b})$

Definition 12 We define $c_2Ecombin_2E_2EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x$

Definition 13 We define $c_2Equotient_2E_2Respects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2Ecombin_2E_2EW A_27a A_27b$

Definition 14 We define $c_2Ebool_2E_2EIN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 15 We define $c_2Ebool_2E_2ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).$

Definition 16 We define $c_2Equotient_2E_2EEQUIV$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_2EIN$

Definition 17 We define $c_2Ebool_2E_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E_21 2) (\lambda V2t \in 2.V2t$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (1)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (3)$$

Definition 18 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (4)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (5)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (6)$$

Definition 19 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then $(the\ (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 20 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (the\ (\lambda x.x \in A \wedge P\ x))))$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 21 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 22 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 23 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a. ((ap (c.2Ecombin_2EI A.27a) V0x) = V0x)) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (p (ap (ap (ap (c.2Equotient_2EQUOTIENT \\ & A.27a \ A.27a) (c.2Emin_2E_3D \ A.27a)) (c.2Ecombin_2EI \ A.27a)) (\\ & c.2Ecombin_2EI \ A.27a))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow \forall A.27c. \\ & nonempty \ A.27c \Rightarrow \forall A.27d.nonempty \ A.27d \Rightarrow (\forall V0R1 \in (\\ & (2^{A.27a})^{A.27a}). (\forall V1abs1 \in (A.27c^{A.27a}). (\forall V2rep1 \in \\ & (A.27a^{A.27c}). ((p (ap (ap (ap (c.2Equotient_2EQUOTIENT \ A.27a \ A.27c) \\ & V0R1) \ V1abs1) \ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A.27b})^{A.27b}). (\forall V4abs2 \in \\ & (A.27d^{A.27b}). (\forall V5rep2 \in (A.27b^{A.27d}). ((p (ap (ap (ap (c.2Equotient_2EQUOTIENT \\ & A.27b \ A.27d) \ V3R2) \ V4abs2) \ V5rep2)) \Rightarrow (p (ap (ap (ap (c.2Equotient_2EQUOTIENT \\ & (A.27b^{A.27a}) \ (A.27d^{A.27c})) \ (ap (ap (c.2Equotient_2E_3D_3D_3D_3E \\ & A.27a \ A.27b) \ V0R1) \ V3R2)) \ (ap (ap (c.2Equotient_2E_2D_2D_3E \ A.27c \\ & A.27b \ A.27a \ A.27d) \ V2rep1) \ V4abs2)) \ (ap (ap (c.2Equotient_2E_2D_2D_3E \\ & A.27a \ A.27d \ A.27c \ A.27b) \ V1abs1) \ V5rep2)))))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow (\\ & \forall V0R \in ((2^{A.27a})^{A.27a}). (\forall V1abs \in (A.27b^{A.27a}). \\ & (\forall V2rep \in (A.27a^{A.27b}). ((p (ap (ap (ap (c.2Equotient_2EQUOTIENT \\ & A.27a \ A.27b) \ V0R) \ V1abs) \ V2rep)) \Rightarrow (\forall V3x \in A.27b. (\forall V4y \in \\ & A.27b. ((V3x = V4y) \Leftrightarrow (p (ap (ap V0R (ap V2rep V3x)) (ap V2rep V4y)))))))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.(\forall V5y1 \in A_27a.(\forall V6y2 \in A_27a.(((p\ (ap\ (ap\ V0R \\
& \quad V3x1)\ V4x2)) \wedge (p\ (ap\ (ap\ V0R\ V5y1)\ V6y2))) \Rightarrow ((p\ (ap\ (ap\ V0R\ V3x1)\ V5y1)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ V0R\ V4x2)\ V6y2))))))))))))) \\
& \hspace{15em} (17)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27d^{A_27c}). \\
& ((\lambda V7x \in A_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x))))))))))))) \\
& \hspace{15em} (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0REL \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& A_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))))) \\
& \hspace{15em} (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2Erespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f)))))))))) \\
& \hspace{15em} (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A.27a})^{A.27a}).(\forall V1abs \in (A.27b^{A.27a}). \\
& \quad (\forall V2rep \in (A.27a^{A.27b}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\
& \quad A.27a\ A.27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3f \in (2^{A.27a}).(\forall V4g \in \\
& \quad (2^{A.27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c.2Equotient.2E.3D.3D.3D.3E\ A.27a \\
& \quad 2)\ V0R)\ (c.2Emin.2E.3D\ 2)\ V3f)\ V4g))) \Rightarrow ((p\ (ap\ (ap\ (c.2Ebool.2ERES_FORALL \\
& \quad A.27a)\ (ap\ (c.2Equotient.2Erespects\ A.27a\ 2)\ V0R))\ V3f))) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c.2Ebool.2ERES_FORALL\ A.27a)\ (ap\ (c.2Equotient.2Erespects \\
& \quad A.27a\ 2)\ V0R))\ V4g))))))))) \\
& \hspace{15em} (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A.27a})^{A.27a}).(\forall V1abs1 \in (A.27c^{A.27a}).(\forall V2rep1 \in \\
& \quad (A.27a^{A.27c}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT\ A.27a\ A.27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1))) \Rightarrow (\forall V3R2 \in ((2^{A.27b})^{A.27b}).(\forall V4abs2 \in \\
& \quad (A.27d^{A.27b}).(\forall V5rep2 \in (A.27b^{A.27d}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\
& \quad A.27b\ A.27d)\ V3R2)\ V4abs2)\ V5rep2))) \Rightarrow (\forall V6f \in (A.27b^{A.27a}). \\
& \quad (\forall V7g \in (A.27b^{A.27a}).(\forall V8x \in A.27a.(\forall V9y \in \\
& \quad A.27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c.2Equotient.2E.3D.3D.3D.3E\ A.27a \\
& \quad A.27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ (\\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))) \\
& \hspace{15em} (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0E \in ((2^{A.27a})^{A.27a}). \\
& \quad (\forall V1P \in (2^{A.27a}).((p\ (ap\ (c.2Equotient.2EEQUIV\ A.27a) \\
& \quad V0E))) \Rightarrow ((p\ (ap\ (ap\ (c.2Ebool.2ERES_FORALL\ A.27a)\ (ap\ (c.2Equotient.2Erespects \\
& \quad A.27a\ 2)\ V0E))\ V1P))) \Leftrightarrow (p\ (ap\ (c.2Ebool.2E.21\ A.27a)\ V1P)))) \\
& \hspace{15em} (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty.2Epair.2Eprod\ ty.2Ehreal.2Ehreal\ ty.2Ehreal.2Ehreal). \\
& \quad (\forall V1q \in (ty.2Epair.2Eprod\ ty.2Ehreal.2Ehreal\ ty.2Ehreal.2Ehreal). \\
& \quad ((p\ (ap\ (ap\ c.2Erealax.2Etreal_eq\ V0p)\ V1q)) \Leftrightarrow ((ap\ c.2Erealax.2Etreal_eq \\
& \quad V0p) = (ap\ c.2Erealax.2Etreal_eq\ V1q)))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty.2Epair.2Eprod\ ty.2Ehreal.2Ehreal\ ty.2Ehreal.2Ehreal). \\
& \quad (\forall V1q \in (ty.2Epair.2Eprod\ ty.2Ehreal.2Ehreal\ ty.2Ehreal.2Ehreal). \\
& \quad ((V0p = V1q) \Rightarrow (p\ (ap\ (ap\ c.2Erealax.2Etreal_eq\ V0p)\ V1q)))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (\forall V1y \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (\forall V2z \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& ((ap\ (ap\ c_2Erealax_2Etreal_mul\ V0x)\ (ap\ (ap\ c_2Erealax_2Etreal_add \\
& V1y)\ V2z)) = (ap\ (ap\ c_2Erealax_2Etreal_add\ (ap\ (ap\ c_2Erealax_2Etreal_mul \\
& V0x)\ V1y))\ (ap\ (ap\ c_2Erealax_2Etreal_mul\ V0x)\ V2z))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (\forall V1x2 \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (\forall V2y1 \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (\forall V3y2 \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (((p\ (ap\ (ap\ c_2Erealax_2Etreal_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c_2Erealax_2Etreal_eq \\
& V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Etreal_eq\ (ap\ (ap\ c_2Erealax_2Etreal_add \\
& V0x1)\ V2y1))\ (ap\ (ap\ c_2Erealax_2Etreal_add\ V1x2)\ V3y2))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (\forall V1x2 \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (\forall V2y1 \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (\forall V3y2 \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)). \\
& (((p\ (ap\ (ap\ c_2Erealax_2Etreal_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c_2Erealax_2Etreal_eq \\
& V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Etreal_eq\ (ap\ (ap\ c_2Erealax_2Etreal_mul \\
& V0x1)\ V2y1))\ (ap\ (ap\ c_2Erealax_2Etreal_mul\ V1x2)\ V3y2))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal)\ ty_2Erealax_2Ereal)\ c_2Erealax_2Etreal_eq) \\
& c_2Erealax_2Ereal_ABS)\ c_2Erealax_2Ereal_REP))
\end{aligned} \tag{29}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\
& V0x)\ (ap\ (ap\ c_2Erealax_2Ereal_add\ V1y)\ V2z)) = (ap\ (ap\ c_2Erealax_2Ereal_add \\
& (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ V1y))\ (ap\ (ap\ c_2Erealax_2Ereal_mul \\
& V0x)\ V2z))))))
\end{aligned}$$