

# thm\_2Erealax\_2EREAL\_\_MUL\_\_LINV (TMH- HzFF7CouGYdtUMs54TQCd3kiuZQch48G)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a})) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define `c_2Ecombin_2EK` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\lambda V0x \in A. 27a. (\lambda V1y \in A. 27b. V0x))$

**Definition 6** We define `c_2Ecombin_2ES` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. (\lambda V0f \in ((A. 27c^{A-27b})^{A-27a}))$

**Definition 7** We define `c_2Ecombin_2EI` to be  $\lambda A. 27a : \iota. (\text{ap } (\text{ap } (\text{c\_2Ecombin\_2ES } A. 27a (A. 27a^{A-27a})) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 8** We define `c_2Equotient_2E_2D_2D_3E` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. \lambda A. 27d : \iota. \lambda V0f \in ((A. 27d^{A-27c})^{A-27b})^{A-27a}$

**Definition 9** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (P \Rightarrow Q)$  of type  $\iota$ .

**Definition 10** We define `c_2Equotient_2E_3D_3D_3D_3E` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0R1 \in ((2^{A-27a})^{A-27b})^{A-27c}$

**Definition 11** We define `c_2Ecombin_2EW` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\lambda V0f \in ((A. 27b^{A-27a})^{A-27c})) (\lambda V1x \in 2.V1x)$

**Definition 12** We define `c_2Equotient_2Erespects` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\text{c\_2Ecombin\_2EW } A. 27a (A. 27a^{A-27b}))$

**Definition 13** We define `c_2Ebool_2EIN` to be  $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f V0x)))$

**Definition 14** We define `c_2Ebool_2ERES_FORALL` to be  $\lambda A. 27a : \iota. (\lambda V0p \in (2^{A-27a}). (\lambda V1m \in (2^{A-27a}). (\text{ap } V1m V0p)))$

**Definition 15** We define `c_2Equotient_2EEQUIV` to be  $\lambda A. 27a : \iota. \lambda V0E \in ((2^{A-27a})^{A-27b}). (\text{ap } (\text{c\_2Ebool\_2EIN } A. 27a (A. 27a^{A-27b})))$

**Definition 16** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D\_3D\_3E } V0t) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

**Definition 17** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2.V2t))))$



**Definition 22** We define  $c\_2Eh\_rat\_2Eh\_rat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 23** We define  $c\_2Eh\_rat\_2Eh\_rat\_1$  to be  $(ap\ c\_2Eh\_rat\_2Eh\_rat\_ABS\ c\_2Eh\_rat\_2Etrat\_1)$ .

Let  $c\_2Eh\_rat\_2Eh\_rat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2Eh\_rat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Eh\_rat\_2Eh\_rat}) \quad (11)$$

**Definition 24** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A)\ \wedge\ P\ x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 25** We define  $c\_2Eh\_rat\_2Eh\_rat\_REP$  to be  $\lambda V0a \in ty\_2Eh\_rat\_2Eh\_rat.(ap\ (c\_2Emin\_2E\_40\ (ty\_2Enum\_2Enum)))$

Let  $c\_2Eh\_rat\_2Etrat\_add : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2Etrat\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum})^{ty\_2Eh\_rat\_2Eh\_rat}) \quad (12)$$

**Definition 26** We define  $c\_2Eh\_rat\_2Eh\_rat\_add$  to be  $\lambda V0T1 \in ty\_2Eh\_rat\_2Eh\_rat.\lambda V1T2 \in ty\_2Eh\_rat\_2Eh\_rat$

**Definition 27** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ (ty\_2Enum\_2Enum))))$

**Definition 28** We define  $c\_2Eh\_real\_2Eh\_rat\_lt$  to be  $\lambda V0x \in ty\_2Eh\_rat\_2Eh\_rat.\lambda V1y \in ty\_2Eh\_rat\_2Eh\_rat$

**Definition 29** We define  $c\_2Eh\_real\_2Ecut\_of\_h\_rat$  to be  $\lambda V0x \in ty\_2Eh\_rat\_2Eh\_rat.(\lambda V1y \in ty\_2Eh\_rat\_2Eh\_rat$

Let  $c\_2Eh\_real\_2Eh\_real : \iota$  be given. Assume the following.

$$c\_2Eh\_real\_2Eh\_real \in (ty\_2Eh\_real\_2Eh\_real^{(2^{ty\_2Eh\_rat\_2Eh\_rat})}) \quad (13)$$

**Definition 30** We define  $c\_2Eh\_real\_2Eh\_real\_1$  to be  $(ap\ c\_2Eh\_real\_2Eh\_real\ (ap\ c\_2Eh\_real\_2Ecut\_of\_h\_rat))$

**Definition 31** We define  $c\_2Erealax\_2Etreax\_0$  to be  $(ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Eh\_real\_2Eh\_real\ ty\_2Eh\_real\_2Eh\_real)))$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (14)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Eh\_real\_2Eh\_real\ ty\_2Eh\_real\_2Eh\_real)})}) \quad (15)$$

**Definition 32** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Eh\_real\_2Eh\_real\ ty\_2Eh\_real\_2Eh\_real)$

**Definition 33** We define  $c\_2Erealax\_2Ereal\_0$  to be  $(ap\ c\_2Erealax\_2Ereal\_ABS\ c\_2Erealax\_2Etreax\_0)$ .

Let  $c\_2Eh\_real\_2Ecut : \iota$  be given. Assume the following.

$$c\_2Eh\_real\_2Ecut \in ((2^{ty\_2Eh\_rat\_2Eh\_rat})^{ty\_2Eh\_real\_2Eh\_real}) \quad (16)$$

**Definition 34** We define  $c\_2Ehreal\_2Ehreal\_add$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2Ehreal.$

**Definition 35** We define  $c\_2Erealax\_2Etreal\_1$  to be  $(ap (ap (c\_2Epair\_2E2C ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)$

**Definition 36** We define  $c\_2Erealax\_2Ereal\_1$  to be  $(ap c\_2Erealax\_2Ereal\_ABS c\_2Erealax\_2Etreal\_1)$ .

Let  $c\_2Erealax\_2Etreal\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_inv \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (17)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal\_REP\_CLASS}) \quad (18)$$

**Definition 37** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E40 ty\_2Erealax\_2Ereal\_REP$

**Definition 38** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal\_ABS ty\_2Erealax\_2Ereal\_inv$

Let  $c\_2Erealax\_2Etreal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_mul \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (19)$$

**Definition 39** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((ap (c\_2Ecombin\_2EI A.27a) V0x) = V0x)) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27a)\ (c\_2Emin\_2E\_3D\ A\_27a)\ (c\_2Ecombin\_2EI\ A\_27a)\ (c\_2Ecombin\_2EI\ A\_27a)))))) \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & ((\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ V0R\ V1x)\ V2y))) \Leftrightarrow \\ & ((ap\ V0R\ V1x) = (ap\ V0R\ V2y)))))) \Leftrightarrow ((\forall V3x \in A\_27a. (p\ (ap\ (ap\ V0R \\ & V3x)\ V3x))) \wedge ((\forall V4x \in A\_27a. (\forall V5y \in A\_27a. ((p\ (ap\ ( \\ & ap\ V0R\ V4x)\ V5y))) \Rightarrow (p\ (ap\ (ap\ V0R\ V5y)\ V4x)))))) \wedge (\forall V6x \in A\_27a. \\ & (\forall V7y \in A\_27a. (\forall V8z \in A\_27a. (((p\ (ap\ (ap\ V0R\ V6x)\ V7y)) \wedge \\ & (p\ (ap\ (ap\ V0R\ V7y)\ V8z))) \Rightarrow (p\ (ap\ (ap\ V0R\ V6x)\ V8z)))))))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\ & (2^{A\_27a})^{A\_27a}). (\forall V1abs1 \in (A\_27c^{A\_27a}). (\forall V2rep1 \in \\ & (A\_27a^{A\_27c}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\ & V0R1)\ V1abs1)\ V2rep1))) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}). (\forall V4abs2 \in \\ & (A\_27d^{A\_27b}). (\forall V5rep2 \in (A\_27b^{A\_27d}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ & A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ & (A\_27b^{A\_27a})\ (A\_27d^{A\_27c}))\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E \\ & A\_27a\ A\_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27c \\ & A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\ & A\_27a\ A\_27d\ A\_27c\ A\_27b)\ V1abs1)\ V5rep2)))))))))) \quad (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\ & (\forall V2rep \in (A\_27a^{A\_27b}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ & A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3x \in A\_27b. (\forall V4y \in \\ & A\_27b. ((V3x = V4y) \Leftrightarrow (p\ (ap\ (ap\ V0R\ (ap\ V2rep\ V3x))\ (ap\ V2rep\ V4y)))))))))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\ & (\forall V2rep \in (A\_27a^{A\_27b}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ & A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3x1 \in A\_27a. (\forall V4x2 \in \\ & A\_27a. (\forall V5y1 \in A\_27a. (\forall V6y2 \in A\_27a. (((p\ (ap\ (ap\ V0R \\ & V3x1)\ V4x2)) \wedge (p\ (ap\ (ap\ V0R\ V5y1)\ V6y2))) \Rightarrow ((p\ (ap\ (ap\ V0R\ V3x1)\ V5y1)) \Leftrightarrow \\ & (p\ (ap\ (ap\ V0R\ V4x2)\ V6y2)))))))))) \quad (29) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27d^{A\_27c}). \\
& \quad ((\lambda V7x \in A\_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\
& \quad A\_27c\ A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A\_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x)))))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0REL \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A\_27a.(\forall V4x2 \in \\
& \quad A\_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27b}).((p\ ( \\
& \quad ap\ (c\_2Ebool\_2E\_21\ A\_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2Erespects\ A\_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ 2\ A\_27b\ 2)\ V1abs)\ (c\_2Ecombin\_2EI \\
& \quad 2))\ V3f)))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27a}).(\forall V4g \in \\
& \quad (2^{A\_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad 2)\ V0R)\ (c\_2Emin\_2E\_3D\ 2))\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2Erespects\ A\_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ ( \\
& \quad ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2Erespects \\
& \quad A\_27a\ 2)\ V0R))\ V4g)))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27b^{A\_27a}). \\
& \quad (\forall V7g \in (A\_27b^{A\_27a}).(\forall V8x \in A\_27a.(\forall V9y \in \\
& \quad A\_27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad A\_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ ( \\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0E \in ((2^{A\_27a})^{A\_27a}). \\
& \quad (\forall V1P \in (2^{A\_27a}).((p\ (ap\ (c\_2Equotient\_2EEQUIV\ A\_27a) \\
& \quad V0E)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2Erespects \\
& \quad A\_27a\ 2)\ V0E))\ V1P)) \Leftrightarrow (p\ (ap\ (c\_2Ebool\_2E.21\ A\_27a)\ V1P))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal). \\
& \quad (\forall V1q \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal). \\
& \quad ((p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_eq\ V0p)\ V1q)) \Leftrightarrow ((ap\ c\_2Erealax\_2Etreal\_eq \\
& \quad V0p) = (ap\ c\_2Erealax\_2Etreal\_eq\ V1q))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal). \\
& \quad ((\neg(p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_eq\ V0x)\ c\_2Erealax\_2Etreal\_0))) \Rightarrow \\
& \quad (p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_eq\ (ap\ (ap\ c\_2Erealax\_2Etreal\_mul \\
& \quad (ap\ c\_2Erealax\_2Etreal\_inv\ V0x))\ V0x))\ c\_2Erealax\_2Etreal\_1))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal). \\
& \quad (\forall V1x2 \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal). \\
& \quad (\forall V2y1 \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal). \\
& \quad (\forall V3y2 \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal). \\
& \quad (((p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_eq\ V0x1)\ V1x2)) \wedge (p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_eq \\
& \quad V2y1)\ V3y2))) \Rightarrow (p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_eq\ (ap\ (ap\ c\_2Erealax\_2Etreal\_mul \\
& \quad V0x1)\ V2y1))\ (ap\ (ap\ c\_2Erealax\_2Etreal\_mul\ V1x2)\ V3y2))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)). \\
& (\forall V1x2 \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)). \\
& ((p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_eq\ V0x1)\ V1x2)) \Rightarrow (p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_eq \\
& \quad (ap\ c\_2Erealax\_2Etreal\_inv\ V0x1))\ (ap\ c\_2Erealax\_2Etreal\_inv \\
& \quad \quad V1x2))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal \\
& \quad ty\_2Ehreal\_2Ehreal)\ ty\_2Erealax\_2Ereal)\ c\_2Erealax\_2Etreal\_eq) \\
& \quad \quad c\_2Erealax\_2Ereal\_ABS)\ c\_2Erealax\_2Ereal\_REP))
\end{aligned} \tag{40}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((\neg(V0x = c\_2Erealax\_2Ereal\_0)) \Rightarrow \\
& ((ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Erealax\_2Einv\ V0x))\ V0x) = \\
& \quad c\_2Erealax\_2Ereal\_1)))
\end{aligned}$$