

thm_2Erealax_2ETREAL_BIJ (TMMQRT- sLWNdjQtXMM2KbPxuG4dmnnXcZoSF)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t) (\text{c_2Ebool_2EF } 2))))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2.V2t))))$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A0 A1) \tag{2}$$

Let `ty_2Ehrat_2Ehrat` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Ehrat_2Ehrat} \tag{3}$$

Let `c_2Ehrat_2Ehrat_REP_CLASS` : ι be given. Assume the following.

$$\text{c_2Ehrat_2Ehrat_REP_CLASS} \in ((2^{(\text{ty_2Epair_2Eprod } \text{ty_2Enum_2Enum } \text{ty_2Enum_2Enum}) \text{ty_2Ehrat_2Ehrat}})) \tag{4}$$

Definition 8 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define $c_2Ehrat_2Ehrat_REP$ to be $\lambda V0a \in ty_2Ehrat_2Ehrat.(ap (c_2Emin_2E_40 (ty_2E$

Let $c_2Ehrat_2Etratt_add : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etratt_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})) \quad (5)$$

Let $c_2Ehrat_2Etratt_eq : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etratt_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}))^{(ty_2Epair_2Eprod ty_2Enum_2Enum)} \quad (6)$$

Let $c_2Ehrat_2Ehrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_ABS_CLASS \in (ty_2Ehrat_2Ehrat^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}))}) \quad (7)$$

Definition 10 We define $c_2Ehrat_2Ehrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2$

Definition 11 We define $c_2Ehrat_2Ehrat_add$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.\lambda V1T2 \in ty_2Ehrat_2E$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty ty_2Ehreal_2Ehreal \quad (8)$$

Let $c_2Ehreal_2Ecut : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ecut \in ((2^{ty_2Ehreal_2Ehreal})^{ty_2Ehreal_2Ehreal}) \quad (9)$$

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Let $c_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal \in (ty_2Ehreal_2Ehreal^{(2^{ty_2Ehreal_2Ehreal})}) \quad (10)$$

Definition 13 We define $c_2Ehreal_2Ehreal_sub$ to be $\lambda V0Y \in ty_2Ehreal_2Ehreal.\lambda V1X \in ty_2Ehreal_2$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (11)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (12)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (13)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (14)$$

Definition 14 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (15)$$

Definition 15 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ V0x\ V1y)$.

Definition 16 We define $c_2Ehrat_2Etrat_1$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ ty_2Enum_2Enum))$.

Definition 17 We define $c_2Ehrat_2Ehrat_ABS$ to be $(ap\ c_2Ehrat_2Ehrat_ABS\ c_2Ehrat_2Etrat_1)$.

Definition 18 We define $c_2Ehreal_2Ehreal_lt$ to be $\lambda V0x \in ty_2Ehreal_2Ehreal.\lambda V1y \in ty_2Ehreal_2Ehreal.(V0x < V1y)$.

Definition 19 We define $c_2Ehreal_2Ecut_of_hreal$ to be $\lambda V0x \in ty_2Ehreal_2Ehreal.(\lambda V1y \in ty_2Ehreal_2Ehreal.(V0x < V1y))$.

Definition 20 We define $c_2Ehreal_2Ehreal_1$ to be $(ap\ c_2Ehreal_2Ehreal\ (ap\ c_2Ehreal_2Ecut_of_hreal\ ty_2Ehreal_2Ehreal))$.

Definition 21 We define $c_2Erealax_2Etreal_0$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))\ ty_2Ehreal_2Ehreal)$.

Definition 22 We define $c_2Ehreal_2Ehreal_lt$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal.\lambda V1Y \in ty_2Ehreal_2Ehreal.(V0X < V1Y)$.

Let $c_2Erealax_2Etreal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (16)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (17)$$

Definition 23 We define $c_2Ehreal_2Ehreal_add$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal.\lambda V1Y \in ty_2Ehreal_2Ehreal.(V0X + V1Y)$.

Definition 24 We define $c_2Erealax_2Etreal_of_hreal$ to be $\lambda V0x \in ty_2Ehreal_2Ehreal.(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))\ ty_2Ehreal_2Ehreal)$.

Let $c_2Erealax_2Ehreal_of_treal : \iota$ be given. Assume the following.

$$c_2Erealax_2Ehreal_of_treal \in (ty_2Ehreal_2Ehreal^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& ((ap (ap \ c_2Ehreal_2Ehreal_add \ V0X) \ V1Y) = (ap (ap \ c_2Ehreal_2Ehreal_add \\
& \ V1Y) \ V0X))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& (\forall V2Z \in ty_2Ehreal_2Ehreal. ((ap (ap \ c_2Ehreal_2Ehreal_add \\
& \ V0X) (ap (ap \ c_2Ehreal_2Ehreal_add \ V1Y) \ V2Z)) = (ap (ap \ c_2Ehreal_2Ehreal_add \\
& (ap (ap \ c_2Ehreal_2Ehreal_add \ V0X) \ V1Y)) \ V2Z))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& ((p (ap (ap \ c_2Ehreal_2Ehreal_lt \ V0X) \ V1Y)) \Rightarrow ((ap (ap \ c_2Ehreal_2Ehreal_add \\
& (ap (ap \ c_2Ehreal_2Ehreal_sub \ V1Y) \ V0X)) \ V0X) = V1Y))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow (\\
& \forall V0x \in (ty_2Epair_2Eprod \ A.27a \ A.27b). ((ap (ap \ (c.2Epair_2E_2C \\
& \ A.27a \ A.27b) (ap \ (c.2Epair_2EFST \ A.27a \ A.27b) \ V0x)) (ap \ (c.2Epair_2ESND \\
& \ A.27a \ A.27b) \ V0x)) = V0x))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehreal_2Ehreal. (\forall V1y \in ty_2Ehreal_2Ehreal. \\
& (\forall V2z \in ty_2Ehreal_2Ehreal. (((ap (ap \ c_2Ehreal_2Ehreal_add \\
& \ V0x) \ V1y) = (ap (ap \ c_2Ehreal_2Ehreal_add \ V0x) \ V2z)) \Leftrightarrow (V1y = V2z))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehreal_2Ehreal. (\forall V1y \in ty_2Ehreal_2Ehreal. \\
& (p (ap (ap \ c_2Ehreal_2Ehreal_lt \ V0x) (ap (ap \ c_2Ehreal_2Ehreal_add \\
& \ V0x) \ V1y))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehreal_2Ehreal. (\forall V1y \in ty_2Ehreal_2Ehreal. \\
& (\forall V2z \in ty_2Ehreal_2Ehreal. ((p (ap (ap \ c_2Ehreal_2Ehreal_lt \\
& (ap (ap \ c_2Ehreal_2Ehreal_add \ V0x) \ V1y)) (ap (ap \ c_2Ehreal_2Ehreal_add \\
& \ V0x) \ V2z)) \Leftrightarrow (p (ap (ap \ c_2Ehreal_2Ehreal_lt \ V1y) \ V2z))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in ty_2Ehreal_2Ehreal. (\forall V1y1 \in ty_2Ehreal_2Ehreal. \\
& (\forall V2x2 \in ty_2Ehreal_2Ehreal. (\forall V3y2 \in ty_2Ehreal_2Ehreal. \\
& ((p (ap (ap c_2Erealax_2Etreal_lt (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V0x1) V1y1)) (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V2x2) V3y2))) \Leftrightarrow (p (ap (ap c_2Ehreal_2Ehreal_lt \\
& (ap (ap c_2Ehreal_2Ehreal_add V0x1) V3y2)) (ap (ap c_2Ehreal_2Ehreal_add \\
& V2x2) V1y1)))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in ty_2Ehreal_2Ehreal. (\forall V1y1 \in ty_2Ehreal_2Ehreal. \\
& (\forall V2x2 \in ty_2Ehreal_2Ehreal. (\forall V3y2 \in ty_2Ehreal_2Ehreal. \\
& ((p (ap (ap c_2Erealax_2Etreal_eq (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V0x1) V1y1)) (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V2x2) V3y2))) \Leftrightarrow ((ap (ap c_2Ehreal_2Ehreal_add \\
& V0x1) V3y2) = (ap (ap c_2Ehreal_2Ehreal_add V2x2) V1y1)))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehreal_2Ehreal. (\forall V1y \in ty_2Ehreal_2Ehreal. \\
& ((ap c_2Erealax_2Ehreal_of_treal (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V0x) V1y)) = (ap (c_2Emin_2E_40 ty_2Ehreal_2Ehreal) \\
& (\lambda V2d \in ty_2Ehreal_2Ehreal. (ap (ap (c_2Emin_2E_3D ty_2Ehreal_2Ehreal \\
& V0x) (ap (ap c_2Ehreal_2Ehreal_add V1y) V2d)))))))))
\end{aligned} \tag{32}$$

Theorem 1

$$\begin{aligned}
& ((\forall V0h \in ty_2Ehreal_2Ehreal. ((ap c_2Erealax_2Ehreal_of_treal \\
& (ap c_2Erealax_2Etreal_of_hreal V0h)) = V0h)) \wedge (\forall V1r \in \\
& (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal). \\
& ((p (ap (ap c_2Erealax_2Etreal_lt c_2Erealax_2Etreal_0) V1r)) \Leftrightarrow \\
& (p (ap (ap c_2Erealax_2Etreal_eq (ap c_2Erealax_2Etreal_of_hreal \\
& (ap c_2Erealax_2Ehreal_of_treal V1r))) V1r))))))
\end{aligned}$$