

thm_2Erealax_2ETREAL_EQ_TRANS (TM- bzSqxKVgSsCA5PbXSy5yqCWYhVbVbi7S6)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{2}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{3}$$

Let $ty_2Ehrat_2Ehrat : \iota$ be given. Assume the following.

$$nonempty ty_2Ehrat_2Ehrat \tag{4}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (5)$$

Let $c_2Ehreal_2Ecut : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ecut \in ((2^{ty_2Ehreal_2Ehreal})^{ty_2Ehreal_2Ehreal}) \quad (6)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (7)$$

Let $c_2Ehreal_2Ehreal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Ehreal_2Ehreal}) \quad (8)$$

Definition 8 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 9 We define $c_2Ehreal_2Ehreal_REP$ to be $\lambda V0a \in ty_2Ehreal_2Ehreal$.($ap\ (c_2Emin_2E40\ (ty_2E$

Let $c_2Ehreal_2Etratl_add : \iota$ be given. Assume the following.

$$c_2Ehreal_2Etratl_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Epair_2Eprod\ ty_2Enum_2Enum})^{ty_2Epair_2Eprod\ ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Ehreal_2Etratl_eq : \iota$ be given. Assume the following.

$$c_2Ehreal_2Etratl_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Epair_2Eprod\ ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Ehreal_2Ehreal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal_ABS_CLASS \in (ty_2Ehreal_2Ehreal^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})}) \quad (11)$$

Definition 10 We define $c_2Ehreal_2Ehreal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 11 We define $c_2Ehreal_2Ehreal_add$ to be $\lambda V0T1 \in ty_2Ehreal_2Ehreal$. $\lambda V1T2 \in ty_2Ehreal_2Ehreal$

Definition 12 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota$.($\lambda V0P \in (2^{A_27a})$).($ap\ V0P\ (ap\ (c_2Emin_2E40$

Let $c_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal \in (ty_2Ehreal_2Ehreal^{(2^{ty_2Ehreal_2Ehreal})}) \quad (12)$$

Definition 13 We define $c_2Ehreal_2Ehreal_add$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal$. $\lambda V1Y \in ty_2Ehreal_2Ehreal$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (13)$$

Definition 14 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2Erealax_2Etrealex_2Etrealex_2Etrealex_2Etrealex_2Etrealex) (2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal))$. Let $c_2Erealax_2Etrealex_2Etrealex : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealex_2Etrealex \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)) \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p V0t)))))) \quad (17) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0X \in ty_2Ehreal_2Ehreal.(\forall V1Y \in ty_2Ehreal_2Ehreal. \\ & ((ap (ap c_2Ehreal_2Ehreal_add V0X) V1Y) = (ap (ap c_2Ehreal_2Ehreal_add \\ & V1Y) V0X)))) \quad (18) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0X \in ty_2Ehreal_2Ehreal.(\forall V1Y \in ty_2Ehreal_2Ehreal. \\ & (\forall V2Z \in ty_2Ehreal_2Ehreal.((ap (ap c_2Ehreal_2Ehreal_add \\ & V0X) (ap (ap c_2Ehreal_2Ehreal_add V1Y) V2Z)) = (ap (ap c_2Ehreal_2Ehreal_add \\ & (ap (ap c_2Ehreal_2Ehreal_add V0X) V1Y)) V2Z)))))) \quad (19) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\ & \forall V0x \in (ty_2Epair_2Eprod A.27a A.27b).((ap (ap (c_2Epair_2E_2C \\ & A.27a A.27b) (ap (c_2Epair_2Eprod A.27a A.27b) V0x)) (ap (c_2Epair_2Eprod \\ & A.27a A.27b) V0x)) = V0x)) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Ehreal_2Ehreal.(\forall V1y \in ty_2Ehreal_2Ehreal. \\ & (\forall V2z \in ty_2Ehreal_2Ehreal.(((ap (ap c_2Ehreal_2Ehreal_add \\ & V0x) V1y) = (ap (ap c_2Ehreal_2Ehreal_add V0x) V2z)) \Leftrightarrow (V1y = V2z)))))) \quad (21) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in ty_2Ehreal_2Ehreal. (\forall V1y1 \in ty_2Ehreal_2Ehreal. \\
& (\forall V2x2 \in ty_2Ehreal_2Ehreal. (\forall V3y2 \in ty_2Ehreal_2Ehreal. \\
& ((p (ap (ap c_2Erealax_2Etreal_eq (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V0x1) V1y1)) (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V2x2) V3y2))) \Leftrightarrow ((ap (ap c_2Ehreal_2Ehreal_add \\
& V0x1) V3y2) = (ap (ap c_2Ehreal_2Ehreal_add V2x2) V1y1))))))
\end{aligned} \tag{22}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal). \\
& (\forall V1y \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal). \\
& (\forall V2z \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal). \\
& (((p (ap (ap c_2Erealax_2Etreal_eq V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Etreal_eq \\
& V1y) V2z)))) \Rightarrow (p (ap (ap c_2Erealax_2Etreal_eq V0x) V2z))))))
\end{aligned}$$