

thm_2Erealax_2ETREAL_INV_0
(TMawke3ThfaD9SeLWQT2Eb19Lw9Q3QqKGda)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{4}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{5}$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2E$

Definition 9 We define $c_2Ehrat_2Etrat_1$ to be $(ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2$

Let $c_2Ehrat_2Etrat_eq : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (6)$$

Let $ty_2Ehrat_2Ehrat : \iota$ be given. Assume the following.

$$nonempty ty_2Ehrat_2Ehrat \quad (7)$$

Let $c_2Ehrat_2Ehrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_ABS_CLASS \in (ty_2Ehrat_2Ehrat^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})}) \quad (8)$$

Definition 10 We define $c_2Ehrat_2Ehrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2$

Definition 11 We define $c_2Ehrat_2Ehrat_1$ to be $(ap c_2Ehrat_2Ehrat_ABS c_2Ehrat_2Etrat_1)$.

Let $c_2Ehrat_2Ehrat_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{ty_2Ehrat_2Ehrat}) \quad (9)$$

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge$
of type $\iota \Rightarrow \iota$.

Definition 13 We define $c_2Ehrat_2Ehrat_REP$ to be $\lambda V0a \in ty_2Ehrat_2Ehrat.(ap (c_2Emin_2E_40 (ty_2$

Let $c_2Ehrat_2Etrat_add : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{ty_2Epair_2Eprod ty_2Enum_2Enum})^{ty_2Epair_2Eprod ty_2Enum_2Enum}) \quad (10)$$

Definition 14 We define $c_2Ehrat_2Ehrat_add$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.\lambda V1T2 \in ty_2Ehrat_2E$

Definition 15 We define $c_2Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 16 We define $c_2Ehreal_2Ehrat_lt$ to be $\lambda V0x \in ty_2Ehrat_2Ehrat.\lambda V1y \in ty_2Ehrat_2Ehrat$

Definition 17 We define $c_2Ehreal_2Ecut_of_hrat$ to be $\lambda V0x \in ty_2Ehrat_2Ehrat.(\lambda V1y \in ty_2Ehrat_2$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty ty_2Ehreal_2Ehreal \quad (11)$$

Let $c_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal \in (ty_2Ehreal_2Ehreal^{(2^{ty_2Ehrat_2Ehrat})}) \quad (12)$$

Definition 18 We define $c_Ehreal_Ehreal_1$ to be $(ap\ c_Ehreal_Ehreal\ (ap\ c_Ehreal_Ecut_of_hrat\ c_Ehreal_Ehreal))$.
Let $c_Ehreal_Ecut : \iota$ be given. Assume the following.

$$c_Ehreal_Ecut \in ((2^{ty_Ehrat_Ehrat})^{ty_Ehreal_Ehreal}) \quad (13)$$

Definition 19 We define $c_Ebool_E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_Emin_E_3D_3D_3E\ V0t)\ c_Ebool_E_7E))$.

Definition 20 We define $c_Ehreal_Ehreal_sub$ to be $\lambda V0Y \in ty_Ehreal_Ehreal.\lambda V1X \in ty_Ehreal_Ehreal.$

Let $c_Ehrat_Etrrat_mul : \iota$ be given. Assume the following.

$$c_Ehrat_Etrrat_mul \in (((ty_Epair_Eprod\ ty_Eenum_Eenum\ ty_Eenum_Eenum)^{(ty_Epair_Eprod\ ty_Eenum_Eenum)})^{(ty_Epair_Eprod\ ty_Eenum_Eenum)}) \quad (14)$$

Definition 21 We define $c_Ehrat_Ehrat_mul$ to be $\lambda V0T1 \in ty_Ehrat_Ehrat.\lambda V1T2 \in ty_Ehrat_Ehrat.$

Definition 22 We define $c_Ehreal_Ehreal_inv$ to be $\lambda V0X \in ty_Ehreal_Ehreal.(ap\ c_Ehreal_Ehreal_inv\ V0X)$.

Definition 23 We define $c_Ehreal_Ehreal_lt$ to be $\lambda V0X \in ty_Ehreal_Ehreal.\lambda V1Y \in ty_Ehreal_Ehreal.$

Definition 24 We define $c_Erealax_Etreax_0$ to be $(ap\ (ap\ (c_Epair_E_2C\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)))$.

Definition 25 We define c_Ebool_ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ c_Ebool_ECOND\ V0t1\ V2t2))))$.

Let $c_Erealax_Etreax_inv : \iota$ be given. Assume the following.

$$c_Erealax_Etreax_inv \in ((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (15)$$

Definition 26 We define $c_Ehreal_Ehreal_add$ to be $\lambda V0X \in ty_Ehreal_Ehreal.\lambda V1Y \in ty_Ehreal_Ehreal.$

Let $c_Erealax_Etreax_eq : \iota$ be given. Assume the following.

$$c_Erealax_Etreax_eq \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\ & A_27a.(((ap\ (ap\ (ap\ (c_Ebool_ECOND\ A_27a)\ c_Ebool_E_7E)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_Ebool_ECOND\ A_27a)\ c_Ebool_E_7E)\ V0t1) \\ & V1t2) = V1t2)))))) \quad (19) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehreal_2Ehreal. (\forall V1y \in ty_2Ehreal_2Ehreal. \\
& ((ap\ c_2Erealax_2Etreal_inv (ap (ap (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal \\
& \quad ty_2Ehreal_2Ehreal) V0x) V1y)) = (ap (ap (ap (c_2Ebool_2ECOND (\\
& \quad \quad ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) (\\
ap (ap (c_2Emin_2E_3D\ ty_2Ehreal_2Ehreal) V0x) V1y))\ c_2Erealax_2Etreal_0) \\
& \quad (ap (ap (ap (c_2Ebool_2ECOND (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\
& \quad \quad ty_2Ehreal_2Ehreal)) (ap (ap\ c_2Ehreal_2Ehreal_lt\ V1y) V0x)) \\
& \quad (ap (ap (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \\
& \quad \quad (ap (ap\ c_2Ehreal_2Ehreal_add (ap\ c_2Ehreal_2Ehreal_inv (ap \\
& \quad \quad \quad (ap\ c_2Ehreal_2Ehreal_sub\ V0x) V1y)))\ c_2Ehreal_2Ehreal_1)) \\
& \quad \quad c_2Ehreal_2Ehreal_1)) (ap (ap (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal \\
& \quad \quad ty_2Ehreal_2Ehreal) c_2Ehreal_2Ehreal_1) (ap (ap\ c_2Ehreal_2Ehreal_add \\
& \quad \quad (ap\ c_2Ehreal_2Ehreal_inv (ap (ap\ c_2Ehreal_2Ehreal_sub\ V1y) \\
& \quad \quad \quad V0x)))\ c_2Ehreal_2Ehreal_1))))))))) \\
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in ty_2Ehreal_2Ehreal. (\forall V1y1 \in ty_2Ehreal_2Ehreal. \\
& \quad (\forall V2x2 \in ty_2Ehreal_2Ehreal. (\forall V3y2 \in ty_2Ehreal_2Ehreal. \\
& ((p (ap (ap\ c_2Erealax_2Etreal_eq (ap (ap (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal \\
& \quad ty_2Ehreal_2Ehreal) V0x1) V1y1)) (ap (ap (c_2Epair_2E_2C\ ty_2Ehreal_2Ehreal \\
& \quad \quad ty_2Ehreal_2Ehreal) V2x2) V3y2))) \Leftrightarrow ((ap (ap\ c_2Ehreal_2Ehreal_add \\
& \quad \quad V0x1) V3y2) = (ap (ap\ c_2Ehreal_2Ehreal_add\ V2x2) V1y1)))))) \\
\end{aligned} \tag{21}$$

Theorem 1

$$(p (ap (ap (ap\ c_2Erealax_2Etreal_eq (ap\ c_2Erealax_2Etreal_inv \\
\quad \quad c_2Erealax_2Etreal_0))\ c_2Erealax_2Etreal_0))$$