

thm_2Erealax_2ETREAL__LT__MUL
(TMU3iTanuaELF9ehMVfuDn7nPesenGkZ4oU)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2ET` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 8 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let `c_2Epair_2ESND` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{2}$$

Let `c_2Epair_2EFST` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{3}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{4}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega\omega}) \tag{6}$$

Definition 10 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \tag{7}$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$.

Definition 12 We define $c_2Ehrat_2Etrat_1$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)))$.

Let $c_2Ehrat_2Etrat_eq : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \tag{8}$$

Let $ty_2Ehrat_2Ehrat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehrat_2Ehrat \tag{9}$$

Let $c_2Ehrat_2Ehrat_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_ABS_CLASS \in (ty_2Ehrat_2Ehrat^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})}) \tag{10}$$

Definition 13 We define $c_2Ehrat_2Ehrat_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$.

Definition 14 We define $c_2Ehrat_2Ehrat_1$ to be $(ap\ c_2Ehrat_2Ehrat_ABS\ c_2Ehrat_2Etrat_1)$.

Let $c_2Ehrat_2Ehrat_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Ehrat_2Ehrat_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Ehrat_2Ehrat}) \tag{11}$$

Definition 15 We define $c_2Ehrat_2Ehrat_REP$ to be $\lambda V0a \in ty_2Ehrat_2Ehrat.(ap\ (c_2Emin_2E.40\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)))\ a)$.

Let $c_2Ehrat_2Etrat_add : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Epair_2Eprod\ ty_2Enum_2Enum})^{ty_2Epair_2Eprod\ ty_2Enum_2Enum}) \tag{12}$$

Definition 16 We define $c_2Ehrat_2Ehrat_add$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.\lambda V1T2 \in ty_2Ehrat_2Ehrat$

Definition 17 We define $c_2Ehreal_2Ehreal_lt$ to be $\lambda V0x \in ty_2Ehreal_2Ehreal.\lambda V1y \in ty_2Ehreal_2Ehreal$

Definition 18 We define $c_2Ehreal_2Ecut_of_hrat$ to be $\lambda V0x \in ty_2Ehreal_2Ehreal.(\lambda V1y \in ty_2Ehreal_2Ehreal$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (13)$$

Let $c_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ehreal \in (ty_2Ehreal_2Ehreal^{(2^{ty_2Ehreal_2Ehreal})}) \quad (14)$$

Definition 19 We define $c_2Ehreal_2Ehreal_1$ to be $(ap\ c_2Ehreal_2Ehreal\ (ap\ c_2Ehreal_2Ecut_of_hrat\ ty_2Ehreal_2Ehreal))$

Definition 20 We define $c_2Erealax_2Etreal_0$ to be $(ap\ (ap\ (c_2Epair_2E2C\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))\ ty_2Ehreal_2Ehreal)$

Let $c_2Ehreal_2Ecut : \iota$ be given. Assume the following.

$$c_2Ehreal_2Ecut \in ((2^{ty_2Ehreal_2Ehreal})^{ty_2Ehreal_2Ehreal}) \quad (15)$$

Let $c_2Ehrat_2Etrat_mul : \iota$ be given. Assume the following.

$$c_2Ehrat_2Etrat_mul \in (((ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)})) \quad (16)$$

Definition 21 We define $c_2Ehrat_2Ehrat_mul$ to be $\lambda V0T1 \in ty_2Ehrat_2Ehrat.\lambda V1T2 \in ty_2Ehrat_2Ehrat$

Definition 22 We define $c_2Ehreal_2Ehreal_mul$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal.\lambda V1Y \in ty_2Ehreal_2Ehreal$

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})) \quad (17)$$

Definition 23 We define $c_2Ehreal_2Ehreal_add$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal.\lambda V1Y \in ty_2Ehreal_2Ehreal$

Definition 24 We define $c_2Ehreal_2Ehreal_lt$ to be $\lambda V0X \in ty_2Ehreal_2Ehreal.\lambda V1Y \in ty_2Ehreal_2Ehreal$

Let $c_2Erealax_2Etreal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& ((ap (ap c_2Ehreal_2Ehreal_add V0X) V1Y) = (ap (ap c_2Ehreal_2Ehreal_add \\
& \quad V1Y) V0X))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& (\forall V2Z \in ty_2Ehreal_2Ehreal. ((ap (ap c_2Ehreal_2Ehreal_add \\
& V0X) (ap (ap c_2Ehreal_2Ehreal_add V1Y) V2Z)) = (ap (ap c_2Ehreal_2Ehreal_add \\
& \quad (ap (ap c_2Ehreal_2Ehreal_add V0X) V1Y)) V2Z))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& (\forall V2Z \in ty_2Ehreal_2Ehreal. ((ap (ap c_2Ehreal_2Ehreal_mul \\
& V0X) (ap (ap c_2Ehreal_2Ehreal_add V1Y) V2Z)) = (ap (ap c_2Ehreal_2Ehreal_add \\
& \quad (ap (ap c_2Ehreal_2Ehreal_mul V0X) V1Y)) (ap (ap c_2Ehreal_2Ehreal_mul \\
& \quad \quad V0X) V2Z))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0X \in ty_2Ehreal_2Ehreal. (\forall V1Y \in ty_2Ehreal_2Ehreal. \\
& ((p (ap (ap c_2Ehreal_2Ehreal_lt V0X) V1Y)) \Leftrightarrow (\exists V2D \in ty_2Ehreal_2Ehreal. \\
& \quad (V1Y = (ap (ap c_2Ehreal_2Ehreal_add V0X) V2D))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \quad \forall V0x \in (ty_2Epair_2Eprod A_27a A_27b). ((ap (ap (c_2Epair_2E_2C \\
& \quad A_27a A_27b) (ap (c_2Epair_2E_2FST A_27a A_27b) V0x)) (ap (c_2Epair_2E_2SND \\
& \quad \quad A_27a A_27b) V0x)) = V0x)
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehreal_2Ehreal. (\forall V1y \in ty_2Ehreal_2Ehreal. \\
& (\forall V2z \in ty_2Ehreal_2Ehreal. ((ap (ap c_2Ehreal_2Ehreal_mul \\
& (ap (ap c_2Ehreal_2Ehreal_add V0x) V1y)) V2z) = (ap (ap c_2Ehreal_2Ehreal_add \\
& \quad (ap (ap c_2Ehreal_2Ehreal_mul V0x) V2z)) (ap (ap c_2Ehreal_2Ehreal_mul \\
& \quad \quad V1y) V2z))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehreal_2Ehreal. (\forall V1y \in ty_2Ehreal_2Ehreal. \\
& (p (ap (ap c_2Ehreal_2Ehreal_lt V0x) (ap (ap c_2Ehreal_2Ehreal_add \\
& \quad V0x) V1y))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Ehreal_2Ehreal. (\forall V1y \in ty_2Ehreal_2Ehreal. \\
& (\forall V2z \in ty_2Ehreal_2Ehreal. ((p (ap (ap c_2Ehreal_2Ehreal_lt \\
& (ap (ap c_2Ehreal_2Ehreal_add V0x) V1y)) (ap (ap c_2Ehreal_2Ehreal_add \\
& V0x) V2z))) \Leftrightarrow (p (ap (ap c_2Ehreal_2Ehreal_lt V1y) V2z))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in ty_2Ehreal_2Ehreal. (\forall V1y1 \in ty_2Ehreal_2Ehreal. \\
& (\forall V2x2 \in ty_2Ehreal_2Ehreal. (\forall V3y2 \in ty_2Ehreal_2Ehreal. \\
& ((ap (ap c_2Erealax_2Etreal_mul (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V0x1) V1y1)) (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V2x2) V3y2)) = (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) (ap (ap c_2Ehreal_2Ehreal_add (ap (ap c_2Ehreal_2Ehreal_mul \\
& V0x1) V2x2)) (ap (ap c_2Ehreal_2Ehreal_mul V1y1) V3y2))) (ap (\\
& ap c_2Ehreal_2Ehreal_add (ap (ap c_2Ehreal_2Ehreal_mul V0x1) \\
& V3y2)) (ap (ap c_2Ehreal_2Ehreal_mul V1y1) V2x2))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in ty_2Ehreal_2Ehreal. (\forall V1y1 \in ty_2Ehreal_2Ehreal. \\
& (\forall V2x2 \in ty_2Ehreal_2Ehreal. (\forall V3y2 \in ty_2Ehreal_2Ehreal. \\
& ((p (ap (ap c_2Erealax_2Etreal_lt (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V0x1) V1y1)) (ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal \\
& ty_2Ehreal_2Ehreal) V2x2) V3y2))) \Leftrightarrow (p (ap (ap c_2Ehreal_2Ehreal_lt \\
& (ap (ap c_2Ehreal_2Ehreal_add V0x1) V3y2)) (ap (ap c_2Ehreal_2Ehreal_add \\
& V2x2) V1y1))))))
\end{aligned} \tag{30}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal). \\
& (\forall V1y \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal). \\
& (((p (ap (ap c_2Erealax_2Etreal_lt c_2Erealax_2Etreal_0) V0x)) \wedge \\
& (p (ap (ap c_2Erealax_2Etreal_lt c_2Erealax_2Etreal_0) V1y))) \Rightarrow \\
& (p (ap (ap c_2Erealax_2Etreal_lt c_2Erealax_2Etreal_0) (ap \\
& (ap c_2Erealax_2Etreal_mul V0x) V1y))))))
\end{aligned}$$