

# thm\_2Erealax\_2ETREAL\_LT\_REFL (TM- cDgUYKqhNc48HLPZtXSRvfwrKLCq63hnC)

October 26, 2020

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{1}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2ESND\ A.27a\ A.27b \in (A.27b)^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)} \tag{2}$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2EFST\ A.27a\ A.27b \in (A.27a)^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)} \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ P)\ V0t))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

Let  $ty\_2Ehrat\_2Ehrat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehrat\_2Ehrat \tag{4}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{5}$$

Let  $c\_2Ehreal\_2Ecut : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ecut \in ((2^{ty\_2Ehrat\_2Ehrat})^{ty\_2Ehreal\_2Ehreal}) \quad (6)$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (7)$$

Let  $c\_2Ehrat\_2Ehrat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Ehrat\_2Ehrat}) \quad (8)$$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 9** We define  $c\_2Ehrat\_2Ehrat\_REP$  to be  $\lambda V0a \in ty\_2Ehrat\_2Ehrat.(ap (c\_2Emin\_2E\_40 (ty\_2Enum\_2Enum)))$

Let  $c\_2Ehrat\_2Etrat\_add : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)})) \quad (9)$$

Let  $c\_2Ehrat\_2Etrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (10)$$

Let  $c\_2Ehrat\_2Ehrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_ABS\_CLASS \in (ty\_2Ehrat\_2Ehrat^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})}) \quad (11)$$

**Definition 10** We define  $c\_2Ehrat\_2Ehrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 11** We define  $c\_2Ehrat\_2Ehrat\_add$  to be  $\lambda V0T1 \in ty\_2Ehrat\_2Ehrat.\lambda V1T2 \in ty\_2Ehrat\_2Ehrat.$

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40 (ty\_2Enum\_2Enum))))$

Let  $c\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ehreal \in (ty\_2Ehreal\_2Ehreal^{(2^{ty\_2Ehrat\_2Ehrat})}) \quad (12)$$

**Definition 13** We define  $c\_2Ehreal\_2Ehreal\_add$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2Ehreal.$

**Definition 14** We define  $c\_2Ehreal\_2Ehreal\_lt$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2Ehreal.$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda 27a.nonempty\ A.\lambda 27b.nonempty\ A.\lambda 27b \Rightarrow c\_2Epair\_2EABS\_prod\ A.\lambda 27a\ A.\lambda 27b \in ((ty\_2Epair\_2Eprod\ A.\lambda 27a\ A.\lambda 27b)^{(2^{A-27b})^{A-27a}}) \quad (13)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0x \in (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b).( (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & A\_27a\ A\_27b)\ (ap\ (c\_2Epair\_2EFST\ A\_27a\ A\_27b)\ V0x))\ (ap\ (c\_2Epair\_2ESND \\ & A\_27a\ A\_27b)\ V0x)) = V0x) \end{aligned} \quad (15)$$

Assume the following.

$$(\forall V0x \in ty\_2Ehreal\_2Ehreal. (\neg (p\ (ap\ (ap\ c\_2Ehreal\_2Ehreal\_lt\ V0x)\ V0x)))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0x1 \in ty\_2Ehreal\_2Ehreal. (\forall V1y1 \in ty\_2Ehreal\_2Ehreal. \\ & (\forall V2x2 \in ty\_2Ehreal\_2Ehreal. (\forall V3y2 \in ty\_2Ehreal\_2Ehreal. \\ & ((p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_lt\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Ehreal\_2Ehreal \\ & ty\_2Ehreal\_2Ehreal)\ V0x1)\ V1y1))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Ehreal\_2Ehreal \\ & ty\_2Ehreal\_2Ehreal)\ V2x2)\ V3y2))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Ehreal\_2Ehreal\_lt \\ & (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add\ V0x1)\ V3y2))\ (ap\ (ap\ c\_2Ehreal\_2Ehreal\_add \\ & V2x2)\ V1y1)))))) \end{aligned} \quad (17)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal). \\ & (\neg (p\ (ap\ (ap\ c\_2Erealax\_2Etreal\_lt\ V0x)\ V0x)))) \end{aligned}$$