

thm_2Erelation_2ETC__RC__EQNS
(TMZzUTDy2ygV6h4hrLNXZeNzvwSz74eXd8e)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))))$

Definition 5 We define `c_2Ecombin_2E_2K` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 6 We define `c_2Ecombin_2E_2S` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 7 We define `c_2Ecombin_2E_2I` to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2E_2S A_27a (A_27a^{A_27a})) A_27a))$

Definition 8 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}) P) P)))$

Definition 10 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 11 We define `c_2Erelation_2ERC` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1x \in A_27a.\lambda V2y \in A_27a.V0R x y$

Definition 12 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 13 We define `c_2Erelation_2ERTC` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b \in A_27a.V0R a b$

Definition 14 We define `c_2Erelation_2ETC` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b \in A_27a.V0R a b$

Definition 15 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 16 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Assume the following.

$$True \quad (1)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))) \quad (2)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p \ V0t))) \quad (3)$$

Assume the following.

$$(\forall V0t \in 2. ((p \ V0t) \vee \neg(p \ V0t))) \quad (4)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (5)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p \ V0t1) \wedge (p \ V1t2) \wedge (p \ V2t3)) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \wedge (p \ V2t3)))))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2. (((p \ V0t) \Rightarrow False) \Rightarrow \neg(p \ V0t))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow \neg(p \ V0t)))) \quad (11)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A_27a.(p (ap V1Q V4x))))))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in (2^{A_27a}).((\exists V2x \in A_27a.((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A_27a.(p (ap V0P V3x))) \vee (\exists V4x \in A_27a.(p (ap V1Q V4x))))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \vee (\exists V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A_27a.((p V0P) \vee (p (ap V1Q V3x))))))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).((\forall V2x \in A_27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A_27a.(p (ap V1Q V3x))))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in 2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((ap \ (c.2Ecombin.2EI \ A.27a) \ V0x) = V0x)) \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\ & (\forall V1P \in ((2^{A.27a})^{A.27a}).(((\forall V2x \in A.27a.(p \ (ap \ (ap \ V1P \ V2x) \ V2x))) \wedge (\forall V3x \in A.27a.(\forall V4y \in A.27a.(\forall V5z \in \\ & A.27a.(((p \ (ap \ (ap \ V0R \ V3x) \ V4y)) \wedge (p \ (ap \ (ap \ V1P \ V4y) \ V5z))) \Rightarrow (p \ (ap \ (ap \ V1P \ V3x) \ V5z)))))) \Rightarrow (\forall V6x \in A.27a.(\forall V7y \in A.27a. \\ & ((p \ (ap \ (ap \ (ap \ (c.2ERelation.2ERTC \ A.27a) \ V0R) \ V6x) \ V7y)) \Rightarrow (p \ (ap \ (ap \ V1P \ V6x) \ V7y)))))))))) \quad (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\ & ((\forall V1x \in A.27a.(\forall V2y \in A.27a.((p \ (ap \ (ap \ V0R \ V1x) \ V2y)) \Rightarrow \\ & (p \ (ap \ (ap \ (ap \ (c.2ERelation.2ETC \ A.27a) \ V0R) \ V1x) \ V2y)))))) \wedge (\forall V3x \in \\ & A.27a.(\forall V4y \in A.27a.(\forall V5z \in A.27a.(((p \ (ap \ (ap \ (ap \ (c.2ERelation.2ETC \ A.27a) \ V0R) \ V3x) \ V4y)) \wedge (p \ (ap \ (ap \ (ap \ (c.2ERelation.2ETC \ A.27a) \ V0R) \ V4y) \ V5z))) \Rightarrow (p \ (ap \ (ap \ (ap \ (c.2ERelation.2ETC \ A.27a) \ V0R) \ V3x) \ V5z)))))))))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& ((\forall V1x \in A_27a.(p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a) \\
& V0R)\ V1x)\ V1x))) \wedge (\forall V2x \in A_27a.(\forall V3y \in A_27a.(\forall V4z \in \\
& A_27a.(((p\ (ap\ (ap\ V0R\ V2x)\ V3y)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\
& A_27a)\ V0R)\ V3y)\ V4z)))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a) \\
& V0R)\ V2x)\ V4z))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& (\forall V1P \in ((2^{A_27a})^{A_27a}).(((\forall V2x \in A_27a.(p\ (ap\ (\\
& ap\ V1P\ V2x)\ V2x))) \wedge (\forall V3x \in A_27a.(\forall V4y \in A_27a.(\forall V5z \in \\
& A_27a.(((p\ (ap\ (ap\ V0R\ V3x)\ V4y)) \wedge ((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\
& A_27a)\ V0R)\ V4y)\ V5z)) \wedge (p\ (ap\ (ap\ V1P\ V4y)\ V5z)))) \Rightarrow (p\ (ap\ (ap\ V1P\ V3x) \\
& V5z)))))) \Rightarrow (\forall V6x \in A_27a.(\forall V7y \in A_27a.((p\ (ap\ (ap \\
& (ap\ (c_2Erelation_2ERTC\ A_27a)\ V0R)\ V6x)\ V7y)) \Rightarrow (p\ (ap\ (ap\ V1P\ V6x) \\
& V7y))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& (\forall V1x \in A_27a.(\forall V2y \in A_27a.((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\
& A_27a)\ V0R)\ V1x)\ V2y)) \Rightarrow (\forall V3z \in A_27a.((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\
& A_27a)\ V0R)\ V2y)\ V3z)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a) \\
& V0R)\ V1x)\ V3z))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& (\forall V1x \in A_27a.(\forall V2y \in A_27a.((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERC \\
& A_27a)\ V0R)\ V1x)\ V2y)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a) \\
& V0R)\ V1x)\ V2y))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& (\forall V1P \in ((2^{A_27a})^{A_27a}).(((\forall V2x \in A_27a.(\forall V3y \in \\
& A_27a.((p\ (ap\ (ap\ V0R\ V2x)\ V3y)) \Rightarrow (p\ (ap\ (ap\ V1P\ V2x)\ V3y)))) \wedge (\forall V4x \in \\
& A_27a.(\forall V5y \in A_27a.(\forall V6z \in A_27a.(((p\ (ap\ (ap\ V1P \\
& V4x)\ V5y)) \wedge (p\ (ap\ (ap\ V1P\ V5y)\ V6z)) \Rightarrow (p\ (ap\ (ap\ V1P\ V4x)\ V6z)))))) \Rightarrow \\
& (\forall V7u \in A_27a.(\forall V8v \in A_27a.((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ETC \\
& A_27a)\ V0R)\ V7u)\ V8v)) \Rightarrow (p\ (ap\ (ap\ V1P\ V7u)\ V8v))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0R \in ((2^{A_{.27a}})^{A_{.27a}}). \\ & (\forall V1x \in A_{.27a}. (\forall V2y \in A_{.27a}. ((p \text{ (ap (ap (ap (c_2Erelation_2ETC} \\ & A_{.27a}) V0R) V1x) V2y)) \Rightarrow (p \text{ (ap (ap (ap (c_2Erelation_2ERTC } A_{.27a}) \\ & V0R) V1x) V2y)))))) \end{aligned} \quad (34)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2. ((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow \text{False}))) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p \ V0A) \vee (p \ V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ & ((p \ V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \ V1B)) \Rightarrow \text{False})))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p \ V0A) \vee (p \ V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ & ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow \text{False})))))) \end{aligned} \quad (38)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p \ V0A)) \Rightarrow \text{False}) \Rightarrow (((p \ V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\ & (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg \\ & p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\ & ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\ & (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\ & (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\ & (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\ & ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \end{aligned} \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q)) \vee ((p V2r) \vee \neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q)) \vee \neg(p V0p)))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V0p))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V1q))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p V0p))) \Rightarrow (p V0p)) \quad (49)$$

Theorem 1

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0R \in ((2^{A_{.27a}})^{A_{.27a}}). \\ (((ap \text{ (c_2Erelation_2ERC } A_{.27a}) (ap \text{ (c_2Erelation_2ETC } A_{.27a}) \\ V0R)) = (ap \text{ (c_2Erelation_2ERTC } A_{.27a}) V0R)) \wedge ((ap \text{ (c_2Erelation_2ETC } \\ A_{.27a}) (ap \text{ (c_2Erelation_2ERC } A_{.27a}) V0R)) = (ap \text{ (c_2Erelation_2ERTC } \\ A_{.27a}) V0R))))$$