

thm_2Erelation_2EWF__RECURSION__THM (TMNNcmgmvUKtmt3uvE3QUshcuc7V7pix8Rs)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota))$

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y) \text{ of type } \iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40 A)))$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q) \text{ of type } \iota$.

Definition 5 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Definition 8 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Ebool_2E_2F_5C$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2Ebool_2EARB A_27a \in A_27a \quad (1)$$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2. V0t))$.

Definition 10 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 11 We define $c_2Erelation_2ERESTRIC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1f \in (A_27b^{A_27a})$

Definition 12 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2b \in A_27b. ($

Definition 13 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in M$

Definition 14 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in M$

Definition 15 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Definition 17 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21$

Definition 18 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$True \quad (2)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (3)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (4)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (6)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\ & A_27a.(((ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) \\ & V0t1) V1t2) = V1t2))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0R \in ((2^{A_{\text{27a}}})^{A_{\text{27a}}})). \\ & ((p (ap (c_2Erelation_2EWF A_{\text{27a}}) V0R)) \Rightarrow (\forall V1P \in (2^{A_{\text{27a}}})). \\ & ((\forall V2x \in A_{\text{27a}}. ((\forall V3y \in A_{\text{27a}}. ((p (ap (ap V0R V3y) V2x)) \Rightarrow \\ & (p (ap V1P V3y)))) \Rightarrow (p (ap V1P V2x)))) \Rightarrow (\forall V4x \in A_{\text{27a}}. (p (ap \\ & V1P V4x))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow \forall A_{\text{27b}}. \text{nonempty } A_{\text{27b}} \Rightarrow (\\ & \forall V0R \in ((2^{A_{\text{27a}}})^{A_{\text{27a}}}). (\forall V1M \in ((A_{\text{27b}})^{A_{\text{27a}}})^{(A_{\text{27b}})^{A_{\text{27a}}}}). \\ & ((p (ap (c_2Erelation_2EWF A_{\text{27a}}) V0R)) \Rightarrow (\forall V2x \in A_{\text{27a}}. (\\ & (ap (ap (ap (c_2Erelation_2EWREC A_{\text{27a}} A_{\text{27b}}) V0R) V1M) V2x) = (\\ & ap (ap V1M (ap (ap (ap (c_2Erelation_2ERESTRICT A_{\text{27a}} A_{\text{27b}}) (ap \\ & (ap (c_2Erelation_2EWREC A_{\text{27a}} A_{\text{27b}}) V0R) V1M) V0R) V2x)) V2x))))))) \end{aligned} \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (12)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (13)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow \\ ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p \\ & V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (18)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (19)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (20)$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow (\\ & \forall V0R \in ((2^{A_{.27a}})^{A_{.27a}}).((p (ap (c_{.2Erelation_2EWF} A_{.27a}) \\ & V0R)) \Rightarrow (\forall V1M \in ((A_{.27b}^{A_{.27a}})^{(A_{.27b}^{A_{.27a}})}).((p (ap (c_{.2Ebool_2E_3F_21} \\ & (A_{.27b}^{A_{.27a}})).(\lambda V2f \in (A_{.27b}^{A_{.27a}}).((ap (c_{.2Ebool_2E_21} A_{.27a}) \\ & (\lambda V3x \in A_{.27a}.(ap (ap (c_{.2Emin_2E_3D} A_{.27b}).(ap V2f V3x)) (ap \\ & (ap V1M (ap (ap (ap (c_{.2Erelation_2ERESTRIC} A_{.27a} A_{.27b}) V2f) V0R) \\ & V3x)) V3x))))))))))) \end{aligned}$$