

thm\_2Eres\_\_quan\_2ERES\_\_DISJ\_\_EXISTS\_\_DIST  
(TMKNyZwZHRT26idZT36h9SGMvEqAu4MMweg)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A\_27a}))$

**Definition 5** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2. V2t)))$

**Definition 6** We define `c_2Ebool_2E_2IN` to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (\text{ap } V1f \ V0x)))$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2. V2t)))$

**Definition 8** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \ (\text{ap } P \ x)) \text{ then } (the \ (\lambda x. x \in A \wedge p \ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define `c_2Ebool_2E_3F` to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (\text{ap } V0P \ (\text{ap } (\text{c\_2Emin\_2E\_40 } A) P)))$

**Definition 10** We define `c_2Ebool_2ERES__EXISTS` to be  $\lambda A\_27a : \iota. (\lambda V0p \in (2^{A\_27a}). (\lambda V1m \in (2^{A\_27a}). (\text{ap } V1m \ (\text{ap } (\text{c\_2Emin\_2E\_40 } A) p))))$

Assume the following.

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\ & (2^{A\_27a}). ((\exists V2x \in A\_27a. ((p \ (\text{ap } V0P \ V2x)) \vee (p \ (\text{ap } V1Q \ V2x)))))) \Leftrightarrow \\ & ((\exists V3x \in A\_27a. (p \ (\text{ap } V0P \ V3x))) \vee (\exists V4x \in A\_27a. (p \ (\text{ap } V1Q \ V4x)))))) \end{aligned} \quad (1)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p \ V1B) \vee (p \ V2C)) \wedge (p \ V0A)) \Leftrightarrow (((p \ V1B) \wedge (p \ V0A)) \vee ((p \ V2C) \wedge (p \ V0A)))))) \quad (2)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V1x)\ V0P)) \Leftrightarrow (p (ap\ V0P\ V1x)))))) \quad (3)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1f \in (2^{A-27a}). ((p (ap (ap (c\_2Ebool\_2ERES\_EXISTS\ A\_27a)\ V0P)\ V1f)) \Leftrightarrow (\exists V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0P)) \wedge (p (ap\ V1f\ V2x)))))))))) \quad (4)$$

**Theorem 1**

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in (2^{A-27a}). (\forall V2R \in (2^{A-27a}). ((p (ap (ap (c\_2Ebool\_2ERES\_EXISTS\ A\_27a)\ (\lambda V3i \in A\_27a. (ap (ap\ c\_2Ebool\_2E\_5C\_2F\ (ap\ V0P\ V3i))\ (ap\ V1Q\ V3i)))))) (\lambda V4i \in A\_27a. (ap\ V2R\ V4i)))))) \Leftrightarrow ((p (ap (ap (c\_2Ebool\_2ERES\_EXISTS\ A\_27a)\ V0P)\ (\lambda V5i \in A\_27a. (ap\ V2R\ V5i)))) \vee (p (ap (ap (c\_2Ebool\_2ERES\_EXISTS\ A\_27a)\ V1Q)\ (\lambda V6i \in A\_27a. (ap\ V2R\ V6i))))))))))$$