

thm_2Eres__quan_2ERES__EXISTS__DIFF (TM- SPG9rkTmo1QZPC56BH4HZxY2rpZgyjaXi)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define $c_2Emarker_2EAC$ to be $\lambda V0b1 \in 2.\lambda V1b2 \in 2.(ap (ap c_2Ebool_2E_2F_5C V0b1) V1b2)$

Definition 7 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 9 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2EIN$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (3)$$

Definition 11 We define `c_2Epred_set_2EDIFF` to be $\lambda A.27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2E$

Definition 12 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge$
of type $\iota \Rightarrow \iota$.

Definition 13 We define `c_2Ebool_2E_3F` to be $\lambda A.27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c_2Emin_2E_40$

Definition 14 We define `c_2Ebool_2ERES_EXISTS` to be $\lambda A.27a : \iota. (\lambda V0p \in (2^{A-27a}). (\lambda V1m \in (2^{A-27a}). ($

Assume the following.

$$True \tag{4}$$

Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A.27a. (p V0t)) \Leftrightarrow (p V0t))) \tag{5}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \wedge (p V1t2)) \Leftrightarrow ((p V1t2) \wedge (p V0t1)))))) \tag{6}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \tag{7}$$

Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0x \in A.27a. ((V0x = V0x) \Leftrightarrow True)) \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0f \in ((A.27a^{A-27a})^{A-27a}). \\ & ((\forall V1x \in A.27a. (\forall V2y \in A.27a. (\forall V3z \in A.27a. \\ & ((ap (ap V0f V1x) (ap (ap V0f V2y) V3z)) = (ap (ap V0f (ap (ap V0f V1x) \\ & V2y)) V3z)))))) \Rightarrow ((\forall V4x \in A.27a. (\forall V5y \in A.27a. ((ap \\ & (ap V0f V4x) V5y) = (ap (ap V0f V5y) V4x)))))) \Rightarrow (\forall V6x \in A.27a. (\\ & \forall V7y \in A.27a. (\forall V8z \in A.27a. ((ap (ap V0f V6x) (ap (ap \\ & V0f V7y) V8z)) = (ap (ap V0f V7y) (ap (ap V0f V6x) V8z)))))))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} & \forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0s \in (2^{A-27a}). (\forall V1t \in \\ & (2^{A-27a}). (\forall V2x \in A.27a. ((p (ap (ap (c_2Ebool_2EIN A.27a) \\ & V2x) (ap (ap (c_2Epred_set_2EDIFF A.27a) V0s) V1t))) \Leftrightarrow ((p (ap (\\ & ap (c_2Ebool_2EIN A.27a) V2x) V0s)) \wedge (\neg (p (ap (ap (c_2Ebool_2EIN \\ & A.27a) V2x) V1t)))))))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1f \in \\ & (2^{A-27a}). ((p (ap (ap (c_2Ebool_2ERES_EXISTS\ A_27a)\ V0P)\ V1f))) \Leftrightarrow \\ & (\exists V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0P)) \wedge \\ & (p (ap\ V1f\ V2x)))))) \end{aligned} \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0P \in (2^{A-27a}). (\forall V1s \in (2^{A-27a}). (\forall V2t \in \\ & (2^{A-27a}). (\forall V3x \in A_27b. ((p (ap (ap (c_2Ebool_2ERES_EXISTS \\ & A_27a)\ (ap (ap (c_2Epred_set_2EDIFF\ A_27a)\ V1s)\ V2t)) (\lambda V4x \in \\ & A_27a. (ap\ V0P\ V4x)))) \Leftrightarrow (p (ap (ap (c_2Ebool_2ERES_EXISTS\ A_27a) \\ & V1s)\ (\lambda V5x \in A_27a. (ap (ap\ c_2Ebool_2E_2F_5C\ (ap\ c_2Ebool_2E_7E \\ & (ap (ap (c_2Ebool_2EIN\ A_27a)\ V5x)\ V2t))\ (ap\ V0P\ V5x)))))))))) \end{aligned}$$