

thm\_2Erich\_list\_2EAPPEND\_FOLDL  
(TMX5tKZSHvgorQCXh4s87EMxXofohKZvHY5)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c\_2Elist\_2ECONS A.27a \in (((ty\_2Elist\_2Elist A.27a)^{(ty\_2Elist\_2Elist A.27a)})^{A.27a}) \quad (2)$$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c\_2Elist\_2ESNOC A.27a \in (((ty\_2Elist\_2Elist A.27a)^{(ty\_2Elist\_2Elist A.27a)})^{A.27a}) \quad (3)$$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Elist\_2EFOLDL A.27a A.27b \in (((A.27b)^{(ty\_2Elist\_2Elist A.27a)})^{A.27b})^{((A.27b)^{A.27a})^{A.27b}} \quad (4)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c\_2Elist\_2ENIL A.27a \in (ty\_2Elist\_2Elist A.27a) \quad (5)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c\_2Elist\_2EAPPEND A.27a \in (((ty\_2Elist\_2Elist A.27a)^{(ty\_2Elist\_2Elist A.27a)})^{(ty\_2Elist\_2Elist A.27a)}) \quad (6)$$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. ($

Assume the following.

$$True \tag{7}$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow ( \\ & \quad (\forall V0f \in ((A\_27b^{A\_27a})^{A\_27b}). (\forall V1e \in A\_27b. ((ap ( \\ & \quad ap (ap (c\_2Elist\_2EFOLDL A\_27a A\_27b) V0f) V1e) (c\_2Elist\_2ENIL \\ & \quad A\_27a)) = V1e))) \wedge (\forall V2f \in ((A\_27b^{A\_27a})^{A\_27b}). (\forall V3e \in \\ & \quad A\_27b. (\forall V4x \in A\_27a. (\forall V5l \in (ty\_2Elist\_2Elist A\_27a). \\ & \quad ((ap (ap (ap (c\_2Elist\_2EFOLDL A\_27a A\_27b) V2f) V3e) (ap (ap (c\_2Elist\_2ECONS \\ & \quad A\_27a) V4x) V5l)) = (ap (ap (ap (c\_2Elist\_2EFOLDL A\_27a A\_27b) V2f) \\ & \quad (ap (ap V2f V3e) V4x)) V5l))))))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist \\ & \quad A\_27a). (\forall V1x \in A\_27a. (\forall V2l2 \in (ty\_2Elist\_2Elist \\ & \quad A\_27a). ((ap (ap (c\_2Elist\_2EAPPEND A\_27a) V0l1) (ap (ap (c\_2Elist\_2ESNOC \\ & \quad A\_27a) V1x) V2l2)) = (ap (ap (c\_2Elist\_2ESNOC A\_27a) V1x) (ap (ap \\ & \quad (c\_2Elist\_2EAPPEND A\_27a) V0l1) V2l2))))))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}). \\ & \quad (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1l \in (ty\_2Elist\_2Elist \\ & \quad A\_27a). ((p (ap V0P V1l)) \Rightarrow (\forall V2x \in A\_27a. (p (ap V0P (ap (ap ( \\ & \quad c\_2Elist\_2ESNOC A\_27a) V2x) V1l)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & \quad A\_27a). (p (ap V0P V3l)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow ( \\ & \quad \forall V0f \in ((A\_27b^{A\_27a})^{A\_27b}). (\forall V1e \in A\_27b. (\forall V2x \in \\ & \quad A\_27a. (\forall V3l \in (ty\_2Elist\_2Elist A\_27a). ((ap (ap (ap (c\_2Elist\_2EFOLDL \\ & \quad A\_27a A\_27b) V0f) V1e) (ap (ap (c\_2Elist\_2ESNOC A\_27a) V2x) V3l)) = \\ & \quad (ap (ap V0f (ap (ap (ap (c\_2Elist\_2EFOLDL A\_27a A\_27b) V0f) V1e) V3l)) \\ & \quad V2x)))))) \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0l \in (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& A\_27a)\ V0l)\ (c\_2Elist\_2ENIL\ A\_27a)) = V0l)) \wedge (\forall V1l \in (ty\_2Elist\_2Elist \\
& A\_27b).((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27b)\ (c\_2Elist\_2ENIL\ A\_27b)) \\
& \quad V1l) = V1l))) \\
& \hspace{15em} (13)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist \\
& A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& A\_27a)\ V0l1)\ V1l2) = (ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27a)\ (ty\_2Elist\_2Elist \\
& A\_27a))\ (\lambda V2l\_27 \in (ty\_2Elist\_2Elist\ A\_27a).(\lambda V3x \in A\_27a. \\
& (ap\ (ap\ (c\_2Elist\_2ESNOC\ A\_27a)\ V3x)\ V2l\_27))))\ V0l1)\ V1l2))))
\end{aligned}$$