

thm_2Erich__list_2EAPPEND__SNOC1
(TMHrSP8NkNSTqsTPq1vxKtPMcGQ4eXAY658)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x)$

Definition 3 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } V 0P (\text{ap } (\text{c_2Emin_2E_40 } A))))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A 0) \quad (1)$$

Let `c_2Elist_2ESNOC` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2ESNOC } A. 27a \in (((\text{ty_2Elist_2Elist } A. 27a)^{(\text{ty_2Elist_2Elist } A. 27a)})^{A. 27a}) \quad (2)$$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2ENIL } A. 27a \in (\text{ty_2Elist_2Elist } A. 27a) \quad (3)$$

Let `c_2Elist_2EAPPEND` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2EAPPEND } A. 27a \in (((\text{ty_2Elist_2Elist } A. 27a)^{(\text{ty_2Elist_2Elist } A. 27a)})^{(\text{ty_2Elist_2Elist } A. 27a)}) \quad (4)$$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2ECONS } A. 27a \in (((\text{ty_2Elist_2Elist } A. 27a)^{(\text{ty_2Elist_2Elist } A. 27a)})^{A. 27a}) \quad (5)$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Assume the following.

$$True \tag{6}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{7}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{8}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \tag{9}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg (p V0t)))) \tag{10}$$

Assume the following.

$$(\forall V0t \in 2.((\neg (p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{11}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{12}$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \tag{13}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (14)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge (\neg False) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \ A.27a).(\forall V1l2 \in (ty_2Elist_2Elist \ A.27a).(\forall V2l3 \in (ty_2Elist_2Elist \ A.27a).((ap (ap (c.2Elist_2EAPPEND \ A.27a) \ V0l1) (ap (ap (c.2Elist_2EAPPEND \ A.27a) \ V1l2) \ V2l3)) = (ap (ap (c.2Elist_2EAPPEND \ A.27a) (ap (ap (c.2Elist_2EAPPEND \ A.27a) \ V0l1) \ V1l2)) \ V2l3)))))) \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1l \in \\ & (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V0x) \\ V1l) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V0x)\ (c_2Elist_2ENIL\ A_27a)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1l \in \\ & (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0x) \\ V1l) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V0x)\ (c_2Elist_2ENIL\ A_27a)))\ V1l)))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\ & ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q)) \vee \neg(p V0p)))))) \quad (33)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0l1 \in (ty.2Elist.2Elist \\
& A.27a). (\forall V1x \in A.27a. (\forall V2l2 \in (ty.2Elist.2Elist \\
& A.27a). ((ap (ap (c.2Elist.2EAPPEND A.27a) (ap (ap (c.2Elist.2ESNOC \\
& A.27a) V1x) V0l1)) V2l2) = (ap (ap (c.2Elist.2EAPPEND A.27a) V0l1) \\
& (ap (ap (c.2Elist.2ECONS A.27a) V1x) V2l2))))))
\end{aligned}$$