

thm_Erich_list_EBUTLASTN_APPEND1
 (TMcHvBx-
 PCFo19dd4azHGmDudU3vCHrcthKa)

October 26, 2020

Let $ty_Enum_Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_Enum_Enum \tag{1}$$

Definition 1 We define $c_Emin_E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_Ebool_E_2T$ to be $(ap (ap (c_Emin_E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_Ebool_E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_Emin_E_3D (2^{A-27a}))$

Definition 4 We define $c_Ebool_E_2F$ to be $(ap (c_Ebool_E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_Emin_E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_Ebool_E_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_E_3D_3D_3E V0t) c_Ebool_E_2F$

Definition 7 We define $c_Ebool_E_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \tag{2}$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_Enum_EABS_num : \iota$ be given. Assume the following.

$$c_Enum_EABS_num \in (ty_Enum_Enum^{\omega}) \tag{4}$$

Definition 8 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap c_Enum_EABS_num ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 13 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (5)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (6)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (7)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (8)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (9)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Definition 14 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Elist_2EREVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EREVERSE A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (11)$$

Let $c_2Elist_2EDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EDROP A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 15 We define $c_2Erich_list_2EBUTLASTN$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.\lambda V1xs$
Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (13)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum.(\forall V1m \in ty_2Enum_2Enum.(\\ & (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ c_2Enum_2ESUC\ V0n))\ (ap \\ & c_2Enum_2ESUC\ V1m))) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0n) \\ & V1m)))))) \end{aligned} \quad (15)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ c_2Enum_2ESUC\ V0n))\ c_2Enum_2E0)))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(((ap\ (ap\ c_2Earithmetic_2E_2D \\ & c_2Enum_2E0)\ V0m) = c_2Enum_2E0) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2D \\ & V0m)\ c_2Enum_2E0) = V0m))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum.(\forall V1m \in ty_2Enum_2Enum.(\\ & (ap\ (ap\ c_2Earithmetic_2E_2D\ (ap\ c_2Enum_2ESUC\ V0n))\ (ap\ c_2Enum_2ESUC \\ & V1m)) = (ap\ (ap\ c_2Earithmetic_2E_2D\ V0n)\ V1m)))) \end{aligned} \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2ELENGTH\ A_27a) \\
& (c_2Elist_2ENIL\ A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a.(\\
& \forall V1t \in (ty_2Elist_2Elist\ A_27a).(ap\ (c_2Elist_2ELENGTH \\
& A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC \\
& (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V1t))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1l \in \\
& (ty_2Elist_2Elist\ A_27a).(ap\ (c_2Elist_2ELENGTH\ A_27a)\ (ap \\
& (ap\ (c_2Elist_2ESNOC\ A_27a)\ V0x)\ V1l)) = (ap\ c_2Enum_2ESUC\ (ap\ (\\
& c_2Elist_2ELENGTH\ A_27a)\ V1l))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\
& A_27a).(\forall V1x \in A_27a.(\forall V2l2 \in (ty_2Elist_2Elist \\
& A_27a).(ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ (ap\ (ap\ (c_2Elist_2ESNOC \\
& A_27a)\ V1x)\ V2l2)) = (ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V1x)\ (ap\ (ap \\
& (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V2l2))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\
& (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1l \in (ty_2Elist_2Elist \\
& A_27a).(p\ (ap\ V0P\ V1l)) \Rightarrow (\forall V2x \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& c_2Elist_2ESNOC\ A_27a)\ V2x)\ V1l)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& A_27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p\ (ap\ V0P\ V2n))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0l \in (ty_2Elist_2Elist\ A_27a).((ap\ (ap\ (c_2Erich_list_2EBUTLASTN \\
& \quad A_27a)\ c_2Enum_2E0)\ V0l) = V0l)) \wedge (\forall V1n \in ty_2Enum_2Enum. \\
& \quad (\forall V2x \in A_27b.(\forall V3l \in (ty_2Elist_2Elist\ A_27b). \\
& \quad (ap\ (ap\ (c_2Erich_list_2EBUTLASTN\ A_27b)\ (ap\ c_2Enum_2ESUC\ V1n)) \\
& \quad (ap\ (ap\ (c_2Elist_2ESNOC\ A_27b)\ V2x)\ V3l)) = (ap\ (ap\ (c_2Erich_list_2EBUTLASTN \\
& \quad \quad A_27b)\ V1n)\ V3l)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0l \in (ty_2Elist_2Elist\ A_27a).((ap\ (ap\ (c_2Elist_2EAPPEND \\
& \quad A_27a)\ V0l)\ (c_2Elist_2ENIL\ A_27a)) = V0l)) \wedge (\forall V1l \in (ty_2Elist_2Elist \\
& \quad A_27b).((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27b)\ (c_2Elist_2ENIL\ A_27b)) \\
& \quad \quad V1l) = V1l))) \\
& \hspace{15em} (31)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l2 \in (ty_2Elist_2Elist \\
& \quad A_27a).(\forall V1n \in ty_2Enum_2Enum.((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\
& \quad (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V0l2))\ V1n)) \Rightarrow (\forall V2l1 \in (ty_2Elist_2Elist \\
& \quad \quad A_27a).((ap\ (ap\ (c_2Erich_list_2EBUTLASTN\ A_27a)\ V1n)\ (ap\ (ap \\
& \quad (c_2Elist_2EAPPEND\ A_27a)\ V2l1)\ V0l2)) = (ap\ (ap\ (c_2Erich_list_2EBUTLASTN \\
& \quad \quad A_27a)\ (ap\ (ap\ c_2Earithmetic_2E_2D\ V1n)\ (ap\ (c_2Elist_2ELENGTH \\
& \quad \quad \quad A_27a)\ V0l2)))\ V2l1))))))
\end{aligned}$$