

thm_2Erich_list_2EBUTLASTN_LENGTH_NIL
 (TMFp3dbFYvF6hyqoB5m57wLSZhpsBCuyi1s)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (3)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (5)$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (6)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (9)$$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))V0P))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num m)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Definition 6 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Elist_2EREVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2EREVERSE A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (11)$$

Let $c_2Elist_2EDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2EDROP A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})ty_2Enum_2Enum) \quad (12)$$

Definition 7 We define $c_2Erich_list_2EBUTLASTN$ to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum. \lambda V1xs \in$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (True))))$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t) \Leftrightarrow (p V1x))) \quad (14)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c_2Elist_2ELENGTH\ A_{27a}) \\ & (c_2Elist_2ENIL\ A_{27a})) = c_2Enum_2E0) \wedge (\forall V0h \in A_{27a}.(\\ & \forall V1t \in (ty_2Elist_2Elist\ A_{27a}).((ap\ (c_2Elist_2ELENGTH \\ & A_{27a})\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC \\ & (ap\ (c_2Elist_2ELENGTH\ A_{27a})\ V1t))))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0x \in A_{27a}.(\forall V1l \in \\ & (ty_2Elist_2Elist\ A_{27a}).((ap\ (c_2Elist_2ELENGTH\ A_{27a})\ (ap \\ & (ap\ (c_2Elist_2ESNOC\ A_{27a})\ V0x)\ V1l)) = (ap\ c_2Enum_2ESUC\ (ap\ (\\ & c_2Elist_2ELENGTH\ A_{27a})\ V1l)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_{27a})}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_{27a}))) \wedge (\forall V1l \in (ty_2Elist_2Elist \\ & A_{27a}).((p\ (ap\ V0P\ V1l)) \Rightarrow (\forall V2x \in A_{27a}.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ESNOC\ A_{27a})\ V2x)\ V1l))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_{27a}).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0l \in (ty_2Elist_2Elist\ A_{27a}).((ap\ (ap\ (c_2Erich_list_2EBUTLASTN \\ & A_{27a})\ c_2Enum_2E0)\ V0l) = V0l)) \wedge (\forall V1n \in ty_2Enum_2Enum. \\ & (\forall V2x \in A_{27b}.(\forall V3l \in (ty_2Elist_2Elist\ A_{27b}).(\\ & (ap\ (ap\ (c_2Erich_list_2EBUTLASTN\ A_{27b})\ (ap\ c_2Enum_2ESUC\ V1n)) \\ & (ap\ (ap\ (c_2Elist_2ESNOC\ A_{27b})\ V2x)\ V3l)) = (ap\ (ap\ (c_2Erich_list_2EBUTLASTN \\ & A_{27b})\ V1n)\ V3l))))))) \end{aligned} \quad (19)$$

Theorem 1

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l \in (ty_2Elist_2Elist \\ & A_{27a}).((ap\ (ap\ (c_2Erich_list_2EBUTLASTN\ A_{27a})\ (ap\ (c_2Elist_2ELENGTH \\ & A_{27a})\ V0l))\ V0l) = (c_2Elist_2ENIL\ A_{27a}))) \end{aligned}$$