

thm_2Erich__list_2ECOMM__MONOID__FOLDR (TMTobcBmd1iUubwV7tJy91pKvZ9iEtJKi45)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_27E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define `c_2Ecombin_2E_2COMM` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(ap$

Definition 8 We define `c_2Ecombin_2E_2LEFT_ID` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27b^{A_27b})^{A_27a}).\lambda$

Definition 9 We define `c_2Ecombin_2E_2RIGHT_ID` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((A_27a^{A_27b})^{A_27a}).\lambda$

Definition 10 We define `c_2Ecombin_2E_2EASSOC` to be $\lambda A_27a : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_2F$

Definition 11 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 12 We define `c_2Ecombin_2E_2MONOID` to be $\lambda A_27a : \iota.\lambda V0f \in ((A_27a^{A_27a})^{A_27a}).\lambda V1e \in A_27a$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let `c_2Elist_2E_2FOLDR` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2E_2FOLDR A_27a A_27b \in (((A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{(A_27b^{A_27b})^{A_27a}}) \quad (2)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (3)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (4)$$

Assume the following.

$$True \quad (5)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (7)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0f \in ((A_27b^{A_27b})^{A_27a}).(\forall V1e \in A_27b.((ap\ (\\ & ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27b)\ V0f)\ V1e)\ (c_2Elist_2ENIL \\ & A_27a)) = V1e))) \wedge (\forall V2f \in ((A_27b^{A_27b})^{A_27a}).(\forall V3e \in \\ & A_27b.(\forall V4x \in A_27a.(\forall V5l \in (ty_2Elist_2Elist\ A_27a). \\ & ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27b)\ V2f)\ V3e)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V4x)\ V5l)) = (ap\ (ap\ V2f\ V4x)\ (ap\ (ap\ (ap\ (c_2Elist_2EFOLDR \\ & A_27a\ A_27b)\ V2f)\ V3e)\ V5l)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & A_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (10)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in ((A_27a^{A_27a})^{A_27a}). \\ & ((p\ (ap\ (c_2Ecombin_2ECOMM\ A_27a\ A_27a)\ V0f)) \Rightarrow (\forall V1e_27 \in \\ & A_27a.((p\ (ap\ (ap\ (c_2Ecombin_2EMONOID\ A_27a)\ V0f)\ V1e_27)) \Rightarrow (\\ & \quad \forall V2e \in A_27a.(\forall V3l \in (ty_2Elist_2Elist\ A_27a).((\\ & ap\ (ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27a)\ V0f)\ V2e)\ V3l) = (ap\ (ap \\ & V0f\ V2e)\ (ap\ (ap\ (ap\ (c_2Elist_2EFOLDR\ A_27a\ A_27a)\ V0f)\ V1e_27 \\ & \quad V3l)))))))))) \end{aligned}$$