

thm_2Erich__list_2ECOUNT__LIST__GENLIST
(TMYqK65ZK4SRqQXs5f3wgmQWa3kT6kTpGwG)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 4 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 5 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 7 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (3)$$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EGENLIST A_27a \in (((ty_2Elist_2Elist A_27a)^{ty_2Enum_2Enum})^{(A_27a^{ty_2Enum_2Enum})}) \quad (4)$$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EMAP A_27a A_27b \in (((ty_2Elist_2Elist A_27b)^{(ty_2Elist_2Elist A_27a)})^{(A_27b^{A_27a}})) \quad (5)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (6)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (9)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (10)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (11)$$

Definition 10 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Erich_list_2ECOUNT_LIST : \iota$ be given. Assume the following.

$$c_2Erich_list_2ECOUNT_LIST \in ((ty_2Elist_2Elist ty_2Enum_2Enum)^{ty_2Enum_2Enum}) \quad (12)$$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap\ (c_{.2}Ecombin_{.2}EI\ A_{.27a})\ V0x) = V0x)) \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ & \forall V0f \in (A_{.27b}^{A_{.27a}}).(((ap\ (ap\ (c_{.2}Ecombin_{.2}Eo\ A_{.27a}\ A_{.27b}\ A_{.27b})\ (c_{.2}Ecombin_{.2}EI\ A_{.27b}))\ V0f) = V0f) \wedge ((ap\ (ap\ (c_{.2}Ecombin_{.2}Eo\ A_{.27a}\ A_{.27b}\ A_{.27a})\ V0f)\ (c_{.2}Ecombin_{.2}EI\ A_{.27a})) = V0f)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0f \in (A_{.27a}^{ty_{.2}Enum_{.2}Enum}). \\ & ((ap\ (ap\ (c_{.2}Elist_{.2}EGENLIST\ A_{.27a})\ V0f)\ c_{.2}Enum_{.2}E0) = (c_{.2}Elist_{.2}ENIL\ A_{.27a}))) \wedge (\forall V1f \in (A_{.27a}^{ty_{.2}Enum_{.2}Enum}).(\forall V2n \in \\ & ty_{.2}Enum_{.2}Enum.((ap\ (ap\ (c_{.2}Elist_{.2}EGENLIST\ A_{.27a})\ V1f)\ (ap\ c_{.2}Enum_{.2}ESUC\ V2n)) = (ap\ (ap\ (c_{.2}Elist_{.2}ESNOC\ A_{.27a})\ (ap\ V1f\ V2n))\ (ap\ (ap\ (c_{.2}Elist_{.2}EGENLIST\ A_{.27a})\ V1f)\ V2n)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ & \forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1g \in (A_{.27a}^{ty_{.2}Enum_{.2}Enum}). \\ & (\forall V2n \in ty_{.2}Enum_{.2}Enum.((ap\ (ap\ (c_{.2}Elist_{.2}EMAP\ A_{.27a}\ A_{.27b})\ V0f)\ (ap\ (ap\ (c_{.2}Elist_{.2}EGENLIST\ A_{.27a})\ V1g)\ V2n)) = (ap\ (ap\ (c_{.2}Elist_{.2}EGENLIST\ A_{.27b})\ (ap\ (ap\ (c_{.2}Ecombin_{.2}Eo\ ty_{.2}Enum_{.2}Enum\ A_{.27b}\ A_{.27a})\ V0f)\ V1g))\ V2n)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0f \in (A_{.27a}^{ty_{.2}Enum_{.2}Enum}). \\ & (\forall V1n \in ty_{.2}Enum_{.2}Enum.((ap\ (ap\ (c_{.2}Elist_{.2}EGENLIST\ A_{.27a})\ V0f)\ (ap\ c_{.2}Enum_{.2}ESUC\ V1n)) = (ap\ (ap\ (c_{.2}Elist_{.2}ECONS\ A_{.27a})\ (\\ & ap\ V0f\ c_{.2}Enum_{.2}E0))\ (ap\ (ap\ (c_{.2}Elist_{.2}EGENLIST\ A_{.27a})\ (ap\ (ap\ (c_{.2}Ecombin_{.2}Eo\ ty_{.2}Enum_{.2}Enum\ A_{.27a}\ ty_{.2}Enum_{.2}Enum)\ V0f)\ c_{.2}Enum_{.2}ESUC)\ V1n)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty_{.2}Enum_{.2}Enum}).(((p\ (ap\ V0P\ c_{.2}Enum_{.2}E0)) \wedge \\ & (\forall V1n \in ty_{.2}Enum_{.2}Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_{.2}Enum_{.2}ESUC\ V1n)))))) \Rightarrow (\forall V2n \in ty_{.2}Enum_{.2}Enum.(p\ (ap\ V0P\ V2n)))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned}
& (((ap\ c_2Erich_list_2ECOUNT_LIST\ c_2Enum_2E0) = (c_2Elist_2ENIL \\
& ty_2Enum_2Enum)) \wedge (\forall V0n \in ty_2Enum_2Enum. ((ap\ c_2Erich_list_2ECOUNT_LIST \\
& (ap\ c_2Enum_2ESUC\ V0n)) = (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Enum_2Enum) \\
& c_2Enum_2E0)\ (ap\ (ap\ (c_2Elist_2EMAP\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \\
& c_2Enum_2ESUC)\ (ap\ c_2Erich_list_2ECOUNT_LIST\ V0n)))))) \\
& \hspace{15em} (21)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((ap\ c_2Erich_list_2ECOUNT_LIST \\
& V0n) = (ap\ (ap\ (c_2Elist_2EGENLIST\ ty_2Enum_2Enum)\ (c_2Ecombin_2EI \\
& ty_2Enum_2Enum))\ V0n)))
\end{aligned}$$