

thm_2Erich__list_2ECOUNT__LIST__compute
(TMG8qRokuT1N4EJPBNG1cr3r8Pz26DVVbbs)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))(ty_2Elist_2Elist A_27a)) \quad (2)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))A_27a) \quad (3)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (4)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (5)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (6)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (9)$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Erich_list_2ECOUNT_LIST_AUX : \iota$ be given. Assume the following.

$$c_2Erich_list_2ECOUNT_LIST_AUX \in (((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t1\ t2))\ t1\ t2)$

Definition 10 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))\ x\ y$

Definition 11 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))\ f\ x\ y$

Definition 12 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap\ (ap\ (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a}))\ x\ y))\ x\ y$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EGENLIST\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)^{ty_2Enum_2Enum}})^{(A_27a^{ty_2Enum_2Enum}})) \quad (12)$$

Let $c_2Erich_list_2ECOUNT_LIST : \iota$ be given. Assume the following.

$$c_2Erich_list_2ECOUNT_LIST \in ((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{ty_2Enum_2Enum}) \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2El\ A_27a)\ V0x) = V0x)) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (c_2Elist_2ENIL\ A_27a))\ V0l) = V0l) \wedge (\forall V1l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V3h \in A_27a. ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ V1l1))\ V2l2) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l1)\ V2l2)))))))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l3 \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l2)\ V2l3)) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V1l2))\ V2l3)))))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l3 \in (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V1l2) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = V2l3)))))) \wedge (\forall V3l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V4l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V5l3 \in (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V4l2)\ V3l1) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3)))))) \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1l \in \\ & (ty_2Elist_2Elist\ A.27a). ((ap\ (ap\ (c_2Elist_2ESNOC\ A.27a)\ V0x) \\ V1l) = (ap\ (ap\ (c_2Elist_2EAPPEND\ A.27a)\ V1l)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A.27a)\ V0x)\ (c_2Elist_2ENIL\ A.27a)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0f \in (A.27a^{ty_2Enum_2Enum}). \\ & ((ap\ (ap\ (c_2Elist_2EGENLIST\ A.27a)\ V0f)\ c_2Enum_2E0) = (c_2Elist_2ENIL \\ & A.27a))) \wedge (\forall V1f \in (A.27a^{ty_2Enum_2Enum}). (\forall V2n \in \\ & ty_2Enum_2Enum. ((ap\ (ap\ (c_2Elist_2EGENLIST\ A.27a)\ V1f)\ (ap\ c_2Enum_2ESUC \\ V2n)) = (ap\ (ap\ (c_2Elist_2ESNOC\ A.27a)\ (ap\ V1f\ V2n))\ (ap\ (ap\ (c_2Elist_2EGENLIST \\ & A.27a)\ V1f)\ V2n)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}). (((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge \\ & (\forall V1n \in ty_2Enum_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC \\ V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p\ (ap\ V0P\ V2n)))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & ((\forall V0l \in (ty_2Elist_2Elist\ ty_2Enum_2Enum). ((ap\ (ap\ c_2Erich_list_2ECOUNT_LIST_AUX \\ & c_2Enum_2E0)\ V0l) = V0l)) \wedge (\forall V1n \in ty_2Enum_2Enum. (\forall V2l \in \\ & (ty_2Elist_2Elist\ ty_2Enum_2Enum). ((ap\ (ap\ c_2Erich_list_2ECOUNT_LIST_AUX \\ & (ap\ c_2Enum_2ESUC\ V1n))\ V2l) = (ap\ (ap\ c_2Erich_list_2ECOUNT_LIST_AUX \\ & V1n)\ (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Enum_2Enum)\ V1n)\ V2l)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((ap\ c_2Erich_list_2ECOUNT_LIST \\ V0n) = (ap\ (ap\ (c_2Elist_2EGENLIST\ ty_2Enum_2Enum)\ (c_2Ecombin_2EI \\ & ty_2Enum_2Enum))\ V0n))) \end{aligned} \quad (25)$$

Theorem 1

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((ap\ c_2Erich_list_2ECOUNT_LIST \\ V0n) = (ap\ (ap\ c_2Erich_list_2ECOUNT_LIST_AUX\ V0n)\ (c_2Elist_2ENIL \\ & ty_2Enum_2Enum)))) \end{aligned}$$