

thm\_2Erich\_list\_2EDROP\_LASTN  
(TMbC2cbsCDoecJiyssNXtHUgEtuVQWyAL5Z)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{3}$$

Let  $c\_2Elist\_2EDROP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EDROP\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ESNOC\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \tag{5}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ENIL\ A.27a \in (ty\_2Elist\_2Elist\ A.27a) \quad (9)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ECONS\ A.27a \in (((ty\_2Elist\_2Elist\ A.27a)^{(ty\_2Elist\_2Elist\ A.27a)})^{A.27a}) \quad (11)$$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge$   
of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 12** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2$

**Definition 14** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ELENGTH\ A.27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A.27a)}) \quad (12)$$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EREVERSE\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (13)$$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ETAKE\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 15** We define  $c\_2Erich\_list\_2ELASTN$  to be  $\lambda A\_27a : \iota. \lambda V0n \in ty\_2Enum\_2Enum. \lambda V1xs \in (ty$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ (ap\ c\_2Enum\_2ESUC\ V0n))\ (ap \\ & c\_2Enum\_2ESUC\ V1m))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V0n) \\ & V1m)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\neg (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\ & (ap\ c\_2Enum\_2ESUC\ V0n))\ c\_2Enum\_2E0)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (((ap\ (ap\ c\_2Earithmetic\_2E\_2D \\ & c\_2Enum\_2E0)\ V0m) = c\_2Enum\_2E0) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2D \\ & V0m)\ c\_2Enum\_2E0) = V0m))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & (ap\ (ap\ c\_2Earithmetic\_2E\_2D\ (ap\ c\_2Enum\_2ESUC\ V0n))\ (ap\ c\_2Enum\_2ESUC \\ & V1m)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2D\ V0n)\ V1m)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ (ap\ (ap\ c\_2Earithmetic\_2E\_2D \\ & V0n)\ V1m))\ V0n)))) \end{aligned} \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (((ap (c\_2Elist\_2ELENGTH A\_27a) (c\_2Elist\_2ENIL A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a.(\forall V1t \in (ty\_2Elist\_2Elist A\_27a).((ap (c\_2Elist\_2ELENGTH A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = (ap c\_2Enum\_2ESUC (ap (c\_2Elist\_2ELENGTH A\_27a) V1t)))))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}).(((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist A\_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A\_27a.(p (ap V0P (ap (ap (c\_2Elist\_2ECONS A\_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist A\_27a).(p (ap V0P V3l)))))) \quad (29)$$

Assume the following.

$$(\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p (ap V0P c\_2Enum\_2E0)) \wedge (\forall V1n \in ty\_2Enum\_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p (ap V0P V2n)))))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0l \in (ty\_2Elist\_2Elist \\
& A\_27a).((ap\ (ap\ (c\_2Elist\_2EDROP\ A\_27a)\ c\_2Enum\_2E0)\ V0l) = V0l)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum.(\forall V2x \in A\_27a.(\forall V3l \in \\
& (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Elist\_2EDROP\ A\_27a)\ (ap \\
& c\_2Enum\_2ESUC\ V1n))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2x)\ V3l)) = \\
& (ap\ (ap\ (c\_2Elist\_2EDROP\ A\_27a)\ V1n)\ V3l))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0l \in (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Erich\_list\_2ELASTN \\
& A\_27a)\ c\_2Enum\_2E0)\ V0l) = (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1n \in \\
& ty\_2Enum\_2Enum.(\forall V2x \in A\_27b.(\forall V3l \in (ty\_2Elist\_2Elist \\
& A\_27b).((ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A\_27b)\ (ap\ c\_2Enum\_2ESUC \\
& V1n))\ (ap\ (ap\ (c\_2Elist\_2ESNOC\ A\_27b)\ V2x)\ V3l)) = (ap\ (ap\ (c\_2Elist\_2ESNOC \\
& A\_27b)\ V2x)\ (ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A\_27b)\ V1n)\ V3l))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.( \\
& \forall V1l \in (ty\_2Elist\_2Elist\ A\_27a).((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\
& V0n)\ (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V1l))) \Rightarrow (\forall V2x \in A\_27a. \\
& ((ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A\_27a)\ V0n)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V2x)\ V1l)) = (ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A\_27a)\ V0n) \\
& V1l))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\
& A\_27a).((ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A\_27a)\ (ap\ (c\_2Elist\_2ELENGTH \\
& A\_27a)\ V0l))\ V0l) = V0l))
\end{aligned} \tag{34}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.( \\
& \forall V1l \in (ty\_2Elist\_2Elist\ A\_27a).((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D \\
& V0n)\ (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V1l))) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2EDROP \\
& A\_27a)\ V0n)\ V1l) = (ap\ (ap\ (c\_2Erich\_list\_2ELASTN\ A\_27a)\ (ap\ (ap \\
& c\_2Earithmetic\_2E\_2D\ (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V1l))\ V0n)) \\
& V1l))))))
\end{aligned}$$