

thm\_2Erich\_list\_2EELL\_LENGTH\_CONS  
(TMLxmctxCJKkpPxjr3K6wz1DZxxERvJDYSq)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)(ty\_2Elist\_2Elist A\_27a))A\_27a) \quad (2)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (3)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELENGTH A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist A\_27a)}) \quad (4)$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ESNOC A\_27a \in (((ty\_2Elist\_2Elist A\_27a)(ty\_2Elist\_2Elist A\_27a))A\_27a) \quad (5)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (6)$$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

Let  $c\_2Elist\_2EFRONT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EFRONT\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (7)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a})))$

**Definition 5** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Elist\_2ELAST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELAST\ A\_27a \in (A\_27a^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (11)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (12)$$

**Definition 6** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Erich\_list\_2EELL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Erich\_list\_2EELL\ A\_27a \in ((A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum} \quad (13)$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ t2)))$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow & (((ap (c.2Elist.2ELENGTH A.27a) \\ & (c.2Elist.2ENIL A.27a)) = c.2Enum.2E0) \wedge (\forall V0h \in A.27a. ( \\ & \forall V1t \in (ty.2Elist.2Elist A.27a). ((ap (c.2Elist.2ELENGTH \\ A.27a) (ap (ap (c.2Elist.2ECONS A.27a) V0h) V1t)) = (ap c.2Enum.2ESUC \\ & (ap (c.2Elist.2ELENGTH A.27a) V1t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow & ((\forall V0x \in A.27a. ((ap (c.2Elist.2ELAST \\ A.27a) (ap (ap (c.2Elist.2ECONS A.27a) V0x) (c.2Elist.2ENIL A.27a))) = \\ & V0x) \wedge (\forall V1x \in A.27a. (\forall V2y \in A.27a. (\forall V3z \in ( \\ & ty.2Elist.2Elist A.27a). ((ap (c.2Elist.2ELAST A.27a) (ap (ap \\ & (c.2Elist.2ECONS A.27a) V1x) (ap (ap (c.2Elist.2ECONS A.27a) V2y) \\ & V3z))) = (ap (c.2Elist.2ELAST A.27a) (ap (ap (c.2Elist.2ECONS A.27a) \\ & V2y) V3z))))))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow & ((\forall V0x \in A.27a. ((ap (ap (c.2Elist.2ESNOC \\ A.27a) V0x) (c.2Elist.2ENIL A.27a)) = (ap (ap (c.2Elist.2ECONS \\ & A.27a) V0x) (c.2Elist.2ENIL A.27a)))) \wedge (\forall V1x \in A.27a. (\forall V2x.27 \in \\ & A.27a. (\forall V3l \in (ty.2Elist.2Elist A.27a). ((ap (ap (c.2Elist.2ESNOC \\ & A.27a) V1x) (ap (ap (c.2Elist.2ECONS A.27a) V2x.27) V3l)) = (ap ( \\ & ap (c.2Elist.2ECONS A.27a) V2x.27) (ap (ap (c.2Elist.2ESNOC A.27a) \\ & V1x) V3l))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow & (\forall V0x \in A.27a. (\forall V1l \in \\ & (ty.2Elist.2Elist A.27a). ((ap (c.2Elist.2ELENGTH A.27a) (ap \\ & (ap (c.2Elist.2ESNOC A.27a) V0x) V1l)) = (ap c.2Enum.2ESUC (ap ( \\ & c.2Elist.2ELENGTH A.27a) V1l)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow & (\forall V0x \in A.27a. (\forall V1l \in \\ & (ty.2Elist.2Elist A.27a). ((ap (c.2Elist.2EFront A.27a) (ap ( \\ & (ap (c.2Elist.2ESNOC A.27a) V0x) V1l)) = V1l))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}), \\
& (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1l \in (ty\_2Elist\_2Elist \\
& A\_27a).(p\ (ap\ V0P\ V1l))) \Rightarrow (\forall V2x \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\
& c\_2Elist\_2ESNOC\ A\_27a\ V2x)\ V1l)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
& A\_27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0l \in (ty\_2Elist\_2Elist \\
& A\_27a).(ap\ (ap\ (c\_2Erich\_list\_2EELL\ A\_27a)\ c\_2Enum\_2E0)\ V0l) = \\
& (ap\ (c\_2Elist\_2ELAST\ A\_27a)\ V0l))) \wedge (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2l \in (ty\_2Elist\_2Elist\ A\_27a).(ap\ (ap\ (c\_2Erich\_list\_2EELL \\
& A\_27a)\ (ap\ c\_2Enum\_2ESUC\ V1n))\ V2l) = (ap\ (ap\ (c\_2Erich\_list\_2EELL \\
& A\_27a)\ V1n)\ (ap\ (c\_2Elist\_2EFRONT\ A\_27a)\ V2l))))))
\end{aligned} \tag{24}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\
& A\_27a).(\forall V1x \in A\_27a.((ap\ (ap\ (c\_2Erich\_list\_2EELL\ A\_27a) \\
& (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V0l))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a) \\
& V1x)\ V0l)) = V1x)))
\end{aligned}$$