

thm\_2Erich\_list\_2EELL\_MEM  
 (TMMQskA1FnhbLKBi8Can4iEUZ6zJJ9PFdrK)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (2)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (3)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELENGTH A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist A\_27a)}) \quad (4)$$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. inj\_o (t1 = t2))))$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (5)$$

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x))$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda a.\text{nonempty}\ A \Rightarrow c\_2Elist\_2ENIL\ A \in (\text{ty\_2Elist\_2Elist}\ A) \quad (6)$$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2)))$

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (\text{ty\_2Enum\_2Enum}^{\omega}) \quad (9)$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in \text{ty\_2Enum\_2Enum}.(ap\ c\_2Enum\_2EABS\_num\ m)$

**Definition 11** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge \dots) \text{ of type } \iota \Rightarrow \iota)$

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A)\ V0P)))$

**Definition 13** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in \text{ty\_2Enum\_2Enum}.(\lambda V1n \in \text{ty\_2Enum\_2Enum}.(ap\ c\_2Eprim\_rec\_2E\_3C\ m\ n))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

**Definition 14** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda a.\text{nonempty}\ A \Rightarrow c\_2Elist\_2ESNOC\ A \in (((\text{ty\_2Elist\_2Elist}\ A)^{(ty\_2Elist\_2Elist\ A)})^{A-27a}) \quad (11)$$

Let  $c\_2Erich\_list\_2EELL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda a.\text{nonempty}\ A \Rightarrow c\_2Erich\_list\_2EELL\ A \in ((\text{ty\_2Elist\_2Elist}\ A)^{(ty\_2Elist\_2Elist\ A)})^{ty\_2Enum\_2Enum} \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (((ap (c\_2Elist\_2ELENGTH A\_27a) \\ & (c\_2Elist\_2ENIL A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a. ( \\ & \forall V1t \in (ty\_2Elist\_2Elist A\_27a). ((ap (c\_2Elist\_2ELENGTH \\ & A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = (ap c\_2Enum\_2ESUC \\ & (ap (c\_2Elist\_2ELENGTH A\_27a) V1t))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1l \in \\ & (ty\_2Elist\_2Elist A\_27a). ((ap (c\_2Elist\_2ELENGTH A\_27a) (ap \\ & (ap (c\_2Elist\_2ESNOC A\_27a) V0x) V1l)) = (ap c\_2Enum\_2ESUC (ap ( \\ & c\_2Elist\_2ELENGTH A\_27a) V1l)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0y \in A\_27a. (\forall V1x \in \\ & A\_27a. (\forall V2l \in (ty\_2Elist\_2Elist A\_27a). ((p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27a) V0y) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) (ap (ap (c\_2Elist\_2ESNOC \\ & A\_27a) V1x) V2l)))) \Leftrightarrow ((V0y = V1x) \vee (p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\ & V0y) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) V2l)))))))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{ty\_2Elist\_2Elist A\_27a}). \\ & (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1l \in (ty\_2Elist\_2Elist A\_27a).((p (ap V0P V1l)) \Rightarrow (\forall V2x \in A\_27a.(p (ap V0P (ap (ap (c\_2Elist\_2ESNOC A\_27a) V2x) V1l))))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist A\_27a).(p (ap V0P V3l)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p (ap V0P c\_2Enum\_2E0)) \wedge \\ & (\forall V1n \in ty\_2Enum\_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC V1n))))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p (ap V0P V2n)))))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) c\_2Enum\_2E0)))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(( \\ & (p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Enum\_2ESUC V0m)) (ap c\_2Enum\_2ESUC V1n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist A\_27a).(\forall V1x \in A\_27a.((ap (ap (c\_2Erich\_list\_2EELL A\_27a) \\ & c\_2Enum\_2E0) (ap (ap (c\_2Elist\_2ESNOC A\_27a) V1x) V0l)) = V1x))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1x \in A\_27a.(\forall V2l \in (ty\_2Elist\_2Elist A\_27a).(( \\ & ap (ap (c\_2Erich\_list\_2EELL A\_27a) (ap c\_2Enum\_2ESUC V0n)) (ap \\ & (ap (c\_2Elist\_2ESNOC A\_27a) V1x) V2l)) = (ap (ap (c\_2Erich\_list\_2EELL A\_27a) V0n) V2l)))))) \end{aligned} \quad (28)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1l \in (ty\_2Elist\_2Elist A\_27a).((p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) (ap (c\_2Elist\_2ELENGTH A\_27a) V1l))) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN A\_27a) (ap (ap (c\_2Erich\_list\_2EELL A\_27a) V0n) V1l)) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) V1l))))))) \end{aligned}$$