

thm_2Erich__list_2EELL__PRE__LENGTH (TM- bYdgL6GKAHdboYeEnwByKFCDe4D6L15t8)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EHd : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EHd A_27a \in (A_27a^{(ty_2Elist_2Elist A_27a)}) \quad (2)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (4)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (7)$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 9 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then}$ (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 10 We define c_2Ebool_2E2F5C to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in$

Definition 11 We define c_2Ebool_2ECOND to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Definition 12 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2E$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ECONS\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{A.27a}) \quad (9)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ELENGTH\ A.27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A.27a)}) \quad (10)$$

Let $c_2Erich_list_2EELL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Erich_list_2EELL\ A.27a \in ((A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{ty_2Enum_2Enum} \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A.27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (14) \end{aligned}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in (ty_2Elist_2Elist A.27a).((ap (c_2Elist_2EHD A.27a) (ap (c_2Elist_2ECONS A.27a) V0h) V1t)) = V0h))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (((ap (c_2Elist_2ELENGTH A.27a) (c_2Elist_2ENIL A.27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A.27a.(\forall V1t \in (ty_2Elist_2Elist A.27a).((ap (c_2Elist_2ELENGTH A.27a) (ap (ap (c_2Elist_2ECONS A.27a) V0h) V1t)) = (ap c_2Enum_2ESUC (ap (c_2Elist_2ELENGTH A.27a) V1t))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A.27a)}).(((p (ap V0P (c_2Elist_2ENIL A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist A.27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A.27a.(p (ap V0P (ap (ap (c_2Elist_2ECONS A.27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist A.27a).(p (ap V0P V3l))))) \quad (20)$$

Assume the following.

$$(((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = c_2Enum_2E0) \wedge (\forall V0m \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE (ap c_2Enum_2ESUC V0m)) = V0m))) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist A.27a).(\forall V1x \in A.27a.((ap (ap (c_2Erich_list_2EELL A.27a) (ap (c_2Elist_2ELENGTH A.27a) V0l)) (ap (ap (c_2Elist_2ECONS A.27a) V1x) V0l)) = V1x))) \quad (22)$$

Theorem 1

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ A_{27a}). ((\neg(V0l = (c_2Elist_2ENIL A_{27a}))) \Rightarrow ((ap (ap (c_2Erich_list_2EELL \\ A_{27a}) (ap c_2Eprim_rec_2EPRE (ap (c_2Elist_2ELENGTH A_{27a}) \\ V0l))) V0l) = (ap (c_2Elist_2EHD A_{27a}) V0l))))$$