

# thm\_2Erich\_list\_2EELL\_SNOC (TMSBhB- mgmhDjbcBAHtbtqQ8YBZm5vzM6Qce)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 4** We define `c_2Ebool_2E_2F` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V 0t \in 2.V 0t))$ .

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty\_2Elist\_2Elist } A 0) \quad (1)$$

Let `c_2Elist_2ESNOC` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c\_2Elist\_2ESNOC } A. 27a \in (((\text{ty\_2Elist\_2Elist } A. 27a) (\text{ty\_2Elist\_2Elist } A. 27a)) A. 27a) \quad (2)$$

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p P \Rightarrow p Q)$  of type  $\iota$ .

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Enum\_2Enum} \quad (3)$$

Let `c_2Enum_2EREP_num` :  $\iota$  be given. Assume the following.

$$\text{c\_2Enum\_2EREP\_num} \in (\text{omega}^{\text{ty\_2Enum\_2Enum}}) \quad (4)$$

Let `c_2Enum_2ESUC_REP` :  $\iota$  be given. Assume the following.

$$\text{c\_2Enum\_2ESUC\_REP} \in (\text{omega}^{\text{omega}}) \quad (5)$$

Let `c_2Enum_2EABS_num` :  $\iota$  be given. Assume the following.

$$\text{c\_2Enum\_2EABS\_num} \in (\text{ty\_2Enum\_2Enum}^{\text{omega}}) \quad (6)$$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{7}$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2$

**Definition 10** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 11** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Ebool\_2E$

**Definition 12** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 14** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Elist\_2EFRONT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EFRONT\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)}) \tag{8}$$

Let  $c\_2Elist\_2ELAST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELAST\ A\_27a \in (A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)} \tag{9}$$

Let  $c\_2Erich\_list\_2EELL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Erich\_list\_2EELL\ A\_27a \in ((A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum} \tag{10}$$

Assume the following.

$$True \tag{11}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{12}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \tag{13}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1l \in \\ & (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2EFront\ A\_27a)\ (ap\ ( \\ & ap\ (c\_2Elist\_2ESnoc\ A\_27a)\ V0x)\ V1l)) = V1l))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\ & (\forall V1n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\ & V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p\ (ap\ V0P\ V2n)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (((ap\ c\_2Eprim\_rec\_2EPRE\ c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge (\forall V0m \in \\ & ty\_2Enum\_2Enum. ((ap\ c\_2Eprim\_rec\_2EPRE\ (ap\ c\_2Enum\_2ESUC\ V0m)) = \\ & V0m))) \end{aligned} \quad (20)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0n)\ c\_2Enum\_2E0)))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0) \\ & (ap\ c\_2Enum\_2ESUC\ V0n)))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow ((\forall V0l \in (ty\_2Elist\_2Elist \\
& A_{27a}). ((ap (ap (c\_2Erich\_list\_2EELL A_{27a}) c\_2Enum\_2E0) V0l) = \\
& (ap (c\_2Elist\_2ELAST A_{27a}) V0l))) \wedge (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2l \in (ty\_2Elist\_2Elist A_{27a}). ((ap (ap (c\_2Erich\_list\_2EELL \\
& A_{27a}) (ap c\_2Enum\_2ESUC V1n)) V2l) = (ap (ap (c\_2Erich\_list\_2EELL \\
& A_{27a}) V1n) (ap (c\_2Elist\_2EFRONT A_{27a}) V2l))))))
\end{aligned} \tag{23}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum. ( \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V0n)) \Rightarrow (\forall V1x \in \\
& A_{27a}. (\forall V2l \in (ty\_2Elist\_2Elist A_{27a}). ((ap (ap (c\_2Erich\_list\_2EELL \\
& A_{27a}) V0n) (ap (ap (c\_2Elist\_2ESNOC A_{27a}) V1x) V2l)) = (ap (ap ( \\
& c\_2Erich\_list\_2EELL A_{27a}) (ap c\_2Eprim\_rec\_2EPRE V0n)) V2l))))))
\end{aligned}$$