

thm_2Erich_list_2EEL_TAKE (TMGNtkFgtsSo- jyJ4QuPrFpHGwZxRdXY79ZB)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2. V0t)$.

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Ebool_2E_3F` to be $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P (\text{ap } (\text{c_2Emin_2E_40 } A))))$

Definition 7 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define `c_2Ebool_2E_5C_2E_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2. V2t)))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (1)$$

Let `c_2Elist_2EHD` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A \Rightarrow \text{c_2Elist_2EHD } A \Rightarrow 27a \in (A \Rightarrow (\text{ty_2Elist_2Elist } A)) \quad (2)$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } (\text{ty_2Enum_2Enum}) \quad (3)$$

Let `c_2Elist_2EEL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A \Rightarrow \text{c_2Elist_2EEL } A \Rightarrow 27a \in ((\text{ty_2Elist_2Elist } A) \Rightarrow (\text{ty_2Enum_2Enum})) \quad (4)$$

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V2t) c_2Ebool_2E_7E) V1t2) V0t1)))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (7)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num (ap c_2Enum_2ESUC_REP V0m))$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap c_2Eprim_rec_2E_3C V0m V1n)$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (8)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (9)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Definition 13 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Elist_2ETAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ETAKE A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum}) \quad (11)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum.(V0m = (ap c_2Enum_2ESUC V1n)))))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ & (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Enum_2ESUC V0m)) (ap c_2Enum_2ESUC V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))) \end{aligned} \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (22)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0h \in A.27a. (\forall V1t \in (ty_2Elist_2Elist\ A.27a). ((ap\ (c_2Elist_2EHD\ A.27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V0h)\ V1t)) = V0h))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist\ A.27a). ((V0l = (c_2Elist_2ENIL\ A.27a)) \vee (\exists V1h \in A.27a. (\exists V2t \in (ty_2Elist_2Elist\ A.27a). (V0l = (ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ V1h)\ V2t)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\forall V1l \in A.27b. (\forall V2ls \in (ty_2Elist_2Elist\ A.27b). (((ap\ (c_2Elist_2EEL\ A.27a)\ c_2Enum_2E0) = (c_2Elist_2EHD\ A.27a)) \wedge ((ap\ (ap\ (c_2Elist_2EEL\ A.27b)\ (ap\ c_2Enum_2ESUC\ V0n))\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ V1l)\ V2ls)) = (ap\ (ap\ (c_2Elist_2EEL\ A.27b)\ V0n)\ V2ls)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. ((ap\ (ap\ (c_2Elist_2ETAKE\ A.27a)\ V0n)\ (c_2Elist_2ENIL\ A.27a)) = (c_2Elist_2ENIL\ A.27a))) \quad (27)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC\ V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p\ (ap\ V0P\ V2n)))))) \quad (28)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ c_2Enum_2E0)))) \quad (29)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ (ap\ c_2Enum_2ESUC\ V0n)))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist \\
& A_{27a}). ((ap (ap (c_2Elist_2ETAKE A_{27a}) c_2Enum_2E0) V0l) = (c_2Elist_2ENIL \\
& A_{27a}))) \wedge (\forall V1n \in ty_2Enum_2Enum. (\forall V2x \in A_{27a}. (\\
& \forall V3l \in (ty_2Elist_2Elist A_{27a}). ((ap (ap (c_2Elist_2ETAKE \\
& A_{27a}) (ap c_2Enum_2ESUC V1n)) (ap (ap (c_2Elist_2ECONS A_{27a}) \\
& V2x) V3l)) = (ap (ap (c_2Elist_2ECONS A_{27a}) V2x) (ap (ap (c_2Elist_2ETAKE \\
& A_{27a}) V1n) V3l)))))))))
\end{aligned} \tag{31}$$

Theorem 1

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\\
& \forall V1x \in ty_2Enum_2Enum. (\forall V2l \in (ty_2Elist_2Elist \\
& A_{27a}). ((p (ap (ap c_2Eprim_rec_2E_3C V1x) V0n)) \Rightarrow ((ap (ap (c_2Elist_2EEL \\
& A_{27a}) V1x) (ap (ap (c_2Elist_2ETAKE A_{27a}) V0n) V2l)) = (ap (ap (\\
& c_2Elist_2EEL A_{27a}) V1x) V2l)))))))))
\end{aligned}$$