

# thm\_2Erich\_list\_2EFILTER\_FOLDL (TMWzjL-GMNhpFhY3NWN6GxXLdMEQxEgZd4o)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1t \in 2.V1t)) P))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. (inj\_o (t1 = t2))))))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x)) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap (c\_2Ebool\_2E\_21 2) (\lambda V3t3 \in 2. (inj\_o (t1 = t2)))))))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EFILTER A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(2^{A\_27a})}) \quad (2)$$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EFOLDL A\_27a A\_27b \in (((A\_27b^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27b})^{((A\_27b^{A\_27b})^{A\_27a})}) \quad (3)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)_{(ty\_2Elist\_2Elist A\_27a)^{A\_27a}})^{A\_27a}) \quad (4)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (5)$$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (7)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (8)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & ((\forall V0P \in (2^{A\_27a}).((ap (ap (c\_2Elist\_2EFILTER A\_27a) V0P) (c\_2Elist\_2ENIL A\_27a)) = (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1P \in (2^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist A\_27a).((ap (ap (c\_2Elist\_2EFILTER A\_27a) V1P) (ap (ap (c\_2Elist\_2ECONS A\_27a) V2h) V3t)) = (ap (ap (ap (c\_2Ebool\_2ECOND (ty\_2Elist\_2Elist A\_27a)) (ap V1P V2h)) (ap (ap (c\_2Elist\_2ECONS A\_27a) V2h) (ap (ap (c\_2Elist\_2EFILTER A\_27a) V1P) V3t))) (ap (ap (c\_2Elist\_2EFILTER A\_27a) V1P) V3t))))))) \\ & (9) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & \forall A\_27b.\text{nonempty } A\_27b \Rightarrow ((\forall V0f \in ((A\_27b^{A\_27b})^{A\_27a}).(\forall V1e \in A\_27b.((ap (ap (c\_2Elist\_2EFOLD R A\_27a A\_27b) V0f) V1e) (c\_2Elist\_2ENIL A\_27a)) = V1e))) \wedge (\forall V2f \in ((A\_27b^{A\_27b})^{A\_27a}).(\forall V3e \in A\_27b.(\forall V4x \in A\_27a.(\forall V5l \in (ty\_2Elist\_2Elist A\_27a).((ap (ap (ap (c\_2Elist\_2EFOLD R A\_27a A\_27b) V2f) V3e) (ap (ap (c\_2Elist\_2ECONS A\_27a) V4x) V5l)) = (ap (ap V2f V4x) (ap (ap (ap (c\_2Elist\_2EFOLD R A\_27a A\_27b) V2f) V3e) V5l))))))) \\ & (10) \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}). \\
 & (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\
 & A\_27a).(p (ap V0P V1t)) \Rightarrow (\forall V2h \in A\_27a.(p (ap V0P (ap (ap \\
 & c\_2Elist\_2ECONS A\_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
 & A\_27a).(p (ap V0P V3l)))) \\
 & (11)
 \end{aligned}$$

**Theorem 1**

$$\begin{aligned}
 & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1l \in \\
 & (ty\_2Elist\_2Elist A\_27a).((ap (ap (c\_2Elist\_2EFILTER A\_27a) \\
 & V0P) V1l) = (ap (ap (ap (c\_2Elist\_2EFOLDR A\_27a (ty\_2Elist\_2Elist \\
 & A\_27a)) (\lambda V2x \in A\_27a.(\lambda V3l\_27 \in (ty\_2Elist\_2Elist A\_27a). \\
 & (ap (ap (ap (c\_2Ebool\_2ECOND (ty\_2Elist\_2Elist A\_27a)) (ap V0P \\
 & V2x)) (ap (ap (c\_2Elist\_2ECONS A\_27a) V2x) V3l\_27)) V3l\_27)))) \\
 & (c\_2Elist\_2ENIL A\_27a)) V1l)))) \\
 & (11)
 \end{aligned}$$