

# thm\_2Erich\_list\_2EFILTER\_MAP (TMHn-MWcVtn4JJikG7TWY8d1tCvzsQnVb66Z)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V0t \in 2.V0t)) (\lambda V1t \in 2.V1t)))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 6** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t)))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF)))$

**Definition 8** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty \ A0 \Rightarrow nonempty \ (ty\_2Elist\_2Elist \ A0) \quad (1)$$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow c\_2Elist\_2EMAP \\ & A\_27a \ A\_27b \in (((ty\_2Elist\_2Elist \ A\_27b)^{(ty\_2Elist\_2Elist \ A\_27a)})^{(A\_27b^{A\_27a})}) \end{aligned} \quad (2)$$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p x)) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Ebool\_2E\_21 2) (\lambda V3t3 \in 2.V3t3))))))$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2EFILTER A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(2^{A\_27a})}) \quad (3)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (4)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (5)$$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (9)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t) \Leftrightarrow (p V0t)))) \quad (10)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V0t1) V1t2) = V1t2)))) \\ & (13) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \forall A_{27c}. \\ nonempty\ A_{27c} \Rightarrow & (\forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1g \in (A_{27a}^{A_{27c}}). \\ (\forall V2x \in A_{27c}.((ap\ (ap\ (ap\ (c_{2Ecombin\_2Eo}\ A_{27c}\ A_{27b}\ A_{27a}) \\ V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x))))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ (\forall V0f \in (A_{27b}^{A_{27a}}).((ap\ (ap\ (c_{2Elist\_2EMAP}\ A_{27a}\ A_{27b}) \\ V0f)\ (c_{2Elist\_2ENIL}\ A_{27a})) = (c_{2Elist\_2ENIL}\ A_{27b}))) \wedge (\forall V1f \in \\ A_{27a}).((ap\ (ap\ (c_{2Elist\_2EMAP}\ A_{27a}\ A_{27b})\ V1f)\ (ap\ (ap\ (c_{2Elist\_2ECONS} \\ A_{27a})\ V2h)\ V3t)) = (ap\ (ap\ (c_{2Elist\_2ECONS}\ A_{27b})\ (ap\ V1f\ V2h)) \\ (ap\ (ap\ (c_{2Elist\_2EMAP}\ A_{27a}\ A_{27b})\ V1f)\ V3t))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0P \in (2^{A_{27a}}).((ap\ ( \\ ap\ (c_{2Elist\_2EFILTER}\ A_{27a})\ V0P)\ (c_{2Elist\_2ENIL}\ A_{27a})) = (c_{2Elist\_2ENIL} \\ A_{27a}))) \wedge (\forall V1P \in (2^{A_{27a}}).(\forall V2h \in A_{27a}.(\forall V3t \in \\ (ty_{2Elist\_2Elist}\ A_{27a}).((ap\ (ap\ (c_{2Elist\_2EFILTER}\ A_{27a})\ V1P)\ (ap\ (ap\ (c_{2Ebool\_2ECOND} \\ (ty_{2Elist\_2Elist}\ A_{27a}))\ (ap\ V1P\ V2h))\ (ap\ (ap\ (c_{2Elist\_2ECONS} \\ A_{27a})\ V2h)\ (ap\ (ap\ (c_{2Elist\_2EFILTER}\ A_{27a})\ V1P)\ V3t)))\ (ap\ (ap \\ (c_{2Elist\_2EFILTER}\ A_{27a})\ V1P)\ V3t))))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0P \in (2^{(ty_{2Elist\_2Elist}\ A_{27a})}). \\ (((p\ (ap\ V0P\ (c_{2Elist\_2ENIL}\ A_{27a}))) \wedge (\forall V1t \in (ty_{2Elist\_2Elist} \\ A_{27a}).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_{27a}.(p\ (ap\ V0P\ (ap\ (ap\ ( \\ c_{2Elist\_2ECONS}\ A_{27a})\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty_{2Elist\_2Elist} \\ A_{27a}).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (17)$$

### Theorem 1

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ \forall V0f1 \in (2^{A_{27a}}).(\forall V1f2 \in (A_{27a}^{A_{27b}}).(\forall V2l \in \\ (ty_{2Elist\_2Elist}\ A_{27b}).((ap\ (ap\ (c_{2Elist\_2EFILTER}\ A_{27a})\ V0f1)\ (ap\ (ap\ (c_{2Elist\_2EMAP} \\ A_{27b}\ A_{27a})\ V1f2)\ V2l)) = (ap\ (ap\ (c_{2Elist\_2EMAP}\ A_{27b}\ A_{27a})\ V1f2)\ (ap\ (ap\ (c_{2Elist\_2EFILTER}\ A_{27b}) \\ (ap\ (ap\ (c_{2Ecombin\_2Eo}\ A_{27b}\ 2\ A_{27a})\ V0f1)\ V1f2))\ V2l))))))) \end{aligned}$$