

thm\_2Erich\_\_list\_2EFINITE\_\_prefix  
(TMYXVix2HCJcG68zgZdm9dXCzfah7xvXu1o)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1x \in 2.V1x)) (\lambda V1x \in 2.V1x)))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (2)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (3)$$

Let  $c\_2Elist\_2EisPREFIX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EisPREFIX A\_27a \in ((2^{(ty\_2Elist\_2Elist A\_27a)})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (4)$$

**Definition 5** We define  $c\_2Emarker\_2EAbbrev$  to be  $\lambda V0x \in 2.V0x$ .

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (5)$$

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E))$

**Definition 8** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2)))$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x))$

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A-27b})^{A-27a}}) \end{aligned} \quad (6)$$

**Definition 13** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a A\_27b \in ((2^{A-27a})^{((ty\_2Epair\_2Eprod A\_27a 2)^{A-27b})}) \end{aligned} \quad (7)$$

**Definition 14** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c\_2E$

**Definition 15** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2E\_7E)$ .

**Definition 16** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A-27a}).(ap (c\_2E$

**Definition 17** We define  $c\_2Epred\_set\_2ESING$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c\_2Ebool\_2E\_3F A\_27a$

**Definition 18** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A-27a}).\lambda V1s \in (2^{A-27a})$

**Definition 19** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c\_2Ebool\_2E\_21 2) (2^{A-27a}))$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (10)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (18)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A.27a)}), \\ & (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & \quad A.27a).(p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\ & \quad c\_2Elist\_2ECONS\ A.27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & \quad A.27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in (ty\_2Elist\_2Elist \\ & \quad A.27a).(p\ (ap\ (ap\ (c\_2Elist\_2EisPREFIX\ A.27a)\ V0x)\ (c\_2Elist\_2ENIL \\ & \quad A.27a))) \Leftrightarrow (V0x = (c\_2Elist\_2ENIL\ A.27a))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in (ty\_2Elist\_2Elist \\ & \quad A.27a).( \forall V1y \in A.27a. (\forall V2ys \in (ty\_2Elist\_2Elist \\ & \quad A.27a).(p\ (ap\ (ap\ (c\_2Elist\_2EisPREFIX\ A.27a)\ V0x)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\ & \quad A.27a)\ V1y)\ V2ys))) \Leftrightarrow ((V0x = (c\_2Elist\_2ENIL\ A.27a)) \vee (\exists V3xs \in \\ & \quad (ty\_2Elist\_2Elist\ A.27a).(V0x = (ap\ (ap\ (c\_2Elist\_2ECONS\ A.27a) \\ & \quad V1y)\ V3xs)) \wedge (p\ (ap\ (ap\ (c\_2Elist\_2EisPREFIX\ A.27a)\ V3xs)\ V2ys)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. (\forall V2a \in A.27a. (\forall V3b \in \\ & \quad A.27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & \quad (2^{A.27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & \quad A.27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V2x)\ V1t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A.27a\ 2)^{A.27b}). (\forall V1v \in \\ & \quad A.27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ & \quad A.27a\ A.27b)\ V0f))) \Leftrightarrow (\exists V2x \in A.27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A.27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\neg (p\ (ap\ (ap \\ & \quad (c\_2Ebool\_2EIN\ A.27a)\ V0x)\ (c\_2Epred\_set\_2EEMPTY\ A.27a)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A-27a}). (\forall V1t \in \\ (2^{A-27a}). (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a) \\ V2x)\ (ap\ (ap\ (c.2Epred\_set\_2EUNION\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V2x)\ V1t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in \\ A.27a. (\forall V2s \in (2^{A-27a}). ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a) \\ V0x)\ (ap\ (ap\ (c.2Epred\_set\_2EINSERT\ A.27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ V1y) \vee (p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V0x)\ V2s)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (p\ (ap\ (c.2Epred\_set\_2ESING \\ A.27a)\ (ap\ (ap\ (c.2Epred\_set\_2EINSERT\ A.27a)\ V0x)\ (c.2Epred\_set\_2EEMPTY \\ A.27a)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0y \in A.27b. (\forall V1s \in (2^{A-27a}). (\forall V2f \in (A.27b^{A-27a}). \\ ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27b)\ V0y)\ (ap\ (ap\ (c.2Epred\_set\_2EIMAGE \\ A.27a\ A.27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A.27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ (p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V3x)\ V1s)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (p\ (ap\ (c.2Epred\_set\_2EFINITE \\ A.27a)\ (c.2Epred\_set\_2EEMPTY\ A.27a))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1s \in \\ (2^{A-27a}). ((p\ (ap\ (c.2Epred\_set\_2EFINITE\ A.27a)\ (ap\ (ap\ (c.2Epred\_set\_2EINSERT \\ A.27a)\ V0x)\ V1s))) \Leftrightarrow (p\ (ap\ (c.2Epred\_set\_2EFINITE\ A.27a)\ V1s)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A-27a}). (\forall V1t \in \\ (2^{A-27a}). ((p\ (ap\ (c.2Epred\_set\_2EFINITE\ A.27a)\ (ap\ (ap\ (c.2Epred\_set\_2EUNION \\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (c.2Epred\_set\_2EFINITE\ A.27a)\ V0s)) \wedge \\ (p\ (ap\ (c.2Epred\_set\_2EFINITE\ A.27a)\ V1t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).((p\ (ap \\ (c.2Epred\_set.2ESING\ A.27a)\ V0s)) \Rightarrow (p\ (ap\ (c.2Epred\_set.2EFINITE \\ A.27a)\ V0s)))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0s \in (2^{A.27a}).((p\ (ap\ (c.2Epred\_set.2EFINITE\ A.27a) \\ V0s)) \Rightarrow (\forall V1f \in (A.27b^{A.27a}).(p\ (ap\ (c.2Epred\_set.2EFINITE \\ A.27b)\ (ap\ (ap\ (c.2Epred\_set.2EIMAGE\ A.27a\ A.27b)\ V1f)\ V0s)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0y \in A.27a.((ap\ (c.2Epred\_set.2EGSPEC \\ A.27a\ A.27a)\ (\lambda V1x \in A.27a.(ap\ (ap\ (c.2Epair.2E.2C\ A.27a\ 2) \\ V1x)\ (ap\ (ap\ (c.2Emin.2E.3D\ A.27a)\ V1x)\ V0y)))) = (ap\ (ap\ (c.2Epred\_set.2EINSERT \\ A.27a)\ V0y)\ (c.2Epred\_set.2EEMPTY\ A.27a)))) \end{aligned} \quad (36)$$

### Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty.2Elist.2Elist \\ A.27a).(p\ (ap\ (c.2Epred\_set.2EFINITE\ (ty.2Elist.2Elist\ A.27a)) \\ (ap\ (c.2Epred\_set.2EGSPEC\ (ty.2Elist.2Elist\ A.27a)\ (ty.2Elist.2Elist \\ A.27a))\ (\lambda V1a \in (ty.2Elist.2Elist\ A.27a).(ap\ (ap\ (c.2Epair.2E.2C \\ (ty.2Elist.2Elist\ A.27a)\ 2)\ V1a)\ (ap\ (ap\ (c.2Elist.2EisPREFIX \\ A.27a)\ V1a)\ V0b)))))) \end{aligned}$$