

thm_2Erich_list_2EFLAT__FOLDR
 (TMQXbLkeG3a8E8oCmtESA4Rc6cN4Hc9y3yB)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})(ty_2Elist_2Elist A_27a)) \quad (2)$$

Let $c_2Elist_2EFLAT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EFLAT A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist (ty_2Elist_2Elist A_27a))}) \quad (3)$$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EFOLDR A_27a A_27b \in (((A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{((A_27b^{A_27b})^{A_27a})}) \quad (4)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (5)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (6)$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a. (p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (8)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow & (((ap (c_2Elist_2EFLAT A_27a) (\\ c_2Elist_2ENIL (ty_2Elist_2Elist A_27a))) = (c_2Elist_2ENIL \\ A_27a)) \wedge (\forall V0h \in (ty_2Elist_2Elist A_27a). (\forall V1t \in \\ (ty_2Elist_2Elist (ty_2Elist_2Elist A_27a)). ((ap (c_2Elist_2EFLAT \\ A_27a) (ap (ap (c_2Elist_2ECONS (ty_2Elist_2Elist A_27a)) V0h) \\ V1t)) = (ap (ap (c_2Elist_2EAPPEND A_27a) V0h) (ap (c_2Elist_2EFLAT \\ A_27a) V1t))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow & \forall A_27b. nonempty A_27b \Rightarrow (\\ & (\forall V0f \in ((A_27b^{A_27b})^{A_27a}). (\forall V1e \in A_27b. ((ap (\\ ap (ap (c_2Elist_2EFOLDR A_27a A_27b) V0f) V1e) (c_2Elist_2ENIL \\ A_27a)) = V1e))) \wedge (\forall V2f \in ((A_27b^{A_27b})^{A_27a}). (\forall V3e \in \\ A_27b. (\forall V4x \in A_27a. (\forall V5l \in (ty_2Elist_2Elist A_27a). \\ ((ap (ap (ap (c_2Elist_2EFOLDR A_27a A_27b) V2f) V3e) (ap (ap (c_2Elist_2ECONS \\ A_27a) V4x) V5l)) = (ap (ap V2f V4x) (ap (ap (ap (c_2Elist_2EFOLDR \\ A_27a A_27b) V2f) V3e) V5l))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow & (\forall V0P \in (2^{(ty_2Elist_2Elist A_27a)}). \\ & (((p (ap V0P (c_2Elist_2ENIL A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ A_27a). ((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_27a. (p (ap V0P (ap (ap (\\ c_2Elist_2ECONS A_27a) V2h) V1t))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ A_27a). (p (ap V0P V3l))))))) \end{aligned} \quad (12)$$

Theorem 1

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ (ty_2Elist_2Elist A_27a)).((ap (c_2Elist_2EFLAT A_27a) V0l) = \\ (ap (ap (ap (c_2Elist_2EFOLDR (ty_2Elist_2Elist A_27a) (ty_2Elist_2Elist \\ A_27a)) (c_2Elist_2EAPPEND A_27a)) (c_2Elist_2ENIL A_27a)) V0l))) \end{aligned}$$