

thm\_2Erich\_list\_2EFOLDL\_APPEND  
(TMQpH-  
mUe4E5by4Nm8LE7pGcGvy3dCPa9gxx)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0.nonempty A 0 \Rightarrow nonempty (ty\_2Elist\_2Elist A 0) \quad (1)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EAPPEND A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (2)$$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EFOLDL A\_27a A\_27b \in (((A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27b})^{((A\_27b)^{A\_27a})^{A\_27b}} \quad (3)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (4)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (5)$$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 5** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_Ebool\_2E\_21 2) (\lambda V2t \in 2. ($

Assume the following.

$$True \tag{6}$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \tag{7}$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{8}$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & ((\forall V0l \in (ty\_2Elist\_2Elist \\ & A\_27a). ((ap (ap (c\_2Elist\_2EAPPEND A\_27a) (c\_2Elist\_2ENIL A\_27a)) \\ & V0l) = V0l)) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist A\_27a). (\forall V2l2 \in \\ & (ty\_2Elist\_2Elist A\_27a). (\forall V3h \in A\_27a. ((ap (ap (c\_2Elist\_2EAPPEND \\ & A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V3h) V1l1)) V2l2) = (ap (ap \\ & (c\_2Elist\_2ECONS A\_27a) V3h) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) \\ & V1l1) V2l2)))))))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & \forall A\_27b. nonempty A\_27b \Rightarrow ( \\ & (\forall V0f \in ((A\_27b^{A\_27a})^{A\_27b}). (\forall V1e \in A\_27b. ((ap ( \\ & ap (ap (c\_2Elist\_2EFOLDL A\_27a A\_27b) V0f) V1e) (c\_2Elist\_2ENIL \\ & A\_27a)) = V1e))) \wedge (\forall V2f \in ((A\_27b^{A\_27a})^{A\_27b}). (\forall V3e \in \\ & A\_27b. (\forall V4x \in A\_27a. (\forall V5l \in (ty\_2Elist\_2Elist A\_27a). \\ & ((ap (ap (ap (c\_2Elist\_2EFOLDL A\_27a A\_27b) V2f) V3e) (ap (ap (c\_2Elist\_2ECONS \\ & A\_27a) V4x) V5l)) = (ap (ap (ap (c\_2Elist\_2EFOLDL A\_27a A\_27b) V2f) \\ & (ap (ap V2f V3e) V4x)) V5l)))))))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}). \\ & (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a). ((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A\_27a. (p (ap V0P (ap (ap ( \\ & c\_2Elist\_2ECONS A\_27a) V2h) V1t))))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a). (p (ap V0P V3l)))))) \end{aligned} \tag{11}$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in ((A\_27a^{A\_27b})^{A\_27a}). (\forall V1e \in A\_27a. (\forall V2l1 \in \\ & \quad (ty\_2Elist\_2Elist\ A\_27b). (\forall V3l2 \in (ty\_2Elist\_2Elist\ A\_27b). \\ & ((ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27b\ A\_27a)\ V0f)\ V1e)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND \\ & \quad A\_27b)\ V2l1)\ V3l2)) = (ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27b\ A\_27a) \\ & \quad V0f)\ (ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ A\_27b\ A\_27a)\ V0f)\ V1e)\ V2l1)) \\ & \quad V3l2)))))) \end{aligned}$$